

the subject merchandise; and (4) if neither the exporter nor the manufacturer is a firm covered by this review, a prior review, or the LTFV investigation, the cash deposit rate shall be the all others' rate established in the LTFV investigation, which is 9.86 percent. See *Notice of Final Determination of Sales at Less Than Fair Value: Stainless Steel Plate in Coils From Belgium*, 64 FR 15476 (March 31, 1999). These deposit rates, when imposed, shall remain in effect until publication of the final results of the next administrative review.

#### Public Comment

Pursuant to 19 CFR 351.224(b), the Department will disclose to parties to the proceeding any calculations performed in connection with these preliminary results within five days after the date of publication of this notice. Pursuant to 19 CFR 351.309, interested parties may submit written comments in response to these preliminary results. Unless extended by the Department, case briefs are to be submitted within 30 days after the date of publication of this notice, and rebuttal briefs, limited to arguments raised in case briefs, are to be submitted no later than five days after the time limit for filing case briefs. Parties who submit arguments in this proceeding are requested to submit with the argument: (1) a statement of the issues, and (2) a brief summary of the argument. Case and rebuttal briefs must be served on interested parties in accordance with 19 CFR 351.303(f).

Also, pursuant to 19 CFR 351.310(c), within 30 days of the date of publication of this notice, interested parties may request a public hearing on arguments to be raised in the case and rebuttal briefs. Unless the Secretary specifies otherwise, the hearing, if requested, will be held two days after the date for submission of rebuttal briefs. Parties will be notified of the time and location. The Department will publish the final results of this administrative review, including the results of its analysis of issues raised in any case or rebuttal brief, no later than 120 days after publication of these preliminary results, unless extended. See 19 CFR 351.213(h).

#### Notification to Importers

This notice serves as a preliminary reminder to importers of their responsibility under 19 CFR 351.402(f) to file a certificate regarding the reimbursement of antidumping duties prior to liquidation of the relevant entries during this review period. Failure to comply with this requirement could result in the Secretary's

presumption that reimbursement of antidumping duties occurred and the subsequent assessment of double antidumping duties.

These preliminary results of this administrative review and notice are issued and published in accordance with sections 751(a)(1) and 777(i)(1) of the Act.

Dated: May 26, 2005.

**Holly A. Kuga,**

*Acting Assistant Secretary for Import Administration.*

[FR Doc. E5-2863 Filed 6-2-05; 8:45 am]

**BILLING CODE 3510-DS-S**

## DEPARTMENT OF COMMERCE

### International Trade Administration

#### North American Free-Trade Agreement (NAFTA), Article 1904 Binational Panel Reviews

**AGENCY:** NAFTA Secretariat, United States Section, International Trade Administration, Department of Commerce.

**ACTION:** Notice of decision of panel.

**SUMMARY:** On May 26, 2005 the binational panel issued its decision in the review of the final antidumping administrative review made by the International Trade Administration, respecting Gray Portland Cement and Clinker from Mexico, NAFTA Secretariat File Number USA-MEX-98-1904-02. The binational panel affirmed in part and remanded in part the International Trade Administration's determination. Copies of the panel decision are available from the U.S. Section of the NAFTA Secretariat.

**FOR FURTHER INFORMATION CONTACT:** Caratina L. Alston, United States Secretary, NAFTA Secretariat, Suite 2061, 14th and Constitution Avenue, Washington, DC 20230, (202) 482-5438.

**SUPPLEMENTARY INFORMATION:** Chapter 19 of the North American Free-Trade Agreement ("Agreement") establishes a mechanism to replace domestic judicial review of final determinations in antidumping and countervailing duty cases involving imports from a NAFTA country with review by independent binational panels. When a Request for Panel Review is filed, a panel is established to act in place of national courts to review expeditiously the final determination to determine whether it conforms with the antidumping or countervailing duty law of the country that made the determination.

Under Article 1904 of the Agreement, which came into force on January 1, 1994, the Government of the United

States, the Government of Canada and the Government of Mexico established *Rules of Procedure for Article 1904 Binational Panel Reviews* ("Rules"). These Rules were published in the **Federal Register** on February 23, 1994 (59 FR 8686). The panel review in this matter has been conducted in accordance with these Rules.

**Panel Decision:** The panel affirmed in part and remanded in part the International Trade Administration's determination respecting Gray Portland Cement and Clinker from Mexico. The panel remanded on the following issues:

1. That the Department of Commerce reconsider, in view of the changed methodology adopted in the remand determination in the Seventh Review, whether CEMEX's home market sales of Type V cement sold as Type II and Type V cement produced at the Hermosillo plants were outside the ordinary course of trade, and support whatever conclusion is reached with adequate reasoning based on substantial evidence in the record;

2. Further analyze and explain the plant efficiency issues in the calculation of the DIFMER adjustment in accordance with this opinion; and

3. Reclassify certain sales in accordance with the decision of the Court of Appeals for the Federal Circuit in *AK Steel v. United States*.

Commerce was directed to issue its determination on remand within 60 days of the issuance of the panel decision or not later than July 25, 2005.

The Department's decision in the final results of the Sixth Administrative Review was, in all other respects upheld.

Dated: May 26, 2005.

**Caratina L. Alston,**

*U.S. Secretary, NAFTA Secretariat.*

[FR Doc. E5-2842 Filed 6-2-05; 8:45 am]

**BILLING CODE 3510-GT-P**

## DEPARTMENT OF COMMERCE

### National Institute of Standards and Technology

#### National Fire Codes: Request for Proposals for Revision of Codes and Standards

**AGENCY:** National Institute of Standards and Technology, Commerce.

**ACTION:** Notice.

**SUMMARY:** The National Fire Protection Association (NFPA) proposes to revise some of its fire safety codes and standards and requests proposals from the public to amend existing or begin the process of developing new NFPA

fire safety codes and standards. The purpose of this request is to increase public participation in the system used by NFPA to develop its codes and standards. The publication of this notice of request for proposals by the National Institute of Standards and Technology (NIST) on behalf of NFPA is being undertaken as a public service; NIST does not necessarily endorse, approve, or recommend any of the standards referenced in the notice.

**DATES:** Interested persons may submit proposals on or before the dates listed with the standards.

**ADDRESSES:** Casey C. Grant, Secretary, Standards Council, NFPA, 1 Batterymarch Park, Quincy, Massachusetts, 02269-9101.

**FOR FURTHER INFORMATION CONTACT:** Casey C. Grant, Secretary, Standards

Council, at above address, (617) 770-3000.

**SUPPLEMENTARY INFORMATION:**

**Background**

The National Fire Protection Association (NFPA) develops building, fire, and electrical safety codes and standards. Federal agencies frequently use these codes and standards as the basis for developing Federal regulations concerning fire safety. Often, the Office of the **Federal Register** approves the incorporation by reference of these standards under 5 U.S.C. 552(a) and 1 CFR part 51.

**Request for Proposals**

Interested persons may submit proposals, supported by written data, views, or arguments to Casey C. Grant, Secretary, Standards Council, NFPA, 1 Batterymarch Park, Quincy,

Massachusetts, 02269-9101. Proposals should be submitted on forms available from the NFPA Codes and Standards Administration Office or on NFPA's Web site at <http://www.nfpa.org>.

Each person must include his or her name and address, identify the document and give reasons for the proposal. Proposals received before or by 5 PM local time on the closing date indicated would be acted on by the Committee. The NFPA will consider any proposal that it receives on or before the date listed with the codes or standards.

At a later date, each NFPA Technical Committee will issue a report, which will include a copy of written proposals that have been received, and an account of their disposition of each proposal by the NFPA Committee as the Report on Proposals. Each person who has submitted a written proposal will receive a copy of the report.

Document-edition	Document title	Proposal closing date
NFPA 18A-P*	Standard on Water Additives for Fire Control and Vapor Mitigation	5/27/2005
NFPA 25-2002	Standard for the Inspection, Testing, and Maintenance of Water-Based Fire Protection Systems.	5/27/2005
NFPA 51-2002	Standard for the Design and Installation of Oxygen-Fuel Gas Systems for Welding, Cutting, and Allied Processes.	5/27/2005
NFPA 58-2004	Liquefied Petroleum Gas Code	5/27/2005
NFPA 59-2004	Utility LP-Gas Plant Code	3/3/2006
NFPA 68-2002	Guide for Venting of Deflagrations	5/27/2005
NFPA 70-2005	National Electrical Code®	11/4/2005
NFPA 85-2004	Boiler and Combustion Systems Hazards Code	5/27/2005
NFPA 204-2002	Standard for Smoke and Heat Venting	5/27/2005
NFPA 385-2000	Standard for Tank Vehicles for Flammable and Combustible Liquids	5/27/2005
NFPA 471-2002	Recommended Practice for Responding to Hazardous Materials Incidents	5/27/2005
NFPA 472-2002	Standard for Professional Competence of Responders to Hazardous Materials Incidents.	5/27/2005
NFPA 473-2002	Standard for Competencies for EMS Personnel Responding to Hazardous Materials Incidents.	5/27/2005
NFPA 551-2004	Guide for the Evaluation of Fire Risk Assessments	5/27/2005
NFPA 560-2002	Standard for the Storage, Handling, and Use of Ethylene Oxide for Sterilization and Fumigation.	5/27/2005
NFPA 720-2005	Standard for the Installation of Carbon Monoxide (CO) Warning Equipment in Dwelling Units.	5/26/2005
NFPA 900-2004	Building Energy Code	5/27/2005
NFPA 1005-P*	Standard on Professional Qualifications for Marine Fire Fighting for Land-Based Fire Fighters.	5/27/2005
NFPA 1037-P*	Standard for Professional Qualifications for Fire Marshal	5/27/2005
NFPA 1041-2002	Standard for Fire Service Instructor Professional Qualifications	5/27/2005
NFPA 1051-2002	Standard for Wildland Fire Fighter Professional Qualifications	5/27/2005
NFPA 1061-2002	Standard for Professional Qualifications for Public Safety Telecommunicator	5/27/2005
NFPA 1141-2003	Standard for Fire Protection in Planned Building Groups	9/23/2005
NFPA 1144-2002	Standard for Protection of Life and Property from Wildfire	9/23/2005
NFPA 1402-2002	Guide to Building Fire Service Training Centers	5/27/2005
NFPA 1403-2002	Standard on Live Fire Training Evolutions	5/27/2005
NFPA 1451-2002	Standard for a Fire Service Vehicle Operations Training Program	5/27/2005
NFPA 1521-2002	Standard for Fire Department Safety Officer	9/30/2005
NFPA 1600-2004	Standard on Disaster/Emergency Management and Business Continuity Programs	5/27/2005
NFPA 1901-2003	Standard for Automotive Fire Apparatus	3/31/2006
NFPA 1961-2002	Standard on Fire Hose	5/27/2005
NFPA 1962-2003	Standard for the Inspection, Care and Use of Fire Hose, Couplings and Nozzles; and the Service Testing of Fire Hose.	3/10/2006
NFPA 1964-2003	Standard for Spray Nozzles	3/10/2006
NFPA 2001-2004	Standard on Clean Agent Fire Extinguishing Systems	5/27/2005

\*P Proposed NEW drafts are available from NFPA's Web site—[www.nfpa.org](http://www.nfpa.org) or may be obtained from NFPA's Codes and Standards Administration, 1 Batterymarch Park, Quincy, Massachusetts, 02269.

Dated: May 27, 2005.  
**Hratch G. Semerjian**,  
*Acting Director.*  
 [FR Doc. 05-11118 Filed 6-2-05; 8:45 am]  
**BILLING CODE 3510-13-P**

**DEPARTMENT OF COMMERCE**

**National Institute of Standards and Technology**

**National Fire Codes: Request for Comments on NFPA Technical Committee Reports**

**AGENCY:** National Institute of Standards and Technology, Commerce.

**ACTION:** Notice.

**SUMMARY:** The National Fire Protection Association (NFPA) revises existing standards and adopts new standards twice a year. At its January and July meetings, the NFPA Standards Council acts on recommendations made by its technical committees.

The purpose of this notice is to request comments on the technical reports that will be presented at NFPA's 2006 June Cycle. The publication of this notice by the National Institute of Standards and Technology (NIST) on behalf of NFPA is being undertaken as a public service; NIST does not necessarily endorse, approve, or recommend any of the standards referenced in the notice.

**DATES:** Forty-eight reports are published in the 2006 June Cycle Report on Proposals and will be available on June 24, 2005. Comments received on or before September 2, 2005 will be

considered by the respective NFPA Committees before final action is taken on the proposals.

**ADDRESSES:** The 2006 June Cycle Report on Proposals is available and downloadable from NFPA's Web site—<http://www.nfpa.org> or by requesting a copy from the NFPA, Fulfillment Center, 11 Tracy Drive, Avon, Massachusetts 02322. Comments on the report should be submitted to Casey C. Grant, Secretary, Standards Council, NFPA, 1 Batterymarch Park, P.O. Box 9101, Quincy, Massachusetts 02269-9101.

**FOR FURTHER INFORMATION CONTACT:** Casey C. Grant, Secretary, Standards Council, NFPA, 1 Batterymarch Park, Quincy, Massachusetts 02269-9101, (617) 770-3000.

**SUPPLEMENTARY INFORMATION:**

**Background**

The National Fire Protection Association (NFPA) develops building, fire, and electrical safety codes and standards. Federal agencies frequently use these codes and standards as the basis for developing Federal regulations concerning fire safety. Often, the Office of the Federal Register approves the incorporation by reference of these standards under 5 U.S.C. 552(a) and 1 CFR part 51.

Revisions of existing standards and adoption of new standards are reported by the technical committees to the Standards Council for issuance in January and July of each year. Documents that receive an Intent to Make Motion are automatically held for

action at the NFPA's meeting in June of each year. The NFPA invites public comment on its Report on Proposals.

**Request for Comments**

Interested persons may participate in these revisions by submitting written data, views, or arguments to Casey C. Grant, Secretary, Standards Council, NFPA, 1 Batterymarch Park, Quincy, Massachusetts 02269-9101. Commenters may use the forms provided for comments in the Reports on Proposals. Each person submitting a comment should include his or her name and address, identify the notice, and give reasons for any recommendations. Comments received on or before September 2, 2005 for the 2006 June Cycle Report on Proposals will be considered by the NFPA before final action is taken on the proposals.

Copies of all written comments received and the disposition of those comments by the NFPA committees will be published as the 2006 June Cycle Report on Comments by February 24, 2006.

A copy of the Report on Comments will be sent automatically to each commenter. Reports of the Technical Committees on documents that do not receive an Intent to Make a Motion will automatically be forwarded to the Standards Council for action at its July 28, 2006 meeting. Action on the reports of the Technical Committees on documents that do receive an Intent to Make a Motion will be taken at the June Meeting, June 4-8, 2006, in Orlando, Florida, by NFPA members.

**2006 JUNE MEETING REPORT ON PROPOSALS**

[P = Partial revision; W = Withdrawal; R = Reconfirmation; N = New; C = Complete Revision]

NFPA 13 .....	Standard for the Installation of Sprinkler Systems .....	P
NFPA 13D .....	Standard for the Installation of Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes.	P
NFPA 13R .....	Standard for the Installation of Sprinkler Systems in Residential Occupancies up to and Including Four Stories in Height.	P
NFPA 15 .....	Standard for Water Spray Fixed Systems for Fire Protection .....	P
NFPA 20 .....	Standard for the Installation of Stationary Pumps for Fire Protection .....	P
NFPA 24 .....	Standard for the Installation of Private Fire Service Mains and Their Appurtenances ....	P
NFPA 30A .....	Code for Motor Fuel Dispensing Facilities and Repair Garages .....	P
NFPA 30B .....	Code for the Manufacture and Storage of Aerosol Products .....	P
NFPA 32 .....	Standard for Drycleaning Plants .....	P
NFPA 33 .....	Standard for Spray Application Using Flammable or Combustible Materials .....	P
NFPA 34 .....	Standard for Dipping and Coating Processes Using Flammable or Combustible Liquids	P
NFPA 40 .....	Standard for the Storage and Handling of Cellulose Nitrate Film .....	P
NFPA 72 .....	National Fire Alarm Code® .....	P
NFPA 77 .....	Recommended Practice on Static Electricity .....	C
NFPA 80 .....	Standard for Fire Doors and Fire Windows .....	C
NFPA 80A .....	Recommended Practice for Protection of Buildings from Exterior Fire Exposures .....	P
NFPA 86 .....	Standard for Ovens and Furnaces .....	P
NFPA 88A .....	Standard for Parking Structures .....	P
NFPA 101A .....	Guide on Alternative Approaches to Life Safety .....	P
NFPA 101B .....	Code for Means of Egress for Buildings and Structures .....	W
NFPA 105 .....	Standard for the Installation of Smoke Door Assemblies .....	P
NFPA 130 .....	Standard for Fixed Guideway Transit and Passenger Rail Systems .....	P
NFPA 150 .....	Standard on Fire Safety in Racetrack Stables .....	C