

**NUCLEAR REGULATORY COMMISSION****Request for a License to Import Radioactive Waste**

Pursuant to 10 CFR 110.70(C) "Public notice of receipt of an application," please take notice that the Nuclear Regulatory Commission has received the following request for an import license.

Copies of the request are available electronically through ADAMS and can be accessed through the Public Electronic Reading Room (PERR) link <http://www.nrc.gov/NRC/ADAMS/index.html> at the NRC Home page.

A request for a hearing or petition for leave to intervene may be filed within 30 days after publication of this notice in the **Federal Register**. Any request for hearing or petition for leave to intervene

shall be served by the requestor or petitioner upon the applicant, the Office of the General Counsel, U.S. Nuclear Regulatory Commission, Washington, DC 20555; the Secretary, U.S. Nuclear Regulatory Commission, Washington, DC 20555; and the Executive Secretary, U.S. Department of State, Washington, DC 20520.

The information concerning this request follows.

**NRC IMPORT LICENSE APPLICATION**

Name of applicant, date of application, date received, application number, docket number	Description of material	End use	Country of origin
Eastern Technologies, Inc., Ashford, AL, February 3, 2006.  February 3, 2006 IW016 11005602	Class A radioactive waste consisting of corrosion activation and mixed fission products (predominantly Co-60, Co-58 and Mn-54) as contaminants on used protective clothing and other items.	Laundering and decontamination of protective clothing and related products used at the Laguna Verde Nuclear Power Plant located in Mexico.	Mexico.

For the Nuclear Regulatory Commission.  
Dated this 24th day of February 2006 at Rockville, Maryland.

**Stephen Dembek,**

*Acting Director, Office of International Programs.*

[FR Doc. 06-2094 Filed 3-3-06; 8:45 am]

BILLING CODE 7590-01-P

**NUCLEAR REGULATORY COMMISSION**

[Docket No. 50-354]

**PSEG Nuclear LLC; Notice of Consideration of Issuance of Amendment to Facility Operating License, Proposed No Significant Hazards Consideration Determination, and Opportunity for a Hearing**

The U.S. Nuclear Regulatory Commission (NRC or the Commission) is considering issuance of an amendment to Facility Operating License No. NPF-57 issued to PSEG Nuclear LLC (the licensee) for operation of the Hope Creek Generating Station located in Salem County, New Jersey.

The proposed amendment would relocate the primary containment penetration conductor overcurrent protective devices and the Class 1E isolation breaker overcurrent protective devices from the Technical Specifications to the Updated Final Safety Analysis Report.

Before issuance of the proposed license amendment, the Commission will have made findings required by the Atomic Energy Act of 1954, as amended

(the Act), and the Commission's regulations.

The Commission has made a proposed determination that the amendment request involves no significant hazards consideration. Under the Commission's regulations in Title 10 of the *Code of Federal Regulations* (10 CFR), Section 50.92, this means that operation of the facility in accordance with the proposed amendment would not (1) Involve a significant increase in the probability or consequences of an accident previously evaluated; (2) create the possibility of a new or different kind of accident from any accident previously evaluated; or (3) involve a significant reduction in a margin of safety. As required by 10 CFR 50.91(a), the licensee has provided its analysis of the issue of no significant hazards consideration, which is presented below:

1. Does the proposed change involve a significant increase in the probability or consequences of an accident previously evaluated?

*Response:* No.

The proposed changes do not increase the probability of any previously evaluated accident. No safety function has been altered. The proposed changes relocate the Primary Containment Penetration Conductor Overcurrent Protective Devices Limiting Condition for Operation (LCO) and Class 1E Isolation Breaker Overcurrent Protective Devices LCO requirements from the TS [technical specifications] to the Hope Creek Generating Station Updated Final Safety Analysis Report (UFSAR). Relocation of the Primary Containment

Penetration Conductor Overcurrent Protective Devices LCO and Class 1E Isolation Breaker Overcurrent Protective Devices LCO requirements is consistent with the NRC Final Policy Statement on TS Improvements and 10 CFR 50.36. In part, the Final Policy Statement provides screening criteria to evaluate TS requirements for the purpose of relocation to other licensee-controlled documents. LCOs which do not meet any of the Final Policy Statement criteria and any 10 CFR 50.36(c)(2)(ii) criteria may be proposed for relocation. The Primary Containment Penetration Conductor Overcurrent Protective Devices LCO and Class 1E Isolation Breaker Overcurrent Protective Devices LCO requirements do not satisfy any of the Final Policy Statement screening criteria. The proposed changes do not affect any operational characteristic, function, or reliability of any structure, system, or component (SSC). Thus the consequences of accidents previously analyzed are unchanged between the existing TS requirements and the proposed changes.

Based upon the above, the proposed change will not involve a significant increase in the probability or consequences of an accident previously analyzed.

2. Does the proposed change create the possibility of a new or different kind of accident from any accident previously evaluated?

*Response:* No.

The proposed changes do not create the possibility of a new or different kind of accident from any accident previously evaluated in the UFSAR. No

new accident scenarios, failure mechanisms, or limiting single failures are introduced as a result of the proposed changes. Specifically, no new hardware is being added to the plant as part of the proposed change, no existing equipment is being modified, and no significant changes in operations are being introduced.

Therefore, the proposed changes do not create the possibility of a new or different kind of accident from any previously evaluated.

3. Does the proposed change involve a significant reduction in a margin of safety?

*Response:* No.

The proposed changes will not alter any assumptions, initial conditions, or results of any accident analyses. The proposed changes relocate the Primary Containment Penetration Conductor Overcurrent Protective Devices LCO and Class 1E Isolation Breaker Overcurrent Protective Devices LCO requirements from the TS to the UFSAR consistent with the NRC Final Policy Statement on TS Improvements and 10 CFR 50.36.

Therefore, the proposed changes do not involve a significant reduction in a margin of safety.

The NRC staff has reviewed the licensee's analysis and, based on this review, it appears that the three standards of 10 CFR 50.92(c) are satisfied. Therefore, the NRC staff proposes to determine that the amendment request involves no significant hazards consideration.

The Commission is seeking public comments on this proposed determination. Any comments received within 30 days after the date of publication of this notice will be considered in making any final determination.

Normally, the Commission will not issue the amendment until the expiration of 60 days after the date of publication of this notice. The Commission may issue the license amendment before expiration of the 60-day period provided that its final determination is that the amendment involves no significant hazards consideration. In addition, the Commission may issue the amendment prior to the expiration of the 30-day comment period should circumstances change during the 30-day comment period such that failure to act in a timely way would result, for example in derating or shutdown of the facility. Should the Commission take action prior to the expiration of either the comment period or the notice period, it will publish in the **Federal Register** a notice of issuance. Should the Commission make a final No Significant

Hazards Consideration Determination, any hearing will take place after issuance. The Commission expects that the need to take this action will occur very infrequently.

Written comments may be submitted by mail to the Chief, Rules and Directives Branch, Division of Administrative Services, Office of Administration, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, and should cite the publication date and page number of this **Federal Register** notice. Written comments may also be delivered to Room 6D59, Two White Flint North, 11545 Rockville Pike, Rockville, Maryland, from 7:30 a.m. to 4:15 p.m. Federal workdays. Documents may be examined, and/or copied for a fee, at the NRC's Public Document Room (PDR), located at One White Flint North, Public File Area O1 F21, 11555 Rockville Pike (first floor), Rockville, Maryland.

The filing of requests for hearing and petitions for leave to intervene is discussed below.

Within 60 days after the date of publication of this notice, the licensee may file a request for a hearing with respect to issuance of the amendment to the subject facility operating license, and any person whose interest may be affected by this proceeding and who wishes to participate as a party in the proceeding must file a written request for a hearing and a petition for leave to intervene. Requests for a hearing and a petition for leave to intervene shall be filed in accordance with the Commission's "Rules of Practice for Domestic Licensing Proceedings" in 10 CFR Part 2. Interested persons should consult a current copy of 10 CFR 2.309, which is available at the Commission's PDR, located at One White Flint North, Public File Area O1F21, 11555 Rockville Pike (first floor), Rockville, Maryland. Publicly available records will be accessible from the Agencywide Documents Access and Management System's (ADAMS) Public Electronic Reading Room on the Internet at the NRC Web site, <http://www.nrc.gov/reading-rm/doc-collections/cfr/>. If a request for a hearing or petition for leave to intervene is filed by the above date, the Commission or a presiding officer designated by the Commission or by the Chief Administrative Judge of the Atomic Safety and Licensing Board Panel, will rule on the request and/or petition; and the Secretary or the Chief Administrative Judge of the Atomic Safety and Licensing Board will issue a notice of a hearing or an appropriate order.

As required by 10 CFR 2.309, a petition for leave to intervene shall set

forth with particularity the interest of the petitioner in the proceeding, and how that interest may be affected by the results of the proceeding. The petition should specifically explain the reasons why intervention should be permitted with particular reference to the following general requirements: (1) The name, address and telephone number of the requestor or petitioner; (2) the nature of the requestor's/petitioner's right under the Act to be made a party to the proceeding; (3) the nature and extent of the requestor's/petitioner's property, financial, or other interest in the proceeding; and (4) the possible effect of any decision or order which may be entered in the proceeding on the requestor's/petitioner's interest. The petition must also identify the specific contentions which the petitioner/requestor seeks to have litigated at the proceeding.

Each contention must consist of a specific statement of the issue of law or fact to be raised or controverted. In addition, the petitioner/requestor shall provide a brief explanation of the bases for the contention and a concise statement of the alleged facts or expert opinion which supports the contention and on which the petitioner intends to rely in proving the contention at the hearing. The petitioner/requestor must also provide references to those specific sources and documents of which the petitioner is aware and on which the petitioner intends to rely to establish those facts or expert opinion. The petition must include sufficient information to show that a genuine dispute exists with the applicant on a material issue of law or fact. Contentions shall be limited to matters within the scope of the amendment under consideration. The contention must be one which, if proven, would entitle the petitioner to relief. A petitioner/requestor who fails to satisfy these requirements with respect to at least one contention will not be permitted to participate as a party.

Those permitted to intervene become parties to the proceeding, subject to any limitations in the order granting leave to intervene, and have the opportunity to participate fully in the conduct of the hearing.

If a hearing is requested, the Commission will make a final determination on the issue of no significant hazards consideration. The final determination will serve to decide when the hearing is held. If the final determination is that the amendment request involves no significant hazards consideration, the Commission may issue the amendment and make it immediately effective, notwithstanding

the request for a hearing. Any hearing held would take place after issuance of the amendment. If the final determination is that the amendment request involves a significant hazards consideration, any hearing held would take place before the issuance of any amendment.

Nontimely requests and/or petitions and contentions will not be entertained absent a determination by the Commission or the presiding officer of the Atomic Safety and Licensing Board that the petition, request and/or the contentions should be granted based on a balancing of the factors specified in 10 CFR 2.309(c)(1)(i)–(viii).

A request for a hearing or a petition for leave to intervene must be filed by: (1) First class mail addressed to the Office of the Secretary of the Commission, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001, Attention: Rulemaking and Adjudications Staff; (2) courier, express mail, and expedited delivery services: Office of the Secretary, Sixteenth Floor, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852, Attention: Rulemaking and Adjudications Staff; (3) E-mail addressed to the Office of the Secretary, U.S. Nuclear Regulatory Commission, [HEARINGDOCKET@NRC.GOV](mailto:HEARINGDOCKET@NRC.GOV); or (4) facsimile transmission addressed to the Office of the Secretary, U.S. Nuclear Regulatory Commission, Washington, DC, Attention: Rulemakings and Adjudications Staff at (301) 415–1101, verification number is (301) 415–1966. A copy of the request for hearing and petition for leave to intervene should also be sent to the Office of the General Counsel, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001, and it is requested that copies be transmitted either by means of facsimile transmission to 301–415–3725 or by e-mail to [OGCMailCenter@nrc.gov](mailto:OGCMailCenter@nrc.gov). A copy of the request for hearing and petition for leave to intervene should also be sent to the Jeffrie J. Keenan, Esquire, Nuclear Business Unit—N21, P.O. Box 236, Hancocks Bridge, NJ 08038, attorney for the licensee.

For further details with respect to this action, see the application for amendment dated October 11, 2005, which is available for public inspection at the Commission's PDR, located at One White Flint North, File Public Area O1 F21, 11555 Rockville Pike (first floor), Rockville, Maryland. Publicly available records will be accessible from the ADAMS Public Electronic Reading Room on the Internet at the NRC Web site, <http://www.nrc.gov/reading-rm/adams.html>. Persons who do not have access to ADAMS or who encounter

problems in accessing the documents located in ADAMS, should contact the NRC PDR reference staff by telephone at 1–800–397–4209, 301–415–4737, or by e-mail to [pdr@nrc.gov](mailto:pdr@nrc.gov).

Dated at Rockville, Maryland, this 27th day of February, 2006.

For the Nuclear Regulatory Commission.

**Stewart N. Bailey,**

*Senior Project Manager, Plant Licensing Branch I–2, Division of Operating Reactor Licensing, Office of Nuclear Reactor Regulation.*

[FR Doc. E6–3130 Filed 3–3–06; 8:45 am]

BILLING CODE 7590–01–P

## NUCLEAR REGULATORY COMMISSION

### Advisory Committee on Nuclear Waste; Meeting on Planning and Procedures; Notice of Meeting

The Advisory Committee on Nuclear Waste (ACNW) will hold a Planning and Procedures meeting on March 24, 2006, Room O–1G16, 11555 Rockville Pike, Rockville, Maryland. The entire meeting will be open to public attendance, with the exception of a portion that may be closed pursuant to 5 U.S.C. 552b(c)(2) and (6) to discuss organizational and personnel matters that relate solely to internal personnel rules and practices of ACNW, and information the release of which would constitute a clearly unwarranted invasion of personal privacy.

The agenda for the subject meeting shall be as follows:

*Friday, March 24, 2006–1:30 p.m.–3:30 p.m.*

The Committee will discuss proposed ACNW activities and related matters. The purpose of this meeting is to gather information, analyze relevant issues and facts, and formulate proposed positions and actions, as appropriate, for deliberation by the full Committee.

Members of the public desiring to provide oral statements and/or written comments should notify the Designated Federal Official, Mr. Michael P. Lee (Telephone: 301/415–6887) between 8:15 a.m. and 5 p.m. (ET) five days prior to the meeting, if possible, so that appropriate arrangements can be made. Electronic recordings will be permitted only during those portions of the meeting that are open to the public.

Further information regarding this meeting can be obtained by contacting the Designated Federal Official between 8:15 a.m. and 5 p.m. (e.t.). Persons planning to attend this meeting are urged to contact the above named individual at least two working days

prior to the meeting to be advised of any potential changes in the agenda.

Dated: February 28, 2006.

**Michael R. Snodderly,**

*Acting Branch Chief, ACRS/ACNW.*

[FR Doc. E6–3127 Filed 3–3–06; 8:45 am]

BILLING CODE 7590–01–P

## OFFICE OF THE UNITED STATES TRADE REPRESENTATIVE

### Determination of Eligibility for Retroactive Duty Treatment Under the Dominican Republic—Central America—United States Free Trade Agreement

**AGENCY:** Office of the United States Trade Representative.

**ACTION:** Notice.

**SUMMARY:** Pursuant to Section 205(b) of the Dominican Republic—Central America—United States Free Trade Agreement Implementation Act (the Act), the United States Trade Representative (USTR) is providing notice of his determination that El Salvador is an eligible country for purposes of retroactive duty treatment as provided in Section 205 of the Act.

**DATES:** Effective March 6, 2006.

**ADDRESSES:** Inquiries may be mailed, delivered, or faxed to Abiola Heyliger, Director of Textile Trade Policy, Office of the United States Trade Representative, 600 17th Street, NW., Washington, DC 20508, fax number, (202) 395–5639.

**FOR FURTHER INFORMATION CONTACT:** Abiola Heyliger, Office of the United States Trade Representative, 202–395–3026.

**SUPPLEMENTARY INFORMATION:** Section 205(a) of the Act (Pub. Law 109–53; 119 Stat. 462, 483; 19 U.S.C. 4034) provides that certain entries of textile or apparel goods of designated eligible countries that are parties to the Dominican Republic—Central America—United States Free Trade Agreement (CAFTA–DR) made on or after January 1, 2004 may be liquidated or reliquidated at the applicable rate of duty for those goods established in the Schedule of the United States to Annex 3.3 of the CAFTA–DR. Section 205(b) of the Act requires the USTR to determine, in accordance with Article 3.20 of the CAFTA–DR, which CAFTA–DR countries are eligible countries for purposes of Section 205(a). Article 3.20 provides that importers may claim retroactive duty treatment for imports of certain textile or apparel goods entered on or after January 1, 2004 and before