

petition must also set forth the specific contentions which the petitioner/requestor seeks to have litigated at the proceeding.

Each contention must consist of a specific statement of the issue of law or fact to be raised or controverted. In addition, the requestor/petitioner shall provide a brief explanation of the bases of each contention and a concise statement of the alleged facts or the expert opinion that supports the contention on which the requestor/petitioner intends to rely in proving the contention at the hearing. The requestor/petitioner must also provide references to those specific sources and documents of which the requestor/petitioner is aware and on which the requestor/petitioner intends to rely to establish those facts or expert opinion. The requestor/petitioner must provide sufficient information to show that a genuine dispute exists with the applicant on a material issue of law or fact.¹ Contentions shall be limited to matters within the scope of the action under consideration. The contention must be one that, if proven, would entitle the requestor/petitioner to relief. A requestor/petitioner who fails to satisfy these requirements with respect to at least one contention will not be permitted to participate as a party.

The Commission requests that each contention be given a separate numeric or alpha designation within one of the following groups: (1) Technical (primarily related to safety concerns); (2) environmental; or (3) miscellaneous.

As specified in 10 CFR 2.309, if two or more requestors/petitioners seek to co-sponsor a contention or propose substantially the same contention, the requestors/petitioners will be required to jointly designate a representative who shall have the authority to act for the requestors/petitioners with respect to that contention.

Those permitted to intervene become parties to the proceeding, subject to any limitations in the order granting leave to intervene, and have the opportunity to participate fully in the conduct of the hearing. A request for a hearing or a petition for leave to intervene must be filed by: (1) First class mail addressed to the Office of the Secretary of the Commission, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, Attention: Rulemaking and Adjudications Staff; (2) courier, express

mail, and expedited delivery services: Office of the Secretary, Sixteenth Floor, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852, Attention: Rulemaking and Adjudications Staff; (3) e-mail addressed to the Office of the Secretary, U.S. Nuclear Regulatory Commission, HEARINGDOCKET@NRC.GOV; or (4) facsimile transmission addressed to the Office of the Secretary, U.S. Nuclear Regulatory Commission, Washington, DC, Attention: Rulemakings and Adjudications Staff at 301-415-1101, verification number is 301-415-1966.² A copy of the request for hearing and petition for leave to intervene must also be sent to the Office of the General Counsel, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, and it is requested that copies be transmitted either by means of facsimile transmission to 301-415-3725 or by e-mail to OGCMailCenter@nrc.gov. A copy of the request for hearing and petition for leave to intervene should also be sent to the attorney for the applicant, Mr. Terence A. Burke, Entergy Nuclear, 1340 Echelon Parkway, Mail Stop M-ECH-62, Jackson, MS 39213.

Non-timely requests and/or petitions and contentions will not be entertained absent a determination by the Commission, the presiding officer, or the Atomic Safety and Licensing Board that the petition, request and/or contentions should be granted based on a balancing of the factors specified in 10 CFR 2.309(a)(1)(i)-(viii).

Detailed information about the license renewal process can be found under the Nuclear Reactors icon at <http://www.nrc.gov/reactors/operating/licensing/renewal.html> on the NRC's Web site. Copies of the application to renew the operating license for Pilgrim Nuclear Power Station, are available for public inspection at the Commission's PDR, located at One White Flint North, 11555 Rockville Pike, first floor, Rockville, Maryland 20852-2738, and at <http://www.nrc.gov/reactors/operating/licensing/renewal/applications.html>, the NRC's Web site while the application is under review. The NRC maintains an Agencywide Documents Access and Management System (ADAMS), which provides text and image files of NRC's public documents. These documents may be accessed through the NRC's Public Electronic Reading Room on the Internet at <http://www.nrc.gov/reading->

[rm/adams.html](http://www.nrc.gov/reading-room/adams.html) under ADAMS Accession Number ML060300024. Persons who do not have access to ADAMS or who encounter problems in accessing the documents located in ADAMS may contact the NRC Public Document Room (PDR) Reference staff by telephone at 1-800-397-4209, 301-415-4737, or by e-mail to pdr@nrc.gov.

The staff has verified that a copy of the license renewal application is also available to local residents near the Pilgrim Nuclear Power Station at the Plymouth Public Library, 132 South Street, Plymouth, MA 02360, and The Duxbury Free Library, 77 Alden Street, Duxbury, MA 02332.

Dated at Rockville, Maryland, this 21st day of March, 2006.

For the Nuclear Regulatory Commission.

Frank P. Gillespie,

Director, Division of License Renewal, Office of Nuclear Reactor Regulation.

[FR Doc. E6-4382 Filed 3-24-06; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

[Docket Nos. 50-321 and 50-366]

Southern Nuclear Operating Company, Inc., Georgia Power Company, Edwin I. Hatch Nuclear Plant, Unit Nos. 1 and 2; Notice of Consideration of Issuance of Amendments to Facility Operating Licenses, Proposed No Significant Hazards Consideration Determination, and Opportunity for a Hearing

The U.S. Nuclear Regulatory Commission (the Commission) is considering issuance of amendments to Facility Operating License Nos. DPR-57 and NPF-5, issued to Southern Nuclear Operating Company, Inc. (SNC, the licensee), for operation of the Edwin I. Hatch Nuclear Plant, Unit Nos. 1 and 2, located in Appling County, Georgia.

The proposed amendment would add a license condition to Section 2.C of the Edwin I. Hatch Nuclear Plant, Unit Nos. 1 and 2, Operating Licenses. This license condition will authorize the licensee to credit administering potassium iodide (KI) to reduce the 30-day post-accident thyroid radiological dose to the operators in the main control room (MCR) for an interim period of approximately 4 years. In addition, the design-basis accident (DBA) analysis section of the Updated Final Safety Analysis Reports will be updated to reflect crediting of KI.

Before issuance of the proposed license amendments, the Commission will have made findings required by the Atomic Energy Act of 1954, as amended

¹ To the extent that the application contains attachments and supporting documents that are not publicly available because they are asserted to contain safeguards or proprietary information, petitioners desiring access to this information should contact the applicant or applicant's counsel to discuss the need for a protective order.

² If the request/petition is filed by e-mail or facsimile, an original and two copies of the document must be mailed within 2 (two) business days thereafter to the Secretary, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; Attention: Rulemaking and Adjudications Staff.

(the Act), and the Commission's regulations.

The Commission has made a proposed determination that the amendment request involves no significant hazards consideration. Under the Commission's regulations in Title 10 of the Code of Federal Regulations (10 CFR), § 50.92, this means that operation of the facility in accordance with the proposed amendments would not (1) involve a significant increase in the probability or consequences of an accident previously evaluated; or (2) create the possibility of a new or different kind of accident from any accident previously evaluated; or (3) involve a significant reduction in a margin of safety. As required by 10 CFR 50.91(a), the licensee has provided its analysis of the issue of no significant hazards consideration, which is presented below:

1. Does the proposed change involve a significant increase in the probability or consequences of an accident previously evaluated?

This proposed change will authorize SNC to credit KI for an interim period in the DBA radiological consequences analyses to address the impact of MCR unfiltered leakage. This proposed change does not result in any functional or operational change to any systems, structures, or components and has no impact on any assumed initiator of any analyzed accident. Therefore, the proposed change does not result in an increase in the probability of an accident previously evaluated.

This proposed change introduces an additional method of mitigating the thyroid dose to MCR occupants in the event of a loss-of-coolant accident (LOCA). The updated LOCA MCR radiological dose, considering 110 [cubic feet/minute] cfm unfiltered leakage and crediting KI, continues to meet [General Design Criterion] GDC 19 acceptance limits. In the context of the current licensing basis with MCR unfiltered leakage considered, LOCA continues to be the limiting event for radiological exposures to the operators in the MCR. Radiological doses to MCR occupants are within the regulatory limits of GDC 19 with MCR unfiltered leakages of up to 1000 cfm without the crediting of KI for the main steam line break accident (MSLB), control rod drop accident (CRDA), and fuel handling accident (FHA). Therefore, the proposed change does not result in a significant increase in the consequences of an accident previously evaluated.

2. Does the proposed change create the possibility of a new or different kind of accident from any previously evaluated?

This proposed change will authorize SNC to credit KI for an interim period in the [Design Basis Accident] DBA radiological consequences analyses to address the impact of MCR unfiltered leakage. This proposed change does not result in any functional or operational change to any systems, structures, or components. Therefore, the

proposed change does not create the possibility of a new or different kind of accident from any previously evaluated.

3. Does the proposed change involve a significant decrease in the margin of safety?

This proposed change will authorize SNC to credit KI for an interim period in the DBA radiological consequences analyses to address the impact of MCR unfiltered leakage. This proposed change does not result in any functional or operational change to any systems, structures, or components. This proposed change introduces an additional method of mitigating the thyroid dose to MCR occupants in the event of a LOCA. The updated LOCA MCR radiological dose, considering 110 cfm unfiltered leakage and crediting KI, continues to meet GDC 19 acceptance limits. In the context of the current licensing basis with MCR unfiltered leakage considered, LOCA continues to be the limiting event for radiological exposures to the operators in the MCR. Radiological doses to MCR occupants are within the regulatory limits of GDC 19 with MCR unfiltered leakages of up to 1000 cfm without the crediting of KI for the main steam line break accident (MSLB), control rod drop accident (CRDA), and fuel handling accident (FHA). Therefore, the proposed change does not involve a significant decrease in the margin of safety.

The NRC staff has reviewed the licensee's analysis and, based on this review, it appears that the three standards of 10 CFR 50.92(c) are satisfied. Therefore, the NRC staff proposes to determine that the amendment request involves no significant hazards consideration.

The Commission is seeking public comments on this proposed determination. Any comments received within 30 days after the date of publication of this notice will be considered in making any final determination.

Normally, the Commission will not issue the amendment until the expiration of 60 days after the date of publication of this notice. The Commission may issue the license amendment before expiration of the 60-day period provided that its final determination is that the amendment involves no significant hazards consideration. In addition, the Commission may issue the amendment prior to the expiration of the 30-day comment period should circumstances change during the 30-day comment period such that failure to act in a timely way would result, for example in derating or shutdown of the facility. Should the Commission take action prior to the expiration of either the comment period or the notice period, it will publish in the **Federal Register** a notice of issuance. Should the Commission make a final No Significant Hazards Consideration Determination,

any hearing will take place after issuance. The Commission expects that the need to take this action will occur very infrequently.

Written comments may be submitted by mail to the Chief, Rules and Directives Branch, Division of Administrative Services, Office of Administration, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, and should cite the publication date and page number of this **Federal Register** notice. Written comments may also be delivered to Room 6D59, Two White Flint North, 11545 Rockville Pike, Rockville, Maryland, from 7:30 a.m. to 4:15 p.m. Federal workdays. Documents may be examined, and/or copied for a fee, at the NRC's Public Document Room (PDR), located at One White Flint North, Public File Area O1 F21, 11555 Rockville Pike (first floor), Rockville, Maryland.

The filing of requests for hearing and petitions for leave to intervene is discussed below.

Within 60 days after the date of publication of this notice, the licensee may file a request for a hearing with respect to issuance of the amendment to the subject facility operating license and any person whose interest may be affected by this proceeding and who wishes to participate as a party in the proceeding must file a written request for a hearing and a petition for leave to intervene. Requests for a hearing and a petition for leave to intervene shall be filed in accordance with the Commission's "Rules of Practice for Domestic Licensing Proceedings" in 10 CFR part 2. Interested persons should consult a current copy of 10 CFR 2.309, which is available at the Commission's PDR, located at One White Flint North, Public File Area O1F21, 11555 Rockville Pike (first floor), Rockville, Maryland. Publicly available records will be accessible from the Agencywide Documents Access and Management System's (ADAMS) Public Electronic Reading Room on the Internet at the NRC Web site, <http://www.nrc.gov/reading-rm/doc-collections/cfr/>. If a request for a hearing or petition for leave to intervene is filed by the above date, the Commission or a presiding officer designated by the Commission or by the Chief Administrative Judge of the Atomic Safety and Licensing Board Panel, will rule on the request and/or petition; and the Secretary or the Chief Administrative Judge of the Atomic Safety and Licensing Board will issue a notice of a hearing or an appropriate order.

As required by 10 CFR 2.309, a petition for leave to intervene shall set forth with particularity the interest of

the petitioner in the proceeding, and how that interest may be affected by the results of the proceeding. The petition should specifically explain the reasons why intervention should be permitted with particular reference to the following general requirements: (1) The name, address and telephone number of the requestor or petitioner; (2) the nature of the requestor's/petitioner's right under the Act to be made a party to the proceeding; (3) the nature and extent of the requestor's/petitioner's property, financial, or other interest in the proceeding; and (4) the possible effect of any decision or order which may be entered in the proceeding on the requestors/petitioner's interest. The petition must also identify the specific contentions which the petitioner/requestor seeks to have litigated at the proceeding.

Each contention must consist of a specific statement of the issue of law or fact to be raised or controverted. In addition, the petitioner/requestor shall provide a brief explanation of the bases for the contention and a concise statement of the alleged facts or expert opinion which support the contention and on which the petitioner intends to rely in proving the contention at the hearing. The petitioner/requestor must also provide references to those specific sources and documents of which the petitioner is aware and on which the petitioner intends to rely to establish those facts or expert opinion. The petition must include sufficient information to show that a genuine dispute exists with the applicant on a material issue of law or fact. Contentions shall be limited to matters within the scope of the amendment under consideration. The contention must be one which, if proven, would entitle the petitioner to relief. A petitioner/requestor who fails to satisfy these requirements with respect to at least one contention will not be permitted to participate as a party.

Those permitted to intervene become parties to the proceeding, subject to any limitations in the order granting leave to intervene, and have the opportunity to participate fully in the conduct of the hearing.

If a hearing is requested, the Commission will make a final determination on the issue of no significant hazards consideration. The final determination will serve to decide when the hearing is held. If the final determination is that the amendment request involves no significant hazards consideration, the Commission may issue the amendment and make it immediately effective, notwithstanding the request for a hearing. Any hearing

held would take place after issuance of the amendment. If the final determination is that the amendment request involves a significant hazards consideration, any hearing held would take place before the issuance of any amendment.

Nontimely requests and/or petitions and contentions will not be entertained absent a determination by the Commission or the presiding officer of the Atomic Safety and Licensing Board that the petition, request and/or the contentions should be granted based on a balancing of the factors specified in 10 CFR 2.309(c)(1)(i)-(viii).

A request for a hearing or a petition for leave to intervene must be filed by: (1) First class mail addressed to the Office of the Secretary of the Commission, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, Attention: Rulemaking and Adjudications Staff; (2) courier, express mail, and expedited delivery services: Office of the Secretary, Sixteenth Floor, One White Flint North, 11555 Rockville Pike, Rockville, Maryland, 20852, Attention: Rulemaking and Adjudications Staff; (3) E-mail addressed to the Office of the Secretary, U.S. Nuclear Regulatory Commission, HEARINGDOCKET@NRC.GOV; or (4) facsimile transmission addressed to the Office of the Secretary, U.S. Nuclear Regulatory Commission, Washington, DC, Attention: Rulemakings and Adjudications Staff at (301) 415-1101, verification number is (301) 415-1966. A copy of the request for hearing and petition for leave to intervene should also be sent to the Office of the General Counsel, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, and it is requested that copies be transmitted either by means of facsimile transmission to 301-415-3725 or by e-mail to OGCMailCenter@nrc.gov. A copy of the request for hearing and petition for leave to intervene should also be sent to Ernest L. Blake, Jr., Esquire, Shaw, Pittman, Potts and Trowbridge, 2300 N Street, NW., Washington, DC 20037, attorney for the licensee.

For further details with respect to this action, see the application for amendment dated March 17, 2006, which is available for public inspection at the Commission's PDR, located at One White Flint North, Public File Area O1 F21, 11555 Rockville Pike (first floor), Rockville, Maryland. Publicly available records will be accessible from the Agencywide Documents Access and Management System's (ADAMS) Public Electronic Reading Room on the Internet at the NRC Web site, <http://www.nrc.gov/reading-rm/adams.html>. Persons who do not have access to

ADAMS or who encounter problems in accessing the documents located in ADAMS, should contact the NRC PDR Reference staff by telephone at 1-800-397-4209, 301-415-4737, or by e-mail to pdr@nrc.gov.

Dated at Rockville, Maryland, this 22nd day of March, 2006.

For the Nuclear Regulatory Commission.

Robert E. Martin,

Senior Project Manager, Plant Licensing Branch II-1, Division of Operating Reactor Licensing, Office of Nuclear Reactor Regulation.

[FR Doc. E6-4372 Filed 3-24-06; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

[Docket Nos. (as shown in Attachment 1); License Nos. (as shown in Attachment 1); EA-06-037]

In the Matter of Operating Power Reactor Licensees Identified in Attachment 1; Order Modifying Licenses (Effective Immediately)

I.

The licensees identified in Attachment 1 to this Order hold licenses issued by the U.S. Nuclear Regulatory Commission (NRC or the Commission) authorizing operation of nuclear power plants in accordance with the Atomic Energy Act of 1954 and Title 10 of the Code of Federal Regulations (10 CFR) part 50. Commission regulations at 10 CFR 50.54(p)(1) require these licensees to maintain safeguards contingency plan procedures in accordance with 10 CFR part 73, Appendix C. Specific safeguards requirements for reactors are contained in 10 CFR 73.55.

II.

On September 11, 2001, terrorists simultaneously attacked targets in New York, N.Y., and Washington, DC, using large commercial aircraft as weapons. In response to the attacks and intelligence information subsequently obtained, the Commission issued a number of Safeguards and Threat Advisories to its licensees, and eventually Orders to selected licensees, to strengthen licensees' capabilities and readiness to respond to a potential attack on a nuclear facility. On April 29, 2003, the Commission issued an Order to all operating power reactor licensees that enhanced the design basis threat (DBT) specified in 10 CFR 73.1.

As a result of the Commission's continued assessment of threat information, the Commission has determined that a revision to one of the