

and the substrate for motor lamination steels. IF steels are recognized as low carbon steels with micro-alloying levels of elements such as titanium or niobium (also commonly referred to as columbium), or both, added to stabilize carbon and nitrogen elements. HSLA steels are recognized as steels with micro-alloying levels of elements such as chromium, copper, niobium, vanadium, and molybdenum. The substrate for motor lamination steels contains micro-alloying levels of elements such as silicon and aluminum.

Steel products to be included in the scope of this review, regardless of definitions in the Harmonized Tariff Schedule of the United States (HTSUS), are products in which: (i) Iron predominates, by weight, over each of the other contained elements; (ii) the carbon content is 2 percent or less, by weight; and (iii) none of the elements listed below exceeds the quantity, by weight, respectively indicated:

1.80 percent of manganese, or
2.25 percent of silicon, or
1.00 percent of copper, or
0.50 percent of aluminum, or
1.25 percent of chromium, or
0.30 percent of cobalt, or
0.40 percent of lead, or
1.25 percent of nickel, or
0.30 percent of tungsten, or
0.10 percent of molybdenum, or
0.10 percent of niobium, or
0.15 percent of vanadium, or
0.15 percent of zirconium.

All products that meet the physical and chemical description provided above are within the scope of this review unless otherwise excluded. The following products, by way of example, are outside or specifically excluded from the scope of this review:

- Alloy hot-rolled steel products in which at least one of the chemical elements exceeds those listed above (including, *e.g.*, American Society for Testing and Materials (ASTM) specifications A543, A387, A514, A517, A506).
 - Society of Automotive Engineers (SAE)/American Iron & Steel Institute (AISI) grades of series 2300 and higher.
 - Ball bearing steels, as defined in the HTSUS.
 - Tool steels, as defined in the HTSUS.
 - Silico-manganese (as defined in the HTSUS) or silicon electrical steel with a silicon level exceeding 2.25 percent.
 - ASTM specifications A710 and A736.
 - USS abrasion-resistant steels (USS AR 400, USS AR 500).
 - All products (proprietary or otherwise) based on an alloy ASTM

specification (sample specifications: ASTM A506, A507).

- Non-rectangular shapes, not in coils, which are the result of having been processed by cutting or stamping and which have assumed the character of articles or products classified outside chapter 72 of the HTSUS.

The merchandise subject to this review is classified in the HTSUS at subheadings: 7208.10.15.00, 7208.10.30.00, 7208.10.60.00, 7208.25.30.00, 7208.25.60.00, 7208.26.00.30, 7208.26.00.60, 7208.27.00.30, 7208.27.00.60, 7208.36.00.30, 7208.36.00.60, 7208.37.00.30, 7208.37.00.60, 7208.38.00.15, 7208.38.00.30, 7208.38.00.90, 7208.39.00.15, 7208.39.00.30, 7208.39.00.90, 7208.40.60.30, 7208.40.60.60, 7208.53.00.00, 7208.54.00.00, 7208.90.00.00, 7211.14.00.90, 7211.19.15.00, 7211.19.20.00, 7211.19.30.00, 7211.19.45.00, 7211.19.60.00, 7211.19.75.30, 7211.19.75.60, and 7211.19.75.90. Certain hot-rolled carbon steel flat products covered by this review, including: Vacuum degassed fully stabilized; high strength low alloy; and the substrate for motor lamination steel may also enter under the following tariff numbers: 7225.11.00.00, 7225.19.00.00, 7225.30.30.50, 7225.30.70.00, 7225.40.70.00, 7225.99.00.90, 7226.11.10.00, 7226.11.90.30, 7226.11.90.60, 7226.19.10.00, 7226.19.90.00, 7226.91.50.00, 7226.91.70.00, 7226.91.80.00, and 7226.99.00.00. Subject merchandise may also enter under 7210.70.30.00, 7210.90.90.00, 7211.14.00.30, 7212.40.10.00, 7212.40.50.00, and 7212.50.00.00. Although the HTSUS subheadings are provided for convenience and U.S. Customs purposes, the written description of the merchandise under review is dispositive.

Period of Review

The POR is November 1, 2004 through October 31, 2005.

Preliminary Rescission of Review

Because neither Angang nor Baosteel made shipments to the United States of subject merchandise during the POR, in accordance with 19 CFR 351.213(d)(3) and consistent with our practice, we are preliminarily rescinding this review of the antidumping duty order on certain hot-rolled carbon steel flat products from the PRC for the period of November 1, 2004, to October 31, 2005. If the rescission is confirmed in our final results, the cash deposit rate for Angang and Baosteel will continue to be

the rate established in the most recently completed segment of this proceeding.

Interested parties may submit comments for consideration in the Department's final results not later than 30 days after publication of this notice. Responses to those comments may be submitted not later than 10 days following submission of the comments. All written comments must be submitted in accordance with 19 CFR 351.303, and must be served on interested parties on the Department's service list in accordance with 19 CFR 351.303(f). The Department will issue the final results of this administrative review, which will include the results of its analysis of issues raised in any such comments, within 120 days of publication of the preliminary results, and will publish these results in the **Federal Register**.

This notice is published in accordance with sections 751 and 777(i)(1) of the Tariff Act of 1930, as amended, and 19 CFR 351.213(d)(4).

Dated: April 26, 2006.

Stephen J. Claeys,

Deputy Assistant Secretary for Import Administration.

[FR Doc. E6-6672 Filed 5-2-06; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

International Trade Administration

[A-588-845]

Stainless Steel Sheet and Strip in Coils From Japan; Final Rescission of Antidumping Duty Administrative Review

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

SUMMARY: On February 13, 2006, the Department of Commerce (the Department) published in the **Federal Register** a notice announcing the preliminary rescission of the administrative review of the antidumping duty order on stainless steel sheet and strip in coils (SSSSC) from Japan. *See Stainless Steel Sheet and Strip in Coils from Japan: Preliminary Rescission of Antidumping Duty Administrative Review*, 71 FR 7522 (February 13, 2006) (*Preliminary Rescission*). The period of review (POR) is July 1, 2004, to June 30, 2005. We are rescinding this review because there were no entries of SSSSC for consumption in the United States during the POR that are subject to review.

DATES: *Effective Date:* May 3, 2006.

FOR FURTHER INFORMATION CONTACT: Rebecca Trainor or Kate Johnson, AD/CVD Operations, Office 2, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, NW., Washington, DC, 20230; telephone (202) 482-4007 or (202) 482-4929, respectively.

SUPPLEMENTARY INFORMATION:

Background

This review covers Kawasaki Steel Corporation (Kawasaki) and its alleged successor-in-interest, JFE Steel Corporation (JFE).¹ On February 13, 2006, the Department published in the *Federal Register* the preliminary rescission of the administrative review of SSSSC from Japan. See *Preliminary Rescission*. We invited parties to comment on our preliminary rescission of this administrative review, however we received no such comments from interested parties.

After examining the information on the record, we continue to find that JFE did not have any entries of subject merchandise during this POR. Consequently, in accordance with 19 CFR 351.213(d)(3) and consistent with our practice, we are rescinding this administrative review. For further discussion, see the "Rescission of Review" section of this notice, below.

Scope of the Order

For purposes of this order, the products covered are certain SSSSC. Stainless steel is an alloy steel containing, by weight, 1.2 percent or less of carbon and 10.5 percent or more of chromium, with or without other elements. The subject sheet and strip is a flat-rolled product in coils that is greater than 9.5 mm in width and less than 4.75 mm in thickness, and that is annealed or otherwise heat treated and pickled or otherwise descaled. The subject sheet and strip may also be further processed (*e.g.*, cold-rolled, polished, aluminized, coated, etc.) provided that it maintains the specific

dimensions of sheet and strip following such processing.

The merchandise subject to this order is currently classifiable in the Harmonized Tariff Schedule of the United States (HTS) at subheadings:

7219.13.00.31, 7219.13.00.51, 7219.13.00.71, 7219.13.00.81, 7219.14.00.30, 7219.14.00.65, 7219.14.00.90, 7219.32.00.05, 7219.32.00.20, 7219.32.00.25, 7219.32.00.35, 7219.32.00.36, 7219.32.00.38, 7219.32.00.42, 7219.32.00.44, 7219.33.00.05, 7219.33.00.20, 7219.33.00.25, 7219.33.00.35, 7219.33.00.36, 7219.33.00.38, 7219.33.00.42, 7219.33.00.44, 7219.34.00.05, 7219.34.00.20, 7219.34.00.25, 7219.34.00.30, 7219.34.00.35, 7219.35.00.05, 7219.35.00.15, 7219.35.00.30, 7219.35.00.35, 7219.90.00.10, 7219.90.00.20, 7219.90.00.25, 7219.90.00.60, 7219.90.00.80, 7220.12.10.00, 7220.12.50.00, 7220.20.10.10, 7220.20.10.15, 7220.20.10.60, 7220.20.10.80, 7220.20.60.05, 7220.20.60.10, 7220.20.60.15, 7220.20.60.60, 7220.20.60.80, 7220.20.70.05, 7220.20.70.10, 7220.20.70.15, 7220.20.70.60, 7220.20.70.80, 7220.20.80.00, 7220.20.90.30, 7220.20.90.60, 7220.90.00.10, 7220.90.00.15, 7220.90.00.60, and 7220.90.00.80.

Although the HTS subheadings are provided for convenience and customs purposes, the Department's written description of the merchandise under review is dispositive.

Excluded from the scope of this order are the following: (1) Sheet and strip that is not annealed or otherwise heat treated and pickled or otherwise descaled, (2) sheet and strip that is cut to length, (3) plate (*i.e.*, flat-rolled stainless steel products of a thickness of 4.75 mm or more), (4) flat wire (*i.e.*, cold-rolled sections, with a prepared edge, rectangular in shape, of a width of not more than 9.5 mm), and (5) razor blade steel. Razor blade steel is a flat-rolled product of stainless steel, not further worked than cold-rolled (cold-reduced), in coils, of a width of not more than 23 mm and a thickness of 0.266 mm or less, containing, by weight, 12.5 to 14.5 percent chromium, and certified at the time of entry to be used in the manufacture of razor blades. See Chapter 72 of the HTS, "Additional U.S. Note" 1(d).

Flapper valve steel is also excluded from the scope of the order. This product is defined as stainless steel strip in coils containing, by weight, between 0.37 and 0.43 percent carbon, between 1.15 and 1.35 percent molybdenum, and

between 0.20 and 0.80 percent manganese. This steel also contains, by weight, phosphorus of 0.025 percent or less, silicon of between 0.20 and 0.50 percent, and sulfur of 0.020 percent or less. The product is manufactured by means of vacuum arc remelting, with inclusion controls for sulphide of no more than 0.04 percent and for oxide of no more than 0.05 percent. Flapper valve steel has a tensile strength of between 210 and 300 ksi, yield strength of between 170 and 270 ksi, plus or minus 8 ksi, and a hardness (Hv) of between 460 and 590. Flapper valve steel is most commonly used to produce specialty flapper valves in compressors.

Also excluded is a product referred to as suspension foil, a specialty steel product used in the manufacture of suspension assemblies for computer disk drives. Suspension foil is described as 302/304 grade or 202 grade stainless steel of a thickness between 14 and 127 microns, with a thickness tolerance of plus-or-minus 2.01 microns, and surface glossiness of 200 to 700 percent Gs. Suspension foil must be supplied in coil widths of not more than 407 mm, and with a mass of 225 kg or less. Roll marks may only be visible on one side, with no scratches of measurable depth. The material must exhibit residual stresses of 2 mm maximum deflection, and flatness of 1.6 mm over 685 mm length.

Certain stainless steel foil for automotive catalytic converters is also excluded from the scope of this order. This stainless steel strip in coils is a specialty foil with a thickness of between 20 and 110 microns used to produce a metallic substrate with a honeycomb structure for use in automotive catalytic converters. The steel contains, by weight, carbon of no more than 0.030 percent, silicon of no more than 1.0 percent, manganese of no more than 1.0 percent, chromium of between 19 and 22 percent, aluminum of no less than 5.0 percent, phosphorus of no more than 0.045 percent, sulfur of no more than 0.03 percent, lanthanum of less than 0.002 or greater than 0.05 percent, and total rare earth elements of more than 0.06 percent, with the balance iron.

Permanent magnet iron-chromium-cobalt alloy stainless strip is also excluded from the scope of this order. This ductile stainless steel strip contains, by weight, 26 to 30 percent chromium, and 7 to 10 percent cobalt, with the remainder of iron, in widths 228.6 mm or less, and a thickness between 0.127 and 1.270 mm. It exhibits magnetic remanence between 9,000 and 12,000 gauss, and a coercivity of between 50 and 300 oersteds. This product is most commonly used in

¹ While the Department initiated this administrative review with respect to merchandise manufactured and/or exported by Kawasaki as well as its alleged successor-in-interest, JFE, due to Kawasaki/JFE's no-shipment claim, the Department did not have the opportunity to conduct a successor-in-interest analysis in order to confirm whether, for antidumping purposes, JFE is the successor-in-interest to Kawasaki with respect to the subject merchandise. However, both the petitioners and respondent have consistently referred to JFE as the successor-in-interest to Kawasaki in their submissions to the Department with respect to this and the previous review. See *Stainless Steel Sheet and Strip in Coils from Japan: Preliminary Results of Antidumping Duty Administrative Review*, 70 FR 18369 (April 11, 2005).

electronic sensors and is currently available under proprietary trade names such as "Arnokrome III."²

Certain electrical resistance alloy steel is also excluded from the scope of this order. This product is defined as a non-magnetic stainless steel manufactured to American Society of Testing and Materials (ASTM) specification B344 and containing, by weight, 36 percent nickel, 18 percent chromium, and 46 percent iron, and is most notable for its resistance to high temperature corrosion. It has a melting point of 1390 degrees Celsius and displays a creep rupture limit of 4 kilograms per square millimeter at 1000 degrees Celsius. This steel is most commonly used in the production of heating ribbons for circuit breakers and industrial furnaces, and in rheostats for railway locomotives. The product is currently available under proprietary trade names such as "Gilphy 36."³

Certain martensitic precipitation-hardenable stainless steel is also excluded from the scope of this order. This high-strength, ductile stainless steel product is designated under the Unified Numbering System (UNS) as S45500-grade steel, and contains, by weight, 11 to 13 percent chromium, and 7 to 10 percent nickel. Carbon, manganese, silicon and molybdenum each comprise, by weight, 0.05 percent or less, with phosphorus and sulfur each comprising, by weight, 0.03 percent or less. This steel has copper, niobium, and titanium added to achieve aging, and will exhibit yield strengths as high as 1700 Mpa and ultimate tensile strengths as high as 1750 Mpa after aging, with elongation percentages of 3 percent or less in 50 mm. It is generally provided in thicknesses between 0.635 and 0.787 mm, and in widths of 25.4 mm. This product is most commonly used in the manufacture of television tubes and is currently available under proprietary trade names such as "Durphynox 17."⁴

Finally, three specialty stainless steels typically used in certain industrial blades and surgical and medical instruments are also excluded from the scope of this order. These include stainless steel strip in coils used in the production of textile cutting tools (e.g., carpet knives).⁵ This steel is similar to AISI grade 420 but containing, by weight, 0.5 to 0.7 percent of molybdenum. The steel also contains,

by weight, carbon of between 1.0 and 1.1 percent, sulfur of 0.020 percent or less, and includes between 0.20 and 0.30 percent copper and between 0.20 and 0.50 percent cobalt. This steel is sold under proprietary names such as "GIN4 Mo." The second excluded stainless steel strip in coils is similar to AISI 420-J2 and contains, by weight, carbon of between 0.62 and 0.70 percent, silicon of between 0.20 and 0.50 percent, manganese of between 0.45 and 0.80 percent, phosphorus of no more than 0.025 percent and sulfur of no more than 0.020 percent. This steel has a carbide density on average of 100 carbide particles per 100 square microns. An example of this product is "GIN5" steel. The third specialty steel has a chemical composition similar to AISI 420 F, with carbon of between 0.37 and 0.43 percent, molybdenum of between 1.15 and 1.35 percent, but lower manganese of between 0.20 and 0.80 percent, phosphorus of no more than 0.025 percent, silicon of between 0.20 and 0.50 percent, and sulfur of no more than 0.020 percent. This product is supplied with a hardness of more than Hv 500 guaranteed after customer processing, and is supplied as, for example, "GIN6."⁶

Period of Review

The POR is July 1, 2004, through June 30, 2005.

Rescission of Review

On October 5, 2005, JFE notified the Department that it did not have any shipments and/or entries of subject merchandise into the United States during the POR. As described in the preliminary results, we confirmed JFE's claim by examining U.S. Customs and Border Protection (CBP) import data and documentation, and comments placed on the record by JFE. Accordingly, we determined that the record contains no evidence that JFE had knowledge of the U.S. destination of a particular JFE-produced shipment of SSSSC during the POR that we observed during our review of the CBP import data. See *Preliminary Rescission*, 71 FR at 7524. Therefore, in accordance with 19 CFR 351.213(d)(3) and consistent with the Department's practice, we are rescinding our review of the antidumping duty order on stainless steel sheet and strip in coils from Japan for the period of July 1, 2004, through June 30, 2005. See, e.g., *Certain Steel Concrete Reinforcing Bars From Turkey; Final Results, Rescission of Antidumping Duty Administrative Review in Part, and Determination To*

Revoke in Part, 70 FR 67665, 67666 (Nov. 8, 2005). We will instruct CBP to liquidate the entry in question at the "All-Others Rate," 40.18 percent, as it was made by an intermediary company (e.g., a reseller) not covered in this review, a prior review, or the less-than-fair-value investigation. See *Antidumping and Countervailing Duty Proceedings: Assessment of Antidumping Duties*, 68 FR 23954 (May 6, 2003). The cash deposit rate for Kawasaki and JFE will continue to be the rate established in the most recently completed segment of this proceeding.

This notice serves as the only reminder to parties subject to the administrative protective order (APO) of their responsibility concerning the disposition of proprietary information disclosed under APO in accordance with 19 CFR 351.305(a)(3). Timely notification of the return/destruction of APO materials or conversion to judicial protective order is hereby requested. Failure to comply with the regulations and the terms of an APO is a sanctionable violation.

We are issuing and publishing this determination and notice in accordance with sections 751(a)(1) and 777(i) of the Act.

Dated: April 26, 2006.

Stephen J. Claeys,

Deputy Assistant Secretary for Import Administration.

[FR Doc. E6-6674 Filed 5-2-06; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

International Trade Administration

(A-489-501)

Notice of Preliminary Results of Antidumping Duty New Shipper Review: Certain Welded Carbon Steel Pipe and Tube from Turkey

AGENCY: Import Administration, International Trade Administration, U.S. Department of Commerce.

SUMMARY: In response to a request by the respondent, Toscelik Profil ve Sac Endustrisi A.S., Toscelik Metal Ticaret A.S., and its affiliated export trading company, Tosityali Dis Ticaret A.S., (collectively, "Toscelik"), the Department of Commerce ("the Department") is conducting a new shipper review of the antidumping duty order on certain welded carbon steel pipe and tube ("welded pipe and tube") from Turkey. This review covers one producer/exporter of the subject merchandise, Toscelik. We preliminarily determine that Toscelik

² "Arnokrome III" is a trademark of the Arnold Engineering Company.

³ "Gilphy 36" is a trademark of Imphy, S.A.

⁴ "Durphynox 17" is a trademark of Imphy, S.A.

⁵ This list of uses is illustrative and provided for descriptive purposes only.

⁶ "GIN4 Mo," "GIN5" and "GIN6" are the proprietary grades of Hitachi Metals America, Ltd.