accordance with the procedures found in 14 CFR 39.19.

(2) Before using any AMOC approved in accordance with § 39.19 on any airplane to which the AMOC applies, notify the appropriate principal inspector in the FAA Flight Standards Certificate Holding District Office.

Related Information

(i) Canadian airworthiness directive CF– 2005–39, dated November 21, 2005, also addresses the subject of this AD.

Material Incorporated by Reference

(i) You must use Bombardier Service Bulletin 8-27-104, dated October 26, 2004; or Bombardier Service Bulletin 84-27-24, Revision 'A,' dated September 28, 2005; as applicable, to perform the actions that are required by this AD, unless the AD specifies otherwise. The Director of the Federal Register approved the incorporation by reference of these documents in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Contact Bombardier, Inc., Bombardier Regional Aircraft Division, 123 Garratt Boulevard, Downsview, Ontario M3K 1Y5, Canada, for a copy of this service information. You may review copies at the Docket Management Facility, U.S. Department of Transportation, 400 Seventh Street SW., Room PL-401, Nassif Building, Washington, DC; on the Internet at http:// dms.dot.gov; or at the National Archives and Records Administration (NARA). For information on the availability of this material at the NARA, call (202) 741-6030, or go to http://www.archives.gov/ federal_register/code_of_federal_regulations/ ibr_locations.html

Issued in Renton, Washington, on August 16, 2006.

Kalene C. Yanamura,

Acting Manager, Transport Airplane Directorate, Aircraft Certification Service. [FR Doc. E6–13966 Filed 8–24–06; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA-2006-24959; Directorate Identifier 2005-NM-258-AD; Amendment 39-14737; AD 2006-17-16]

RIN 2120-AA64

Airworthiness Directives; Fokker Model F.28 Mark 0070 and 0100 Airplanes

AGENCY: Federal Aviation Administration (FAA), Department of Transportation (DOT). **ACTION:** Final rule.

SUMMARY: The FAA is adopting a new airworthiness directive (AD) for all Fokker Model F.28 Mark 0070 and 0100 airplanes. This AD requires a one-time detailed inspection to detect corrosion on the wing rear spar lower girder, and related investigative and applicable corrective actions if necessary. This AD results from reports of corrosion of the wing rear spar lower girder between wing station (STA) 8700 and wing STA 9200. We are issuing this AD to detect and correct corrosion of the wing rear spar lower girder, which could result in reduced structural integrity of the wing rear spar.

DATES: This AD becomes effective September 29, 2006.

The Director of the Federal Register approved the incorporation by reference of a certain publication listed in the AD as of September 29, 2006.

ADDRESSES: You may examine the AD docket on the Internet at *http://dms.dot.gov* or in person at the Docket Management Facility, U.S. Department of Transportation, 400 Seventh Street, SW., Nassif Building, Room PL–401, Washington, DC.

Contact Fokker Services B.V., Technical Services Dept., P.O. Box 231, 2150 AE Nieuw-Vennep, the Netherlands, for service information identified in this AD.

FOR FURTHER INFORMATION CONTACT: Tom Rodriguez, Aerospace Engineer, International Branch, ANM–116, Transport Airplane Directorate, FAA, 1601 Lind Avenue, SW., Renton, WA

ESTIMATED COSTS

Action	Work hours	Average labor rate per hour	Parts	Cost per airplane	Number of U.Sreg- istered airplanes	Fleet cost
Inspection of wing rear spar lower girder	2	\$80	\$0	\$160	44	\$7,040

98057–3356; telephone (425) 227–1137; fax (425) 227–1149.

SUPPLEMENTARY INFORMATION:

Examining the Docket

You may examine the airworthiness directive (AD) docket on the Internet at *http://dms.dot.gov* or in person at the Docket Management Facility office between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The Docket Management Facility office (telephone (800) 647–5227) is located on the plaza level of the Nassif Building at the street address stated in the **ADDRESSES** section.

Discussion

The FAA issued a notice of proposed rulemaking (NPRM) to amend 14 CFR part 39 to include an AD that would apply to all Fokker Model F.28 Mark 0070 and 0100 airplanes. That NPRM was published in the **Federal Register** on June 8, 2006 (71 FR 33260). That NPRM proposed to require a one-time detailed inspection to detect corrosion on the wing rear spar lower girder, and related investigative and applicable corrective actions if necessary.

Comments

We provided the public the opportunity to participate in the development of this AD. We received no comments on the NPRM or on the determination of the cost to the public.

Conclusion

We have carefully reviewed the available data and determined that air safety and the public interest require adopting the AD as proposed.

Interim Action

This AD is considered to be interim action. The inspection reports required by this AD will enable the manufacturer to obtain better insight into the nature, cause, and extent of the corrosion, and eventually to develop final action to address the unsafe condition. Once final action has been identified, we may consider further rulemaking.

Costs of Compliance

The following table provides the estimated costs for U.S. operators to comply with this AD.

50334

Authority for This Rulemaking

Title 49 of the United States Code specifies the FAA's authority to issue rules on aviation safety. Subtitle I, Section 106, describes the authority of the FAA Administrator. Subtitle VII, Aviation Programs, describes in more detail the scope of the Agency's authority.

We are issuing this rulemaking under the authority described in Subtitle VII, Part A, Subpart III, Section 44701, "General requirements." Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

Regulatory Findings

We have determined that this AD will not have federalism implications under Executive Order 13132. This AD will not have a substantial direct effect on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify that this AD:

(1) Is not a "significant regulatory action" under Executive Order 12866;

(2) Is not a "significant rule" under DOT Regulatory Policies and Procedures

(44 FR 11034, February 26, 1979); and (3) Will not have a significant

conomic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

We prepared a regulatory evaluation of the estimated costs to comply with this AD and placed it in the AD docket. See the **ADDRESSES** section for a location to examine the regulatory evaluation.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

Adoption of the Amendment

■ Accordingly, under the authority delegated to me by the Administrator, the FAA amends 14 CFR part 39 as follows:

PART 39—AIRWORTHINESS DIRECTIVES

■ 1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§39.13 [Amended]

■ 2. The Federal Aviation Administration (FAA) amends § 39.13 by adding the following new airworthiness directive (AD):

2006–17–16 Fokker Services B.V.: Amendment 39–14737. Docket No. FAA–2006–24959; Directorate Identifier 2005–NM–258–AD.

Effective Date

(a) This AD becomes effective September 29, 2006.

Affected ADs

(b) None.

Applicability

(c) This AD applies to all Fokker Model F.28 Mark 0070 and 0100 airplanes, certificated in any category.

Unsafe Condition

(d) This AD results from reports of corrosion of the wing rear spar lower girder between wing station (STA) 8700 and wing STA 9200. We are issuing this AD to detect and correct corrosion of the wing rear spar lower girder, which could result in reduced structural integrity of the wing rear spar.

Compliance

(e) You are responsible for having the actions required by this AD performed within the compliance times specified, unless the actions have already been done.

Wing Rear Spar Lower Girder Inspection/ Related Investigative/Corrective Actions

(f) Within 4,000 flight hours or 21 months after the effective date of this AD, whichever occurs first: Do a detailed inspection to detect corrosion on the wing rear spar lower girder between wing STA 8700 and wing STA 9200, and do all related investigative and applicable corrective actions, by accomplishing all the actions specified in the Accomplishment Instructions of Fokker Service Bulletin SBF100-57-038, dated April 15, 2005, except as provided by paragraphs (g) and (h) of this AD. Do all related investigative and corrective actions before further flight. If any damage is found that measures more than or equal to 1.3 millimeters (mm) deep, or if the thickness of the remaining material of the rear spar lower girder is less than or equal to 2.1 mm thick, repair in accordance with a method approved by the Manager, International Branch, ANM– 116, Transport Airplane Directorate, FAA; or the European Aviation Safety Agency (EASA) (or its delegated agent).

Note 1: For the purposes of this AD, a detailed inspection is: "An intensive examination of a specific item, installation, or assembly to detect damage, failure, or irregularity. Available lighting is normally supplemented with a direct source of good lighting at an intensity deemed appropriate. Inspection aids such as mirror, magnifying lenses, etc., may be necessary. Surface cleaning and elaborate procedures may be required." (g) If, during the accomplishment of the corrective actions required by paragraph (f) of this AD, the service bulletin specifies contacting the manufacturer for certain repair instructions: Before further flight, repair in accordance with a method approved by the Manager, International Branch, ANM-116; or the EASA (or its delegated agent).

Reporting Inspection and Damage Results

(h) Submit a report of the findings (both positive and negative) of the inspection required by paragraph (f) of this AD to Fokker Services B.V., Technical Services Dept., P.O. Box 231, 2150 AE Nieuw-Vennep, the Netherlands; fax +31 252 627211; e-mail Technicalservices.FokkerServices@stork.com; at the applicable time specified in paragraph (h)(1) or (h)(2) of this AD. Use the reporting forms in Figures 3 and 4 of Fokker Service Bulletin SBF100-57-038, dated April 15, 2005. Under the provisions of the Paperwork Reduction Act (44 U.S.C. 3501 et seq.), the Office of Management and Budget (OMB) has approved the information collection requirements contained in this AD and has assigned OMB Control Number 2120-0056.

(1) If the inspection was done after the effective date of this AD: Submit the report within 30 days after the inspection.

(2) If the inspection was done before the effective date of this AD: Submit the report within 30 days after the effective date of this AD.

Alternative Methods of Compliance (AMOCs)

(i)(1) The Manager, International Branch, ANM–116, has the authority to approve AMOCs for this AD, if requested in accordance with the procedures found in 14 CFR 39.19.

(2) Before using any AMOC approved in accordance with § 39.19 on any airplane to which the AMOC applies, notify the appropriate principal inspector in the FAA Flight Standards Certificate Holding District Office.

Related Information

(j) Dutch airworthiness directive NL–2005– 006, dated April 29, 2005, also addresses the subject of this AD.

Material Incorporated by Reference

(k) You must use Fokker Service Bulletin SBF100-57-038, dated April 15, 2005, to perform the actions that are required by this AD, unless the AD specifies otherwise. The Director of the Federal Register approved the incorporation by reference of this document in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Contact Fokker Services B.V., Technical Services Dept., P.O. Box 231, 2150 AE Nieuw-Vennep, the Netherlands, for a copy of this service information. You may review copies at the Docket Management Facility, U.S. Department of Transportation, 400 Seventh Street, SW., Room PL-401, Nassif Building, Washington, DC; on the Internet at *http://dms.dot.gov;* or at the National Archives and Records Administration (NARA). For information on the availability of this material at the NARA, call (202) 741-6030, or go to http:// www.archives.gov/federal_register/

code_of_federal_regulations/ ibr_locations.html.

Issued in Renton, Washington, on August 16, 2006.

Kalene C. Yanamura,

Acting Manager, Transport Airplane Directorate, Aircraft Certification Service. [FR Doc. E6–13969 Filed 8–24–06; 8:45 am] BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA-2006-24999; Directorate Identifier 2006-NM-060-AD; Amendment 39-14736; AD 2006-17-15]

RIN 2120-AA64

Airworthiness Directives; McDonnell Douglas Model DC-10-10 and DC-10-10F Airplanes; and Model MD-10-10F Airplanes

AGENCY: Federal Aviation Administration (FAA), Department of Transportation (DOT). **ACTION:** Final rule.

SUMMARY: The FAA is adopting a new airworthiness directive (AD) for certain McDonnell Douglas Model DC-10-10 and DC-10-10F airplanes; and Model MD–10–10F airplanes. This AD requires replacing the clamp bases for the fuel vent pipe with improved clamp bases. This AD results from reports that the foil wrapping on existing plastic clamp bases has migrated out of position, which compromises the bonding of the fuel vent pipes to the airplane structure. We are issuing this AD to ensure that the fuel vent pipes are properly bonded to the airplane structure. Improper bonding could prevent electrical energy from a lightning strike from dissipating to the airplane structure, and create an ignition source, which could result in a fuel tank explosion.

DATES: This AD becomes effective September 29, 2006.

The Director of the Federal Register approved the incorporation by reference of a certain publication listed in the AD as of September 29, 2006.

ADDRESSES: You may examine the AD docket on the Internet at *http://dms.dot.gov* or in person at the Docket Management Facility, U.S. Department of Transportation, 400 Seventh Street, SW., Nassif Building, Room PL–401, Washington, DC.

Contact Boeing Commercial Airplanes, Long Beach Division, 3855 Lakewood Boulevard, Long Beach, California 90846, Attention: Data and Service Management, Dept. C1–L5A (D800–0024), for service information identified in this AD.

FOR FURTHER INFORMATION CONTACT: Serj Harutunian, Aerospace Engineer, Propulsion Branch, ANM–140L, FAA, Los Angeles Aircraft Certification Office, 3960 Paramount Boulevard, Lakewood, California 90712–4137; telephone (562) 627–5254; fax (562) 627–5210.

SUPPLEMENTARY INFORMATION:

Examining the Docket

You may examine the airworthiness directive (AD) docket on the Internet at *http://dms.dot.gov* or in person at the Docket Management Facility office between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The Docket Management Facility office (telephone (800) 647–5227) is located on the plaza level of the Nassif Building at the street address stated in the **ADDRESSES** section.

Discussion

The FAA issued a notice of proposed rulemaking (NPRM) to amend 14 CFR part 39 to include an AD that would apply to certain McDonnell Douglas Model DC-10-10 and DC-10-10F airplanes; and Model MD-10-10F airplanes. That NPRM was published in the **Federal Register** on June 12, 2006 (71 FR 33663). That NPRM proposed to require replacing the clamp bases for the fuel vent pipe with improved clamp bases.

Comments

We provided the public the opportunity to participate in the development of this AD. We received no comments on the NPRM or on the determination of the cost to the public.

Conclusion

We have carefully reviewed the available data and determined that air safety and the public interest require adopting the AD as proposed.

Costs of Compliance

There are about 12 airplanes of the affected design in the worldwide fleet. This AD will affect about 12 airplanes of U.S. registry. The required actions will take about 2 work hours per airplane, at an average labor rate of \$80 per work hour. Required parts will cost about \$502 per airplane. Based on these figures, the estimated cost of this AD for U.S. operators is \$7,944, or \$662 per airplane.

Authority for This Rulemaking

Title 49 of the United States Code specifies the FAA's authority to issue

rules on aviation safety. Subtitle I, Section 106, describes the authority of the FAA Administrator. Subtitle VII, Aviation Programs, describes in more detail the scope of the Agency's authority.

We are issuing this rulemaking under the authority described in Subtitle VII, Part A, Subpart III, Section 44701, "General requirements." Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

Regulatory Findings

We have determined that this AD will not have federalism implications under Executive Order 13132. This AD will not have a substantial direct effect on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify that this AD:

(1) Is not a "significant regulatory action" under Executive Order 12866;

(2) Is not a "significant rule" under DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979); and

(3) Will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

We prepared a regulatory evaluation of the estimated costs to comply with this AD and placed it in the AD docket. See the **ADDRESSES** section for a location to examine the regulatory evaluation.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

Adoption of the Amendment

■ Accordingly, under the authority delegated to me by the Administrator, the FAA amends 14 CFR part 39 as follows:

PART 39—AIRWORTHINESS DIRECTIVES

■ 1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.