

written objections including evidence and argument that establish that the grant of the license would not be consistent with the requirements of 35 U.S.C. 209 and 37 CFR 404.7. Competing applications completed and received by NASA within fifteen (15) days of the date of this published notice will also be treated as objections to the grant of the contemplated partially exclusive license.

Objections submitted in response to this notice will not be made available to the public for inspection and, to the extent permitted by law, will not be released under the Freedom of Information Act, 5 U.S.C. 552.

**ADDRESSES:** Objections relating to the prospective license may be submitted to Patent Counsel, Office of Chief Counsel, NASA Langley Research Center, MS 141, Hampton, VA 23681-2199. Telephone (757) 864-9260; Facsimile (757) 864-9190.

**FOR FURTHER INFORMATION CONTACT:** Robin W. Edwards, Patent Attorney, Office of Chief Counsel, NASA Langley Research Center, MS 141. Telephone (757) 864-3230; Facsimile (757) 864-9190. Information about other NASA inventions available for licensing can be found online at <http://techtracs.nasa.gov/>.

Dated: October 20, 2006.

**Keith T. Sefton,**

*Deputy General Counsel, Administration and Management.*

[FR Doc. E6-18056 Filed 10-26-06; 8:45 am]

**BILLING CODE 7510-13-P**

## NUCLEAR REGULATORY COMMISSION

[Docket No. 50-275]

### **Pacific Gas and Electric Company; Notice of Consideration of Issuance of Amendment to Facility Operating License, Proposed No Significant Hazards Consideration Determination, and Opportunity for a Hearing**

The U.S. Nuclear Regulatory Commission (the Commission) is considering issuance of an amendment to Facility Operating License No. DPR-80, issued to Pacific Gas and Electric Company (PG&E/the licensee), for operation of the Diablo Canyon Power Plant, Unit No. 1, located in San Luis Obispo County, California.

The proposed amendment would revise Technical Specification (TS) Section 3.8.4, "DC Sources—Operating," Condition B to extend the completion time (CT) to restore an inoperable battery from 2 hours to 12

hours, provided certain required actions are taken. The extended CT would allow sufficient time to correct a degraded condition (e.g., either bypass or replace an inoperable battery cell) without introducing time pressure as an error precursor. PG&E has requested that this amendment be processed on a one-time exigent basis to support timely corrective action for the degraded condition affecting a single cell that impacts the long-term reliability of Vital Battery 1-1. This amendment is being requested on an exigent basis so that the plant will avoid the risk of a TS-required shutdown should the degraded battery cause the Vital Battery 1-1 to be inoperable.

Before issuance of the proposed license amendment, the Commission will have made findings required by the Atomic Energy Act of 1954, as amended (the Act) and the Commission's regulations.

Pursuant to 10 CFR 50.91(a)(6) for amendments to be granted under exigent circumstances, the NRC staff must determine that the amendment request involves no significant hazards consideration. Under the Commission's regulations in 10 CFR 50.92, this means that operation of the facility in accordance with the proposed amendment would not (1) involve a significant increase in the probability or consequences of an accident previously evaluated; or (2) create the possibility of a new or different kind of accident from any accident previously evaluated; or (3) involve a significant reduction in a margin of safety. As required by 10 CFR 50.91(a), the licensee has provided its analysis of the issue of no significant hazards consideration, which is presented below:

1. Does the proposed change involve a significant increase in the probability or consequences of an accident previously evaluated?

*Response:* No.

The proposed changes add provisions to increase the completion time (CT) from two hours to twelve hours, on a one-time basis for Diablo Canyon Power Plant Unit 1 Vital Battery 1-1. Additional Required Actions are specified when this battery, associated with the plant Class 1E Direct Current (DC) electrical power subsystem, is inoperable. The proposed changes do not physically alter any plant structures, systems, or components, and are not accident initiators; therefore, there is no effect on the probability of accidents previously evaluated. As part of the single failure design feature, loss of any one DC electrical power subsystem does not prevent the minimum safety function from being performed. Also, the proposed changes do not affect the type or amounts of radionuclides release following an accident, or affect the initiation and duration of their release. Therefore, the consequences of

accidents previously evaluated, which rely on the Class 1E battery to mitigate, are not significantly increased.

Therefore, the proposed changes do not involve a significant increase in the probability or consequences of an accident previously evaluated.

2. Does the proposed change create the possibility of a new or different [kind of] accident from any accident previously evaluated?

*Response:* No.

The proposed changes do not involve a change in design, configuration, or method of operation of the plant. The proposed changes will not alter the manner in which equipment is initiated, nor will the functional demands on credit equipment be changed. The proposed changes do not impact the interaction of any systems whose failure or malfunction can initiate an accident. There are no identified redundant components affected by these changes and thus there are no new common cause failures or any existing common cause failures that are affected by extending the CT. The proposed changes do not create any new failure modes.

Therefore, the proposed changes do not create the possibility of a new or different [kind of] accident from any accident previously evaluated.

3. Does the proposed change involve a significant reduction in a margin of safety?

*Response:* No.

The proposed changes are based upon both a deterministic evaluation and a risk-informed assessment.

The deterministic evaluation concluded that though one battery associated with the Class 1E DC electrical power subsystem is inoperable, the redundant operable Class 1E DC electrical power subsystems will be able to perform the safety function as described in the accident analysis.

The risk assessment performed to support this license amendment request concluded that with additional Required Actions the increase in plant risk is small and consistent with the NRC's Safety Goal Policy Statement, "Use of Probabilistic Risk Assessment Methods in Nuclear Activities: Final Policy Statement," and guidance contained in Regulatory Guides (RG) 1.174, "An Approach for using Probabilistic Risk Assessment in Risk-Informed Decisions on Plant-Specific Changes to the Licensing Basis," and RG 1.177, "An Approach for Plant-Specific Risk-Informed Decisionmaking: Technical Specifications."

Together, the deterministic evaluation and the risk-informed assessment provide assurance that the plant Class 1E DC electrical power subsystem will be able to perform its design function with a longer CT for an inoperable Unit 1 Vital Battery 1-1 and risk is not significantly impacted by the change.

Therefore, the proposed changes do not involve a significant reduction in a margin of safety.

The NRC staff has reviewed the licensee's analysis and, based on this review, it appears that the three standards of 10 CFR 50.92(c) are

satisfied. Therefore, the NRC staff proposes to determine that the amendment request involves no significant hazards consideration.

The Commission is seeking public comments on this proposed determination. Any comments received within 14 days after the date of publication of this notice will be considered in making any final determination.

Normally, the Commission will not issue the amendment until the expiration of the 14-day notice period. However, should circumstances change during the notice period, such that failure to act in a timely way would result, for example, in derating or shutdown of the facility, the Commission may issue the license amendment before the expiration of the 14-day notice period, provided that its final determination is that the amendment involves no significant hazards consideration. The final determination will consider all public and State comments received. Should the Commission take this action, it will publish in the **Federal Register** a notice of issuance. The Commission expects that the need to take this action will occur very infrequently.

Written comments may be submitted by mail to the Chief, Rulemaking, Directives and Editing Branch, Division of Administrative Services, Office of Administration, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, and should cite the publication date and page number of this **Federal Register** notice. Written comments may also be delivered to Room 6D59, Two White Flint North, 11545 Rockville Pike, Rockville, Maryland, from 7:30 a.m. to 4:15 p.m. Federal workdays. Documents may be examined, and/or copied for a fee, at the NRC's Public Document Room, located at One White Flint North, Public File Area O1 F21, 11555 Rockville Pike (first floor), Rockville, Maryland.

The filing of requests for hearing and petitions for leave to intervene is discussed below.

Within 60 days after the date of publication of this notice, the licensee may file a request for a hearing with respect to issuance of the amendment to the subject facility operating license and any person whose interest may be affected by this proceeding and who wishes to participate as a party in the proceeding must file a written request for a hearing and a petition for leave to intervene. Requests for a hearing and a petition for leave to intervene shall be filed in accordance with the Commission's "Rules of Practice for Domestic Licensing Proceedings and

Issuance of Orders" in 10 CFR part 2. Interested persons should consult a current copy of 10 CFR 2.309, which is available at the Commission's PDR, located at One White Flint North, Public File Area O1 F21, 11555 Rockville Pike (first floor), Rockville, Maryland. Publicly available records will be accessible from the Agencywide Documents Access and Management System's (ADAMS) Public Electronic Reading Room on the Internet at the NRC Web site, <http://www.nrc.gov/reading-rm/doc-collections/cfr/>. If a request for a hearing or petition for leave to intervene is filed by the above date, the Commission or a presiding officer designated by the Commission or by the Chief Administrative Judge of the Atomic Safety and Licensing Board Panel, will rule on the request and/or petition; and the Secretary or the Chief Administrative Judge of the Atomic Safety and Licensing Board will issue a notice of a hearing or an appropriate order.

As required by 10 CFR 2.309, a petition for leave to intervene shall set forth with particularity the interest of the petitioner in the proceeding, and how that interest may be affected by the results of the proceeding. The petition should specifically explain the reasons why intervention should be permitted with particular reference to the following general requirements: (1) The name, address and telephone number of the requestor or petitioner; (2) the nature of the requestor's/petitioner's right under the Act to be made a party to the proceeding; (3) the nature and extent of the requestor's/petitioner's property, financial, or other interest in the proceeding; and (4) the possible effect of any decision or order which may be entered in the proceeding on the requestor's/petitioner's interest. The petition must also identify the specific contentions which the petitioner/requestor seeks to have litigated at the proceeding.

Each contention must consist of a specific statement of the issue of law or fact to be raised or controverted. In addition, the petitioner/requestor shall provide a brief explanation of the bases for the contention and a concise statement of the alleged facts or expert opinion which support the contention and on which the petitioner intends to rely in proving the contention at the hearing. The petitioner/requestor must also provide references to those specific sources and documents of which the petitioner/requestor is aware and on which the petitioner/requestor intends to rely to establish those facts or expert opinion. The petitioner/requestor must provide sufficient information to show

that a genuine dispute exists with the applicant on a material issue of law or fact. Contentions shall be limited to matters within the scope of the amendment under consideration. The contention must be one which, if proven, would entitle the petitioner/requestor to relief. A petitioner/requestor who fails to satisfy these requirements with respect to at least one contention will not be permitted to participate as a party.

Those permitted to intervene become parties to the proceeding, subject to any limitations in the order granting leave to intervene, and have the opportunity to participate fully in the conduct of the hearing.

If a hearing is requested, the Commission will make a final determination on the issue of no significant hazards consideration. The final determination will serve to decide when the hearing is held. If the final determination is that the amendment request involves no significant hazards consideration, the Commission may issue the amendment and make it immediately effective, notwithstanding the request for a hearing. Any hearing held would take place after issuance of the amendment. If the final determination is that the amendment request involves a significant hazards consideration, any hearing held would take place before the issuance of any amendment.

Nontimely requests and/or petitions and contentions will not be entertained absent a determination by the Commission or the presiding officer of the Atomic Safety and Licensing Board that the petition, request and/or the contentions should be granted based on a balancing of the factors specified in 10 CFR 2.309(c)(1)(i)-(viii).

A request for a hearing or a petition for leave to intervene must be filed by: (1) First class mail addressed to the Office of the Secretary of the Commission, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, Attention: Rulemaking and Adjudications Staff; (2) courier, express mail, and expedited delivery services: Office of the Secretary, Sixteenth Floor, One White Flint North, 11555 Rockville Pike, Rockville, Maryland, 20852, Attention: Rulemaking and Adjudications Staff; (3) E-mail addressed to the Office of the Secretary, U.S. Nuclear Regulatory Commission, [HEARINGDOCKET@NRC.GOV](mailto:HEARINGDOCKET@NRC.GOV); or (4) facsimile transmission addressed to the Office of the Secretary, U.S. Nuclear Regulatory Commission, Washington, DC, Attention: Rulemakings and Adjudications Staff at (301) 415-1101, verification number is (301) 415-1966.

A copy of the request for hearing and petition for leave to intervene should also be sent to the Office of the General Counsel, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, and it is requested that copies be transmitted either by means of facsimile transmission to 301-415-3725 or by e-mail to [OGCMailCenter@nrc.gov](mailto:OGCMailCenter@nrc.gov). A copy of the request for hearing and petition for leave to intervene should also be sent to Richard F. Locke, Esq., Pacific Gas and Electric Company, P.O. Box 7442, San Francisco, California 94120, attorney for the licensee.

For further details with respect to this action, see the application for amendment dated October 18, 2006, which is available for public inspection at the Commission's Public Document Room (PDR), located at One White Flint North, Public File Area O1 F21, 11555 Rockville Pike (first floor), Rockville, Maryland. Publicly available records will be accessible electronically from the Agencywide Documents Access and Management System's (ADAMS) Public Electronic Reading Room on the Internet at the NRC Web site <http://www.nrc.gov/>

[reading-rm.html](#). Persons who do not have access to ADAMS or who encounter problems in accessing the documents located in ADAMS should contact the NRC PDR Reference staff by telephone at 1-800-397-4209, or 301-415-4737, or by e-mail to [pdr@nrc.gov](mailto:pdr@nrc.gov).

Dated at Rockville, Maryland, this 20th day of October 2006.

For the Nuclear Regulatory Commission.

**Alan Wang,**

*Project Manager, Plant Licensing Branch IV,  
Division of Operating Reactor Licensing,  
Office of Nuclear Reactor Regulation.*

[FR Doc. E6-18022 Filed 10-26-06; 8:45 am]

**BILLING CODE 7590-01-P**

**NUCLEAR REGULATORY COMMISSION**

**Application for a License To Export High-Enriched Uranium**

Pursuant to 10 CFR 110.70(b)(2) "Public Notice of Receipt of an Application," please take notice that the Nuclear Regulatory Commission has received the following request for an

export license. Copies of the request can be accessed through the Public Electronic Reading Room (PERR) link <http://www.nrc.gov/reading-rm/adams.html> at the NRC Homepage.

A request for a hearing or petition for leave to intervene may be filed within 30 days after publication of this notice in the **Federal Register**. Any request for hearing or petition for leave to intervene shall be served by the requestor or petitioner upon the applicant, the Office of the General Counsel, U.S. Nuclear Regulatory Commission, Washington, DC 20555; the Secretary, U.S. Nuclear Regulatory Commission, Washington, DC 20555; and the Executive Secretary, U.S. Department of State, Washington, DC 20520.

In its review of the application for a license to export special nuclear material as defined in 10 CFR Part 110 and noticed herein, the Commission does not evaluate the health, safety or environmental effects in the recipient nation of the material to be exported. The information concerning the application follows.

**NRC EXPORT LICENSE APPLICATION FOR HIGH-ENRICHED URANIUM**

Name of Applicant Date of Application	Description of material		End use	Recipient country
	Material type	Total quantity		
DOE/NNSA-Y12 National Security Complex October 5, 2006  October 10, 2006 XSNM03473 11005654	High-Enriched Uranium (93.35%)	Up to 15.5 kg Uranium (14.46925 kg U-235)	To fabricate targets for irradiation in the National Research Universal (NRU) Reactor to produce medical radioisotopes.	Canada.