

**DEPARTMENT OF TRANSPORTATION****Federal Aviation Administration****14 CFR Part 71**

[Docket No. FAA 2006–25671; Airspace  
Docket No. 06–AWP–15]

RIN 2120–AA66

**Proposed Establishment of Class D  
Airspace; Castle Airport, Atwater, CA**

**AGENCY:** Federal Aviation  
Administration (FAA), DOT.

**ACTION:** Notice of proposed rulemaking.

**SUMMARY:** This notice proposes to establish Class D airspace at Castle Airport, Atwater, CA. A contract Airport Traffic Control Tower (ATCT) is being established at Castle Airport, Atwater, CA, which will meet criteria for Class D airspace. Class D airspace is required when the ATCT is open, and to contain and protect Standard Instrument Approach Procedures (SIAPs) and other Instrument Flight Rules (IFR) operations at the airport. This action would establish Class D airspace extending upward from the surface to 2,500 feet Mean Sea Level (MSL) within a 4.5 nautical mile radius of the airport.

**DATES:** Comments must be received on or before December 13, 2006.

**ADDRESSES:** Send comments on this proposal to the Docket Management System, U.S. Department of Transportation, Room Plaza 401, 400 Seventh Street, SW., Washington, DC 20590–0001. You must identify the docket number FAA–2006–25671/ Airspace Docket No. 06–AWP–15, at the beginning of your comments. You may also submit comments on the Internet at <http://dms.dot.gov>. You may review the public docket containing the proposal, any comments received, and any final disposition in person in the Dockets Office between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The Docket Office (telephone 1–800–647–5527) is on the plaza level of the Department of Transportation NASSIF Building at the above address.

An informal docket may also be examined during normal business hours at the office of the Regional Air Traffic Division, Federal Aviation Administration, Room 2010, 15000 Aviation Boulevard, Lawndale, California 90261.

**FOR FURTHER INFORMATION CONTACT:** Larry Tonish, Airspace Specialist, Airspace Branch, Air Traffic Division, Federal Aviation Administration, 15000 Aviation Boulevard, Lawndale, California; telephone (310) 725–6539.

**SUPPLEMENTARY INFORMATION:**

**Comments Invited**

Interested parties are invited to participate in this proposed rulemaking by submitting such written data, views or arguments as they may desire. Comments that provide the factual basis supporting the views and suggestions presented are particularly helpful in developing reasoned regulatory decisions on the proposal. Comments are specifically invited on the overall regulatory, aeronautical, economic, environmental, and energy-related aspects of the proposal. Communications should identify both docket numbers and be submitted in triplicate to the address listed above. Commenters wishing the FAA to acknowledge receipt of their comments on this notice must submit with those comments a self-addressed, stamped postcard on which the following statement is made: “Comments to Docket No. FAA–2006–25671/ Airspace Docket No. 06–AWP–15.” The postcard will be date/time stamped and returned to the commenter. All communications received before the specified closing date for comments will be considered before taking action on the proposed rule. The proposal contained in this notice may be changed in light of the comments received. A report summarizing each substantive public contact with FAA personnel concerned with this rulemaking will be filed in the docket.

**Availability of NPRMs**

An electronic copy of this document may be downloaded through the Internet at <http://dms.dot.gov>. Recently published rulemaking documents can also be accessed through the FAA’s Web page at <http://www.faa.gov> or the Superintendent of Document’s Web page at <http://www.access.gpo.gov/nara>. Additionally, any person may obtain a copy of this notice by submitting a request to the Federal Aviation Administration, Office of Air Traffic Airspace Management, ATA–400, 800 Independence Avenue, SW., Washington, DC 20591, or by calling (202) 267–8783. Communications must identify both docket numbers for this notice. Persons interested in being placed on a mailing list for future NPRM’s should contact the FAA’s Office of Rulemaking, (202) 267–9677, to request a copy of Advisory Circular No. 11–2A, Notice of Proposed Rulemaking Distribution System, which describes the application procedure.

**The Proposal**

The FAA is considering an amendment to part 71 of the Federal

Aviation Regulations (14 CFR part 71) to establish Class D airspace at Castle Airport, Atwater, CA. An ATCT is being contracted at Castle Airport, and Class D airspace is required during the hours the ATCT is open. Class D controlled airspace is necessary for the safety of aircraft executing SIAPs and other IFR operations at Castle Airport. Class D airspace will be effective during specified dates and times established in advance by a Notice to Airmen. The effective date and time will, thereafter, be published in the Airport/Facility Directory.

Class D airspace designations for airspace areas extending upward from the surface of the earth are published in Paragraph 5000 of FAA Order 7400.9P, dated September 1, 2006, and effective September 15, 2006, which is incorporated by reference in 14 CFR 71.1. The Class D airspace designations listed in this document would be published subsequently in the Order.

The FAA has determined that this proposed regulation only involves an established body of technical regulations for which frequent and routine amendments are necessary to keep them operationally current. It, therefore, (1) is not a “significant regulatory action” under Executive Order 12866; (2) is not a “significant rule” under DOT Regulatory Policies and Procedures (44 FR 11034; February 26, 1979); and (3) does not warrant preparation of a Regulatory Evaluation as the anticipated impact is so minimal. Since this is a routine matter that will only affect air traffic procedures and air navigation, it is certified that this rule, when promulgated, will not have a significant economic impact on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

**List of Subjects in 14 CFR Part 71**

Airspace, Incorporation by reference, Navigation (air).

**The Proposed Amendment**

In consideration of the foregoing, the Federal Aviation Administration proposes to amend 14 CFR part 71 as follows:

**PART 71—DESIGNATION OF CLASS A,  
CLASS B, CLASS C, CLASS D, AND  
CLASS E AIRSPACE AREAS;  
AIRWAYS; ROUTES, AND REPORTING  
POINTS**

1. The authority citation for part 71 continues to read as follows:

**Authority:** 49 U.S.C. 106(g); 40103, 40113, 40120; E.O. 10854, 24 FR 9565, 3 CFR, 1959–1963 Comp., 389.

**§ 71.1 [Amended]**

2. The incorporation by reference in 14 CFR 71.1 of Federal Aviation Administration Order 7400.9P, Airspace Designations and Reporting Points, dated September 1, 2006, and effective September 15, 2006, is amended as follows:

*Paragraph 5000 Class D Airspace*

\* \* \* \* \*

**AWP CA D Castle Airport, Atwater, CA [NEW]**

Castle Airport, Atwater, CA

(Lat. 37°22'50" N, long. 120°34'05" W)

That airspace extending upward from the surface to 2,500 feet MSL beginning at lat. 37°18'34" N., long. 120°35'54" W, and extending clockwise around the 4.5 nautical mile radius of the Castle Airport to lat. 37°21'06" N., long. 120°28'53" W, thence to the point of beginning. This Class D airspace area is effective during the specific days and times established in advance by a Notice to Airmen. The effective days and times will thereafter be continuously published in the Airport/Facility Directory.

\* \* \* \* \*

**Leonard Mobley,**

*Acting Area Director, Western Terminal Operations, Western Terminal Area Office.*

[FR Doc. 06-9179 Filed 11-9-06; 8:45 am]

**BILLING CODE 4910-13-M**

**CONSUMER PRODUCT SAFETY COMMISSION****16 CFR Parts 1630 and 1631****Technical Amendment to the Flammability Standards for Carpets and Rugs**

**AGENCY:** Consumer Product Safety Commission.

**ACTION:** Proposed amendments.

**SUMMARY:** The Commission proposes to amend the flammability standards for carpets and rugs to remove the reference to Eli Lilly Company Product No. 1588 in Catalog No. 79, December 1, 1969, as the standard ignition source and provide a technical specification defining the ignition source.<sup>1</sup> The proposed specification for the standard ignition source is a timed burning tablet, consisting of essentially pure methenamine, with a nominal heat of combustion value of 7180 calories/gram, a mass of 150 mg +/- 5 mg, flat, and a nominal diameter of 6 mm. An

immediate effective date is also recommended.

**DATES:** Written comments concerning the proposed amendments must be received by the Office of the Secretary not later than January, 29, 2007.

**ADDRESSES:** Comments may be filed by e-mail to [cpsc-os@cpsc.gov](mailto:cpsc-os@cpsc.gov), and should be captioned "CARPET AND RUG TECHNICAL AMENDMENT." Comments may also be mailed, preferably in five copies, to the Office of the Secretary, Consumer Product Safety Commission, Room 502, 4330 East-West Highway, Bethesda, Maryland 20814, or delivered to the same address (telephone (301) 504-0800). Comments may also be filed by facsimile to (301) 504-0127.

**FOR FURTHER INFORMATION CONTACT:**

Patricia K. Adair, Project Manager, Directorate for Engineering Sciences, Consumer Product Safety Commission, 4330 East-West Highway, Bethesda, Maryland 20814; telephone (301) 504-7536 or e-mail: [padair@cpsc.gov](mailto:padair@cpsc.gov).

**SUPPLEMENTARY INFORMATION:****A. Background**

The standards for surface flammability of carpets and rugs appear at 16 CFR Parts 1630 and 1631. They were codified and published in 1975, 40 FR 59931 and 59935 (December 30, 1975). The standards were originally issued in 1970 by the Department of Commerce under the authority of the Flammable Fabrics Act (FFA). Subpart A of 16 CFR Parts 1630 and 1631 sets forth the standards. Subpart B contains the implementing regulations of the standards. Subpart C contains alternative washing procedures for hide carpets and rugs and wool flokati carpets and rugs. Subpart D of 16 CFR 1630 contains the staff interpretations and policies.

16 CFR Parts 1630 and 1631 establish minimum acceptance criteria for the surface flammability of carpets and rugs when exposed to a standard small source of ignition, a burning methenamine tablet, under prescribed conditions (the "pill test"). These standards reduce the risks of death, personal injury, and property damage associated with fires that result from the surface ignition of carpets and rugs.

Both standards require a timed burning tablet as the standard ignition source for flammability performance testing. The standards define the ignition source at 16 CFR Part 1630.1(f) and 1631.1(f) as a methenamine tablet, weighing approximately 0.149 grams (2.30 grains), sold as Product No. 1588 in Catalog No. 79, December 1, 1969 by

the Eli Lilly Company, or an equal tablet.

In April 2002, Commission staff learned that the Eli Lilly Company was no longer producing the methenamine tablets specified in the carpet and rug standards. Although the standards allow for the use of "an equal" methenamine tablet and give parameters for chemical composition and weight of the tablet, they do not provide any guidance on determining whether tablets from alternative sources are "equal" to those manufactured by the Eli Lilly Company. In July 2003, CPSC staff met with representatives of the Carpet and Rug Institute (CRI) to discuss evaluation of alternative methenamine tablets for use in 16 CFR Part 1630 and Part 1631. CRI members were experiencing differing test results using the old Eli Lilly tablets and currently available tablets. CRI members had begun to study the various characteristics of the current tablets. In one case, about 50% of one manufacturer's tablets were found broken in the bottle, with others breaking later. This problem was attributed to the tablets having a domed top. The problem has since been corrected with a flat tablet.

CRI urged the Commission to specify clearly the characteristics of the "equal" tablets that should be used for determining compliance with the carpet and rug standards. In an effort to make such a determination, the Commission staff conducted a comparison study to evaluate the weight, chemical composition, and combustion characteristics of presently available brands of methenamine tablets relative to each other and those produced by the Eli Lilly Company. The outcome of the study indicated that tablets consisting of essentially pure methenamine, having a heat of combustion value of approximately 7180 calories/gram and weighing approximately 0.149 grams may be considered equivalent to the tablets produced by the Eli Lilly Company and referenced in the regulation.

On July 29, 2004, the Commission's Office of Compliance issued a letter to industry in response to inquiries received by the CPSC staff regarding the equivalency of methenamine tablets formerly manufactured by the Eli Lilly Company and similar tablets currently produced by other manufacturers. The letter stated that the Commission staff determined that tablets consisting of essentially pure methenamine and weighing approximately 0.149 grams may be considered equivalent to the tablets formerly produced by the Eli Lilly Company. Therefore, tablets meeting these criteria may be used for

<sup>1</sup> Commissioner Thomas H. Moore filed a statement which is available from the Office of the Secretary or on the Commission's Web site at <http://www.cpsc.gov>.