

operators may submit reports by mail, fax or e-mail to the Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, Room 2103, 400 Seventh Street, SW., Washington, DC 20590; fax (202) 366-4566; e-mail, [roger.little@dot.gov](mailto:roger.little@dot.gov). The information in the report must contain all reasonably available information related to the facility, including information in the possession of a third party. The report must contain the location, size, date, method of abandonment, and a certification that the facility has been abandoned in accordance with all applicable laws.

(2) [Reserved].

■ 6. Section 192.903 is amended by adding paragraphs (3) and (4) of "High consequence area" to read as follows:

**§ 192.903 What definitions apply to this subpart?**

\* \* \* \* \*

*High consequence area* means an area established by one of the methods described in paragraphs (1) or (2) as follows:

\* \* \* \* \*

(3) Where a potential impact circle is calculated under either method (1) or (2) to establish a high consequence area, the length of the high consequence area extends axially along the length of the pipeline from the outermost edge of the first potential impact circle that contains either an identified site or 20 or more buildings intended for human occupancy to the outermost edge of the last contiguous potential impact circle that contains either an identified site or 20 or more buildings intended for human occupancy. (See Figure E.I.A. in Appendix E.)

(4) If in identifying a high consequence area under paragraph (1)(iii) of this definition or paragraph (2)(i) of this definition, the radius of the potential impact circle is greater than 660 feet (200 meters), the operator may identify a high consequence area based on a prorated number of buildings intended for human occupancy with a distance of 660 feet (200 meters) from the centerline of the pipeline until December 17, 2006. If an operator chooses this approach, the operator must prorate the number of buildings intended for human occupancy based on the ratio of an area with a radius of 660 feet (200 meters) to the area of the potential impact circle (i.e., the prorated number of buildings intended for human occupancy is equal to  $20 \times (660 \text{ feet}) / (\text{potential impact radius in feet [or meters]}^2)$ ).

\* \* \* \* \*

■ 7. Paragraphs (1), (2), and (3) of § 192.949 are redesignated to read as (a), (b), (c) and the section heading is revised:

**§ 192.949 How does an operator notify PHMSA?**

\* \* \* \* \*

(a) Sending the notification to the Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, Room 2103, 400 Seventh Street, SW., Washington, DC 20590;

(b) Sending the notification by fax to (202) 366-4566; or

(c) Entering the information directly on the Integrity Management Database (IMDB) Web site at <http://primis.phmsa.dot.gov/gasimp/>.

■ 8. Paragraphs (1), (2), and (3) of § 192.951 are redesignated to read as (a), (b), and (c):

**§ 192.951 Where does an operator file a report?**

\* \* \* \* \*

(a) By mail to the Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, Room 2103, 400 Seventh Street SW., Washington, DC 20590;

(b) Via fax to (202) 366-4566; or

(c) Through the online reporting system provided by PHMSA for electronic reporting available at the PHMSA Home Page at <http://phmsa.dot.gov>.

**PART 195—[AMENDED]**

■ 1. The authority citation for part 195 continues to read as follows:

**Authority:** 49 U.S.C. 5103, 60102, 60104, 60108, 60109, 60118; and 49 CFR 1.53.

■ 2. Paragraph (a) and the section heading of § 195.59 is revised and paragraph (b) is removed, to read as follows:

**§ 195.59 Abandonment or deactivation of facilities.**

\* \* \* \* \*

(a) The preferred method to submit data on pipeline facilities abandoned after October 10, 2000 is to the National Pipeline Mapping System (NPMS) in accordance with the NPMS "Standards for Pipeline and Liquefied Natural Gas Operator Submissions." To obtain a copy of the NPMS Standards, please refer to the NPMS homepage at <http://www.npms.phmsa.dot.gov> or contact the NPMS National Repository at 703-317-3073. A digital data format is preferred, but hard copy submissions are acceptable if they comply with the NPMS Standards. In addition to the

NPMS-required attributes, operators must submit the date of abandonment, diameter, method of abandonment, and certification that, to the best of the operator's knowledge, all of the reasonably available information requested was provided and, to the best of the operator's knowledge, the abandonment was completed in accordance with applicable laws. Refer to the NPMS Standards for details in preparing your data for submission. The NPMS Standards also include details of how to submit data. Alternatively, operators may submit reports by mail, fax or e-mail to the Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, Room 2103, 400 Seventh Street, SW., Washington, DC 20590; fax (202) 366-4566; e-mail, [roger.little@dot.gov](mailto:roger.little@dot.gov). The information in the report must contain all reasonably available information related to the facility, including information in the possession of a third party. The report must contain the location, size, date, method of abandonment, and a certification that the facility has been abandoned in accordance with all applicable laws.

(b) [Reserved].

Issued in Washington, DC on January 24, 2007.

**Stacey L. Gerard,**

*Acting Deputy Administrator.*

[FR Doc. E7-1652 Filed 1-31-07; 8:45 am]

BILLING CODE 4910-60-P

**DEPARTMENT OF COMMERCE**

**National Oceanic and Atmospheric Administration**

**50 CFR Part 229**

[Docket No. 030221039-7021-39; I.D. 012507B]

**Taking of Marine Mammals Incidental to Commercial Fishing Operations; Atlantic Large Whale Take Reduction Plan**

**AGENCY:** National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

**ACTION:** Temporary rule.

**SUMMARY:** The Assistant Administrator for Fisheries (AA), NOAA, announces temporary restrictions consistent with the requirements of the Atlantic Large Whale Take Reduction Plan's (ALWTRP) implementing regulations. These regulations apply to lobster trap/pot and anchored gillnet fishermen in

an area totaling approximately 2,185 nm<sup>2</sup> (7,494 km<sup>2</sup>), east of Portland, ME for 15 days. The purpose of this action is to provide protection to an aggregation of northern right whales (right whales).

**DATES:** Effective beginning at 0001 hours February 5, 2007, through 2400 hours February 20, 2007.

**ADDRESSES:** Copies of the proposed and final Dynamic Area Management (DAM) rules, Environmental Assessments (EAs), Atlantic Large Whale Take Reduction Team (ALWTRT) meeting summaries, and progress reports on implementation of the ALWTRP may also be obtained by writing Diane Borggaard, NMFS/Northeast Region, One Blackburn Drive, Gloucester, MA 01930.

**FOR FURTHER INFORMATION CONTACT:** Diane Borggaard, NMFS/Northeast Region, 978-281-9300 x6503; or Kristy Long, NMFS, Office of Protected Resources, 301-713-2322.

**SUPPLEMENTARY INFORMATION:**

**Electronic Access**

Several of the background documents for the ALWTRP and the take reduction planning process can be downloaded from the ALWTRP web site at <http://www.nero.noaa.gov/whaletrp/>.

**Background**

The ALWTRP was developed pursuant to section 118 of the Marine Mammal Protection Act (MMPA) to reduce the incidental mortality and serious injury of three endangered species of whales (right, fin, and humpback) due to incidental interaction with commercial fishing activities. In addition, the measures identified in the ALWTRP would provide conservation benefits to a fourth species (minke), which are neither listed as endangered nor threatened under the Endangered Species Act (ESA). The ALWTRP, implemented through regulations codified at 50 CFR 229.32, relies on a combination of fishing gear modifications and time/area closures to reduce the risk of whales becoming entangled in commercial fishing gear (and potentially suffering serious injury or mortality as a result).

On January 9, 2002, NMFS published the final rule to implement the ALWTRP's DAM program (67 FR 1133). On August 26, 2003, NMFS amended the regulations by publishing a final rule, which specifically identified gear modifications that may be allowed in a DAM zone (68 FR 51195). The DAM program provides specific authority for NMFS to restrict temporarily on an expedited basis the use of lobster trap/

pot and anchored gillnet fishing gear in areas north of 40° N. lat. to protect right whales. Under the DAM program, NMFS may: (1) require the removal of all lobster trap/pot and anchored gillnet fishing gear for a 15-day period; (2) allow lobster trap/pot and anchored gillnet fishing within a DAM zone with gear modifications determined by NMFS to sufficiently reduce the risk of entanglement; and/or (3) issue an alert to fishermen requesting the voluntary removal of all lobster trap/pot and anchored gillnet gear for a 15-day period and asking fishermen not to set any additional gear in the DAM zone during the 15-day period.

A DAM zone is triggered when NMFS receives a reliable report from a qualified individual of three or more right whales sighted within an area (75 nm<sup>2</sup> (139 km<sup>2</sup>)) such that right whale density is equal to or greater than 0.04 right whales per nm<sup>2</sup> (1.85 km<sup>2</sup>). A qualified individual is an individual ascertained by NMFS to be reasonably able, through training or experience, to identify a right whale. Such individuals include, but are not limited to, NMFS staff, U.S. Coast Guard and Navy personnel trained in whale identification, scientific research survey personnel, whale watch operators and naturalists, and mariners trained in whale species identification through disentanglement training or some other training program deemed adequate by NMFS. A reliable report would be a credible right whale sighting.

On January 22, 2007, an aerial survey reported a sighting of thirty right whales in the proximity 43° 22' N. lat. and 68° 21' W. long. This position lies east of Portland, Maine. After conducting an investigation, NMFS ascertained that the report came from a qualified individual and determined that the report was reliable. Thus, NMFS has received a reliable report from a qualified individual of the requisite right whale density to trigger the DAM provisions of the ALWTRP.

Once a DAM zone is triggered, NMFS determines whether to impose restrictions on fishing and/or fishing gear in the zone. This determination is based on the following factors, including but not limited to: the location of the DAM zone with respect to other fishery closure areas, weather conditions as they relate to the safety of human life at sea, the type and amount of gear already present in the area, and a review of recent right whale entanglement and mortality data.

NMFS has reviewed the factors and management options noted above relative to the DAM under consideration. As a result of this review,

NMFS prohibits lobster trap/pot and anchored gillnet gear in this area during the 15-day restricted period unless it is modified in the manner described in this temporary rule.

The DAM Zone is bound by the following coordinates:  
43° 48' N., 68° 55' W. (NW Corner)  
43° 48' N., 67° 51' W.  
43° 01' N., 67° 51' W.  
43° 01' N., 68° 55' W.  
43° 48' N., 68° 55' W. (NW Corner)

In addition to those gear modifications currently implemented under the ALWTRP at 50 CFR 229.32, the following gear modifications are required in the DAM zone. If the requirements and exceptions for gear modification in the DAM zone, as described below, differ from other ALWTRP requirements for any overlapping areas and times, then the more restrictive requirements will apply in the DAM zone.

**Lobster Trap/Pot Gear**

Fishermen utilizing lobster trap/pot gear within the portion of the Northern Inshore State Lobster Waters and Northern Nearshore Lobster Waters that overlap with the DAM zone are required to utilize all of the following gear modifications while the DAM zone is in effect:

1. Groundlines must be made of either sinking or neutrally buoyant line. Floating groundlines are prohibited;
2. All buoy lines must be made of either sinking or neutrally buoyant line, except the bottom portion of the line, which may be a section of floating line not to exceed one-third the overall length of the buoy line;
3. Fishermen are allowed to use two buoy lines per trawl; and
4. A weak link with a maximum breaking strength of 600 lb (272.4 kg) must be placed at all buoys.

Fishermen utilizing lobster trap/pot gear within the portion of the Offshore Lobster Waters Area that overlap with the DAM zone are required to utilize all of the following gear modifications while the DAM zone is in effect:

1. Groundlines must be made of either sinking or neutrally buoyant line. Floating groundlines are prohibited;
2. All buoy lines must be made of either sinking or neutrally buoyant line, except the bottom portion of the line, which may be a section of floating line not to exceed one-third the overall length of the buoy line;
3. Fishermen are allowed to use two buoy lines per trawl; and
4. A weak link with a maximum breaking strength of 1,500 lb (680.4 kg) must be placed at all buoys.

### Anchored Gillnet Gear

Fishermen utilizing anchored gillnet gear within the portions of the Other Northeast Gillnet Waters Area that overlaps with the DAM zone are required to utilize all the following gear modifications while the DAM zone is in effect:

1. Groundlines must be made of either sinking or neutrally buoyant line. Floating groundlines are prohibited;

2. All buoy lines must be made of either sinking or neutrally buoyant line, except the bottom portion of the line, which may be a section of floating line not to exceed one-third the overall length of the buoy line;

3. Fishermen are allowed to use two buoy lines per string;

4. Each net panel must have a total of five weak links with a maximum breaking strength of 1,100 lb (498.8 kg). Net panels are typically 50 fathoms (91.4 m) in length, but the weak link requirements would apply to all variations in panel size. These weak links must include three floatline weak links. The placement of the weak links on the floatline must be: one at the center of the net panel and one each as close as possible to each of the bridle ends of the net panel. The remaining two weak links must be placed in the center of each of the up and down lines at the panel ends;

5. A weak link with a maximum breaking strength of 1,100 lb (498.8 kg) must be placed at all buoys; and

6. All anchored gillnets, regardless of the number of net panels, must be securely anchored with the holding power of at least a 22 lb (10.0 kg) Danforth-style anchor at each end of the net string.

The restrictions will be in effect beginning at 0001 hours February 5, 2007, through 2400 hours February 20, 2007, unless terminated sooner or extended by NMFS through another notification in the **Federal Register**.

The restrictions will be announced to state officials, fishermen, ALWTRT members, and other interested parties through e-mail, phone contact, NOAA website, and other appropriate media immediately upon issuance of the rule by the AA.

### Classification

In accordance with section 118(f)(9) of the MMPA, the Assistant Administrator (AA) for Fisheries has determined that this action is necessary to implement a take reduction plan to protect North Atlantic right whales.

Environmental Assessments for the DAM program were prepared on December 28, 2001, and August 6, 2003. This action falls within the scope of the analyses of these EAs, which are available from the agency upon request.

NMFS provided prior notice and an opportunity for public comment on the regulations establishing the criteria and procedures for implementing a DAM zone. Providing prior notice and opportunity for comment on this action, pursuant to those regulations, would be impracticable because it would prevent NMFS from executing its functions to protect and reduce serious injury and mortality of endangered right whales. The regulations establishing the DAM program are designed to enable the agency to help protect unexpected concentrations of right whales. In order to meet the goals of the DAM program, the agency needs to be able to create a DAM zone and implement restrictions on fishing gear as soon as possible once the criteria are triggered and NMFS determines that a DAM restricted zone is appropriate. If NMFS were to provide prior notice and an opportunity for public comment upon the creation of a DAM restricted zone, the aggregated right whales would be vulnerable to entanglement which could result in serious injury and mortality. Additionally, the right whales would most likely move on to another location before NMFS could implement the restrictions designed to protect them, thereby rendering the action obsolete. Therefore, pursuant to 5 U.S.C. 553(b)(B), the AA finds that good cause exists to waive prior notice and an opportunity to comment on this action to implement a DAM restricted zone to reduce the risk of entanglement of endangered right whales in commercial lobster trap/pot and anchored gillnet gear as such procedures would be impracticable.

For the same reasons, the AA finds that, under 5 U.S.C. 553(d)(3), good cause exists to waive the 30-day delay in effective date. If NMFS were to delay for 30 days the effective date of this action, the aggregated right whales would be vulnerable to entanglement, which could cause serious injury and mortality. Additionally, right whales would likely move to another location between the time NMFS approved the action creating the DAM restricted zone and the time it went into effect, thereby rendering the action obsolete and ineffective. Nevertheless, NMFS recognizes the need for fishermen to have time to either modify or remove (if

not in compliance with the required restrictions) their gear from a DAM zone once one is approved. Thus, NMFS makes this action effective 2 days after the date of publication of this document in the **Federal Register**. NMFS will also endeavor to provide notice of this action to fishermen through other means upon issuance of the rule by the AA, thereby providing approximately 3 additional days of notice while the Office of the **Federal Register** processes the document for publication.

NMFS determined that the regulations establishing the DAM program and actions such as this one taken pursuant to those regulations are consistent to the maximum extent practicable with the enforceable policies of the approved coastal management program of the U.S. Atlantic coastal states. This determination was submitted for review by the responsible state agencies under section 307 of the Coastal Zone Management Act. Following state review of the regulations creating the DAM program, no state disagreed with NMFS' conclusion that the DAM program is consistent to the maximum extent practicable with the enforceable policies of the approved coastal management program for that state.

The DAM program under which NMFS is taking this action contains policies with federalism implications warranting preparation of a federalism assessment under Executive Order 13132. Accordingly, in October 2001 and March 2003, the Assistant Secretary for Intergovernmental and Legislative Affairs, Department of Commerce, provided notice of the DAM program and its amendments to the appropriate elected officials in states to be affected by actions taken pursuant to the DAM program. Federalism issues raised by state officials were addressed in the final rules implementing the DAM program. A copy of the federalism Summary Impact Statement for the final rules is available upon request (**ADDRESSES**).

The rule implementing the DAM program has been determined to be not significant under Executive Order 12866.

**Authority:** 16 U.S.C. 1361 *et seq.* and 50 CFR 229.32(g)(3)

Dated: January 26, 2007.

**William T. Hogarth,**

*Assistant Administrator for Fisheries,  
National Marine Fisheries Service.*

[FR Doc. 07-441 Filed 1-29-07; 2:25 pm]

**BILLING CODE 3510-22-S**