

The Inspector General has not limited his authority to issue subpoenas or to affix the Departmental seal and certify copies of records, or to request information under 5 U.S.C. § 552a by this delegation or redelegation. Also, this delegation and redelegation of authority prohibits further delegation or redelegation.

Accordingly, the Inspector General delegates and redelegates as follows:

#### **Section A. Authority Delegated and Redelegated**

The HUD Inspector General delegates to the Deputy Inspector General, the Assistant Inspectors General, the Deputy Assistant Inspectors General, the Special Agents in Charge, the Regional Inspectors General for Audit and the Directors within the Office of Audit, the authority to require by subpoena the production of all information, documents, reports, answers, records, accounts, papers, and other data and documentary evidence necessary in the performance of the functions assigned by the Inspector General Act pursuant to Section 6(a)(4) of the Inspector General Act of 1978.

Additionally, the Inspector General redelegates to the Deputy Inspector General, the Assistant Inspectors General, the Deputy Assistant Inspectors General, the Special Agents in Charge, the Regional Inspectors General for Audit and the Directors within the Office of Audit, the authority under the delegation of authority published at 68 FR 41840 (July 15, 2003) to cause the seal of the Department of Housing and Urban Development to be affixed to such documents as may require its application and to certify that a copy of any book, record, paper, microfilm or other document is a true copy of that in the files of the Department.

Additionally, the Inspector General delegates to the Deputy Inspector General, the Assistant Inspector General for Investigations, the Deputy Assistant Inspectors General for Investigations, and the Special Agents in Charge, the authority to request information under 5 U.S.C. section 552a(b)(7).

#### **Section B. No Further Delegation or Redelegation**

The authority delegated and redelegated in Section A above may not be further delegated or redelegated.

**Authority:** Section 6(a)(4), Inspector General Act of 1978 (5 U.S.C. App.); Section 7(d), Department of HUD Act (42 U.S.C. 3535(d)); Delegation of Authority, April 15, 1987, at 52 FR 12259; 5 U.S.C. section 552a.

Dated: February 12, 2007.

**Kenneth M. Donohue,**

*Inspector General.*

[FR Doc. E7-2826 Filed 2-16-07; 8:45 am]

**BILLING CODE 4210-67-P**

### **NATIONAL ARCHIVES AND RECORDS ADMINISTRATION**

#### **Information Security Oversight Office**

#### **Public Interest Declassification Board (PIDB); Notice of Meeting**

Pursuant to Section 1102 of the Intelligence Reform and Terrorism Prevention Act of 2004 which extended and modified the Public Interest Declassification Board (PIDB) as established by the Public Interest Declassification Act of 2000 (Pub. L. 106-567, title VII, December 27, 2000, 114 Stat. 2856), announcement is made for the following committee meeting:

*Name of Committee:* Public Interest Declassification Board (PIDB).

*Date of Meeting:* Friday, December 15, 2006.

*Time of Meeting:* 9 a.m. to 12:30 p.m.

*Place of Meeting:* National Archives and Records Administration, 700 Pennsylvania Avenue, NW, Rooms 500/501, Washington, DC 20408.

*Purpose:* To discuss declassification program issues.

This meeting will be open to the public. However, due to space limitations and access procedures, the name and telephone number of individuals planning to attend must be submitted to the Information Security Oversight Office (ISOO) no later than Monday, December 11, 2006. ISOO will provide additional instructions for gaining access to the location of the meeting.

*For Further Information Contact:* J. William Leonard, Director Information Security Oversight Office, National Archives Building, 700 Pennsylvania Avenue, NW, Washington, DC 20408, telephone number (202) 357-5250.

Dated: February 12, 2007.

**J. William Leonard,**

*Director, Information Security Oversight Office.*

[FR Doc. E7-2866 Filed 2-16-07; 8:45 am]

**BILLING CODE 7515-01-P**

### **NUCLEAR REGULATORY COMMISSION**

[Docket No. 50-293]

#### **Pilgrim Nuclear Power Station, Entergy Nuclear Operations, Inc.; Notice of Consideration of Issuance of Amendment to Facility Operating License, Proposed No Significant Hazards; Consideration Determination, and Opportunity for a Hearing**

The U.S. Nuclear Regulatory Commission (NRC or the Commission) is considering issuance of an amendment to Facility Operating License No. DPR-35 issued to Entergy Nuclear Operations, Inc. (the licensee) for operation of the Pilgrim Nuclear Power Station (Pilgrim), located in Plymouth County, Massachusetts.

The proposed amendment would revise Limiting Condition for Operation (LCO) 3.14.A to adopt the Technical Specification Task Force-484, Revision 0, "Use of Technical Specification 3.10.1 for Scram Time Testing Activities."

Before issuance of the proposed license amendment, the Commission will have made findings required by the Atomic Energy Act of 1954, as amended (the Act), and the Commission's regulations.

The Commission has made a proposed determination that the amendment request involves no significant hazards consideration. Under the Commission's regulations in Title 10 of the Code of Federal Regulations (10 CFR), Section 50.92, this means that operation of the facility in accordance with the proposed amendment would not (1) involve a significant increase in the probability or consequences of an accident previously evaluated; (2) create the possibility of a new or different kind of accident from any accident previously evaluated; or (3) involve a significant reduction in a margin of safety. As required by 10 CFR 50.91(a), the licensee has provided its analysis of the issue of no significant hazards consideration, which is presented below:

#### **Criterion 1—The Proposed Change Does Not Involve a Significant Increase in the Probability or Consequences of an Accident Previously Evaluated**

Technical Specifications currently allow for operation at greater than [200]°F while imposing MODE 4 requirements in addition to the secondary containment requirements required to be met. Extending the activities that can apply this allowance will not adversely impact the probability or consequences of an accident previously evaluated.

Therefore, the proposed change does not involve a significant increase in the probability or consequences of an accident previously evaluated.

**Criterion 2—The Proposed Change Does Not Create the Possibility of a New or Different Kind of Accident From Any Previously Evaluated**

Technical Specifications currently allow for operation at greater than [200]°F while imposing MODE 4 requirements in addition to the secondary containment requirements required to be met. No new operational conditions beyond those currently allowed by LCO 3.10.1 are introduced. The changes do not involve a physical alteration of the plant (i.e., no new or different type of equipment will be installed) or a change in the methods governing normal plant operation. In addition, the changes do not impose any new or different requirements or eliminate any existing requirements. The changes do not alter assumptions made in the safety analysis. The proposed changes are consistent with the safety analysis assumptions and current plant operating practice.

Therefore, the proposed change does not create the possibility of a new or different kind of accident from any accident previously evaluated.

**Criterion 3—The Proposed Change Does Not Involve a Significant Reduction in a Margin of Safety**

Technical Specifications currently allow for operation at greater than [200]°F while imposing MODE 4 requirements in addition to the secondary containment requirements required to be met. Extending the activities that can apply this allowance will not adversely impact any margin of safety. Allowing completion of inspections and testing and supporting completion of scram time testing initiated in conjunction with an inservice leak or hydrostatic test prior to power operation results in enhanced safe operations by eliminating unnecessary maneuvers to control reactor temperature and pressure.

Therefore, the proposed change does not involve a significant reduction in a margin of safety.

The NRC staff has reviewed the licensee's analysis and, based on this review, it appears that the three standards of 10 CFR 50.92(c) are satisfied. Therefore, the NRC staff proposes to determine that the amendment request involves no significant hazards consideration.

The Commission is seeking public comments on this proposed determination. Any comments received within 30 days after the date of publication of this notice will be considered in making any final determination.

Normally, the Commission will not issue the amendment until the expiration of 60 days after the date of publication of this notice. The Commission may issue the license

amendment before expiration of the 60-day period provided that its final determination is that the amendment involves no significant hazards consideration. In addition, the Commission may issue the amendment prior to the expiration of the 30-day comment period should circumstances change during the 30-day comment period such that failure to act in a timely way would result, for example, in derating or shutdown of the facility. Should the Commission take action prior to the expiration of either the comment period or the notice period, it will publish in the **Federal Register** a notice of issuance. Should the Commission make a final No Significant Hazards Consideration Determination, any hearing will take place after issuance. The Commission expects that the need to take this action will occur very infrequently.

Written comments may be submitted by mail to the Chief, Rulemaking, Directives and Editing Branch, Division of Administrative Services, Office of Administration, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, and should cite the publication date and page number of this **Federal Register** notice. Written comments may also be delivered to NRC's Public Document Room (PDR), located at One White Flint North, Public File Area O1F21, 11555 Rockville Pike (first floor), Rockville, Maryland.

The filing of requests for hearing and petitions for leave to intervene is discussed below.

Within 60 days after the date of publication of this notice, the licensee may file a request for a hearing with respect to issuance of the amendment to the subject facility operating license and any person whose interest may be affected by this proceeding and who wishes to participate as a party in the proceeding must file a written request for a hearing and a petition for leave to intervene. Requests for a hearing and a petition for leave to intervene shall be filed in accordance with the Commission's "Rules of Practice for Domestic Licensing Proceedings" in 10 CFR Part 2. Interested persons should consult a current copy of 10 CFR 2.309, which is available at the Commission's PDR, located at One White Flint North, Public File Area O1F21, 11555 Rockville Pike (first floor), Rockville, Maryland. Publicly-available records will be accessible from the Agencywide Documents Access and Management System's (ADAMS) Public Electronic Reading Room on the Internet at the NRC Web site, <http://www.nrc.gov/reading-rm/doc-collections/cfr/>. If a request for a hearing or petition for

leave to intervene is filed by the above date, the Commission or a presiding officer designated by the Commission or by the Chief Administrative Judge of the Atomic Safety and Licensing Board Panel, will rule on the request and/or petition; and the Secretary or the Chief Administrative Judge of the Atomic Safety and Licensing Board will issue a notice of a hearing or an appropriate order.

As required by 10 CFR 2.309, a petition for leave to intervene shall set forth with particularity the interest of the petitioner in the proceeding, and how that interest may be affected by the results of the proceeding. The petition should specifically explain the reasons why intervention should be permitted with particular reference to the following general requirements: (1) The name, address and telephone number of the requestor or petitioner; (2) the nature of the requestor's/petitioner's right under the Act to be made a party to the proceeding; (3) the nature and extent of the requestor's/petitioner's property, financial, or other interest in the proceeding; and (4) the possible effect of any decision or order which may be entered in the proceeding on the requestor/petitioner's interest. The petition must also identify the specific contentions which the petitioner/requestor seeks to have litigated at the proceeding.

Each contention must consist of a specific statement of the issue of law or fact to be raised or controverted. In addition, the petitioner/requestor shall provide a brief explanation of the bases for the contention and a concise statement of the alleged facts or expert opinion which support the contention and on which the petitioner intends to rely in proving the contention at the hearing. The petitioner/requestor must also provide references to those specific sources and documents of which the petitioner is aware and on which the petitioner intends to rely to establish those facts or expert opinion. The petition must include sufficient information to show that a genuine dispute exists with the applicant on a material issue of law or fact. Contentions shall be limited to matters within the scope of the amendment under consideration. The contention must be one which, if proven, would entitle the petitioner to relief. A petitioner/requestor who fails to satisfy these requirements with respect to at least one contention will not be permitted to participate as a party.

Those permitted to intervene become parties to the proceeding, subject to any limitations in the order granting leave to intervene, and have the opportunity to

participate fully in the conduct of the hearing.

If a hearing is requested, the Commission will make a final determination on the issue of no significant hazards consideration. The final determination will serve to decide when the hearing is held. If the final determination is that the amendment request involves no significant hazards consideration, the Commission may issue the amendment and make it immediately effective, notwithstanding the request for a hearing. Any hearing held would take place after issuance of the amendment. If the final determination is that the amendment request involves a significant hazards consideration, any hearing held would take place before the issuance of any amendment.

Nontimely requests and/or petitions and contentions will not be entertained absent a determination by the Commission or the presiding officer of the Atomic Safety and Licensing Board that the petition, request and/or the contentions should be granted based on a balancing of the factors specified in 10 CFR 2.309(c)(1)(i)–(viii).

A request for a hearing or a petition for leave to intervene must be filed by: (1) First class mail addressed to the Office of the Secretary of the Commission, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001, *Attention*: Rulemaking and Adjudications Staff; (2) courier, express mail, and expedited delivery services: Office of the Secretary, Sixteenth Floor, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852, *Attention*: Rulemaking and Adjudications Staff; (3) E-mail addressed to the Office of the Secretary, U.S. Nuclear Regulatory Commission, [HEARINGDOCKET@NRC.GOV](mailto:HEARINGDOCKET@NRC.GOV); or (4) facsimile transmission addressed to the Office of the Secretary, U.S. Nuclear Regulatory Commission, Washington, DC, *Attention*: Rulemaking and Adjudications Staff at (301) 415–1101, verification number is (301) 415–1966. A copy of the request for hearing and petition for leave to intervene should also be sent to the Office of the General Counsel, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001, and it is requested that copies be transmitted either by means of facsimile transmission to 301–415–3725 or by e-mail to [OGCMailCenter@nrc.gov](mailto:OGCMailCenter@nrc.gov). A copy of the request for hearing and petition

for leave to intervene should also be sent to Travis C. McCullough, Assistant General Counsel, Entergy Nuclear Operations, Inc., 400 Hamilton Avenue, White Plains, NY 10601, attorney for the licensee.

For further details with respect to this action, see the application for amendment dated December 27, 2006, which is available for public inspection at the Commission's PDR, located at One White Flint North, File Public Area O1 F21, 11555 Rockville Pike (first floor), Rockville, Maryland. Publicly-available records will be accessible from the ADAMS Public Electronic Reading Room on the Internet at the NRC Web site, <http://www.nrc.gov/reading-rm/adams.html>. Persons who do not have access to ADAMS or who encounter problems in accessing the documents located in ADAMS, should contact the NRC PDR Reference staff by telephone at 1–800–397–4209, 301–415–4737, or by e-mail to [pdr@nrc.gov](mailto:pdr@nrc.gov).

For The Nuclear Regulatory Commission.  
Dated at Rockville, Maryland, this 8th day of February 2007.

**James Kim,**

*Project Manager, Plant Licensing Branch I-1, Division of Operating Reactor Licensing, Office of Nuclear Reactor Regulation.*

[FR Doc. E7–2804 Filed 2–16–07; 8:45 am]

**BILLING CODE 7590–01–P**

## NUCLEAR REGULATORY COMMISSION

### Notice of Availability of Draft Interim Staff Guidance Document HlwrS–ISG–03, “Preclosure Safety Analysis—Dose Performance Objectives and Radiation Protection Program”

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Notice of availability.

**FOR FURTHER INFORMATION, CONTACT:** Jon Chen, Project Manager, Project Management Branch B, Division of High-Level Waste Repository Safety, Office of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001, *Telephone*: (301) 415–5526; *fax number*: (301) 415–5399; *e-mail*: [jcc2@nrc.gov](mailto:jcc2@nrc.gov).

**SUPPLEMENTARY INFORMATION:**

## I. Introduction

The Yucca Mountain Review Plan (YMRP) (July 2003, NUREG–1804, Revision 2) provides guidance for U.S. Nuclear Regulatory Commission (NRC) Division of High-Level Waste Repository Safety (HLWRS) staff to evaluate a U.S. Department of Energy (DOE) license application for a geologic repository. NRC has prepared Interim Staff Guidance (ISG) to provide clarifications or refinements to the guidance provided in the YMRP. NRC is soliciting public comments on Draft HLWRS–ISG–03, which will be considered in the final version, or subsequent revisions, to HLWRS–ISG–03.

## II. Summary

The purpose of this notice is to provide the public with an opportunity to review and comment on draft HLWRS–ISG–03, which is to supplement the YMRP, for the NRC staff review of consequence estimates for the preclosure safety analysis, and the associated radiation protection program that will be implemented by DOE during geologic repository operations area operations.

This ISG revises Sections 2.1.1.5 and 2.1.1.8 of the YMRP. A sufficient description of the radiation protection program and adequate technical bases for consequence estimates are needed to demonstrate compliance with the performance objectives in *Code of Federal Regulations* (CFR), Title 10, Part 63 (10 CFR Part 63), and radiation protection requirements of 10 CFR Part 20.

## III. Further Information

The documents related to this action are available electronically at NRC's Electronic Reading Room, at <http://www.nrc.gov/reading-rm/adams.html>. From this site, a member of the public can access NRC's Agencywide Documents Access and Management System (ADAMS), which provides text and image files of NRC's public documents. The ADAMS accession number for the document related to this notice is provided in the following table. If an individual does not have access to ADAMS, or if there are problems in accessing the documents located in ADAMS, contact the NRC Public Document Room Reference (PDR) staff, at 1–800–397–4209, or (301) 415–4737, or by e-mail, at [pdr@nrc.gov](mailto:pdr@nrc.gov).

ISG	ADAMS accession number
Draft HLWRS–ISG–03, “Preclosure Safety Analysis—Dose Performance Objectives and Radiation Protection Program”.	ML070230090.