

Preliminary Results of Review

As a result of our review we preliminarily find that a weighted-average dumping margin of 0.00 percent exists for SWG for the period March 1, 2005, through February 28, 2006.

The Department will disclose calculations performed within five days of the date of publication of this notice in accordance with 19 CFR 351.224(b). An interested party may request a hearing within 30 days of publication. See 19 CFR 351.310(c). Any hearing, if requested, will be held 37 days after the date of publication, or the first business day thereafter, unless the Department alters the date pursuant to 19 CFR 351.310(d).

Interested parties may submit case briefs or written comments no later than 30 days after the date of publication of these preliminary results of new shipper review. Rebuttal briefs and rebuttals to written comments, limited to issues raised in the case briefs and comments, may be filed no later than 5 days after the date of submission of case briefs and written comments. Parties who submit argument in these proceedings are requested to submit with the argument (1) a statement of the issue, (2) a brief summary of the argument, and (3) a table of authorities. Further, parties submitting written comments should provide the Department with an additional copy of the public version of any such comments on diskette. The Department will issue final results of this new shipper review, including the results of our analysis of the issues raised in any such written comments or at a hearing, within 90 days of publication of these preliminary results.

Assessment Rates

Upon issuance of the final results of this review, the Department shall determine, and CBP shall assess, antidumping duties on all appropriate entries. Pursuant to 19 CFR 351.212(b)(1), for the U.S. sale made by the respondent for which they have reported the importer of record and entered value, we have calculated an importer-specific assessment rate based on the ratio of the total amount of antidumping duties calculated for the examined sales to the total entered value of the U.S. sale. To determine whether the duty assessment rates were *de minimis*, in accordance with the requirement set forth in 19 CFR 351.106(c)(2), we calculated an importer-specific *ad valorem* rate based on the reported entered value. Where the assessment rate is above *de minimis*, we will instruct CBP to assess duties on all entries of subject merchandise by

that importer. Pursuant to 19 CFR 351.106(c)(2), we will instruct CBP to liquidate without regard to antidumping duties any entries for which the assessment rate is *de minimis* (i.e., less than 0.50 percent).

The Department clarified its "automatic assessment" regulation on May 6, 2003 (68 FR 23954). This clarification will apply to entries of subject merchandise during the period of review produced by reviewed companies for which these companies did not know their merchandise was destined for the United States. In such instances, we will instruct CBP to liquidate unreviewed entries at the all-others rate if there is no rate for the intermediate company(ies) involved in the transaction. For a full discussion of this clarification, see *Antidumping and Countervailing Duty Proceedings: Assessment of Antidumping Duties*, 68 FR 23954 (May 6, 2003).

Cash Deposit Requirements

The following cash deposit rate will be effective upon publication of the final results of this new shipper review for shipments of stainless steel bar from Germany entered, or withdrawn from warehouse, for consumption on or after the publication date, as provided by section 751(a)(2)(C) of the Act. For subject merchandise produced and exported by SWG, the cash deposit rate will be the rate established in the final results of this review, except if the rate is less than 0.50 percent and, therefore, *de minimis*, the cash deposit rate will be zero. This cash deposit requirement, when imposed, shall remain in effect until further notice.

Notification to Interested Parties

This notice also serves as a preliminary reminder to importers of their responsibility under 19 CFR 351.402(f) to file a certificate regarding the reimbursement of antidumping duties prior to liquidation of the relevant entries during this review period. Failure to comply with this requirement could result in the Secretary's presumption that reimbursement of antidumping duties occurred and the subsequent assessment of double antidumping duties.

We are issuing and publishing this notice in accordance with sections 751(a)(1) and 777(i)(1) of the Tariff Act.

Dated: March 12, 2007.

David M. Spooner,

Assistant Secretary for Import Administration.

[FR Doc. E7-4944 Filed 3-16-07; 8:45 am]

BILLING CODE 3510-DS-S

DEPARTMENT OF COMMERCE

International Trade Administration

[C-580-835]

Stainless Steel Sheet and Strip in Coils from the Republic of Korea: Final Results of Countervailing Duty Changed Circumstances Review

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

SUMMARY: On December 19, 2006, the Department of Commerce ("the Department") published in the **Federal Register** its preliminary results of the changed circumstances review of the countervailing duty ("CVD") order on stainless steel sheet and strip in coils ("SSSS") from the Republic of Korea ("Korea"). See *Preliminary Results of Countervailing Duty Changed Circumstances Review: Stainless Steel Sheet and Strip in Coils from the Republic of Korea*, 71 FR 75937 (December 19, 2006) ("*Preliminary Results*"). The Department preliminarily determined that: (1) Hyundai Steel Company ("Hyundai") is the successor-in-interest to INI Steel Company ("INI"), formerly Incheon Iron and Steel Co., Ltd.; and (2) upon publication of these final results of this review, INI's current CVD cash deposit rate shall be applied to entries of subject merchandise made by Hyundai. We did not receive any comments on our preliminary results and have made no revisions to those results.

EFFECTIVE DATE: March 19, 2007.

FOR FURTHER INFORMATION CONTACT: Preeti Tolani, AD/CVD Operations, Office 3, Import Administration, International Trade Administration, U.S. Department of Commerce, Room 4014, 14th Street and Constitution Avenue, NW., Washington, DC 20230; telephone (202) 482-0395.

SUPPLEMENTARY INFORMATION:

Scope of the Order

The products covered by this order are certain stainless steel sheet and strip in coils. Stainless steel is an alloy steel containing, by weight, 1.2 percent or less of carbon and 10.5 percent or more of chromium, with or without other elements. The subject sheet and strip is a flat-rolled product in coils that is greater than 9.5 mm in width and less than 4.75 mm in thickness, and that is annealed or otherwise heat treated and pickled or otherwise descaled. The subject sheet and strip may also be further processed (e.g., cold-rolled, polished, aluminized, coated, etc.) provided that it maintains the specific

dimensions of sheet and strip following such processing.

The merchandise subject to this order is classified in the Harmonized Tariff Schedule of the United States ("HTSUS") at subheadings:

7219.13.0031, 7219.13.0051,
7219.13.0071, 7219.1300.81¹,
7219.14.0030, 7219.14.0065,
7219.14.0090, 7219.32.0005,
7219.32.0020, 7219.32.0025,
7219.32.0035, 7219.32.0036,
7219.32.0038, 7219.32.0042,
7219.32.0044, 7219.33.0005,
7219.33.0020, 7219.33.0025,
7219.33.0035, 7219.33.0036,
7219.33.0038, 7219.33.0042,
7219.33.0044, 7219.34.0005,
7219.34.0020, 7219.34.0025,
7219.34.0030, 7219.34.0035,
7219.35.0005, 7219.35.0015,
7219.35.0030, 7219.35.0035,
7219.90.0010, 7219.90.0020,
7219.90.0025, 7219.90.0060,
7219.90.0080, 7220.12.1000,
7220.12.5000, 7220.20.1010,
7220.20.1015, 7220.20.1060,
7220.20.1080, 7220.20.6005,
7220.20.6010, 7220.20.6015,
7220.20.6060, 7220.20.6080,
7220.20.7005, 7220.20.7010,
7220.20.7015, 7220.20.7060,
7220.20.7080, 7220.20.8000,
7220.20.9030, 7220.20.9060,
7220.90.0010, 7220.90.0015,
7220.90.0060, and 7220.90.0080.

Although the HTSUS subheadings are provided for convenience and customs purposes, the Department's written description of the merchandise subject to this order is dispositive.

Excluded from the scope of this order are the following: (1) Sheet and strip that is not annealed or otherwise heat treated and pickled or otherwise heat descaled, (2) sheet and strip that is cut to length, (3) plate (*i.e.*, flat-rolled stainless steel products of a thickness of 4.75 mm or more), (4) flat wire (*i.e.*, cold-rolled sections, with a prepared edge, rectangular in shape, of a width of not more than 9.5 mm), and (5) razor blade steel. Razor blade steel is a flat-rolled product of stainless steel, not further worked than cold-rolled (cold-reduced), in coils, of a width of not more than 23 mm and a thickness of 0.266 mm or less, containing, by weight, 12.5 to 14.5 percent chromium, and certified at the time of entry to be used in the manufacture of razor blades. See Chapter 72 of the HTSUS, "Additional U.S. Note" 1(d).

¹ Due to changes to the HTSUS numbers in 2001, 7219.13.0030, 7219.13.0050, 7219.13.0070, and 7219.13.0080 are now 7219.13.0031, 7219.13.0051, 7219.13.0071, and 7219.13.0081, respectively.

The Department has determined that certain additional specialty stainless steel products are also excluded from the scope of this order. These excluded products are described below.

Flapper valve steel is excluded from the scope of this order. Flapper valve steel is defined as stainless steel strip in coils containing, by weight, between 0.37 and 0.43 percent carbon, between 1.15 and 1.35 percent molybdenum, and between 0.20 and 0.80 percent manganese. This steel also contains, by weight, phosphorus of 0.025 percent or less, silicon of between 0.20 and 0.50 percent, and sulfur of 0.020 percent or less. The product is manufactured by means of vacuum arc remelting, with inclusion controls for sulphide of no more than 0.04 percent and for oxide of no more than 0.05 percent. Flapper valve steel has a tensile strength of between 210 and 300 ksi, yield strength of between 170 and 270 ksi, plus or minus 8 ksi, and a hardness (Hv) of between 460 and 590. Flapper valve steel is most commonly used to produce specialty flapper valves in compressors.

Also excluded is a product referred to as suspension foil, a specialty steel product used in the manufacture of suspension assemblies for computer disk drives. Suspension foil is described as 302/304 grade or 202 grade stainless steel of a thickness between 14 and 127 microns, with a thickness tolerance of plus-or-minus 2.01 microns, and surface glossiness of 200 to 700 percent Gs. Suspension foil must be supplied in coil widths of not more than 407 mm, and with a mass of 225 kg or less. Roll marks may only be visible on one side, with no scratches of measurable depth. The material must exhibit residual stresses of 2 mm maximum deflection, and flatness of 1.6 mm over 685 mm length.

Certain stainless steel foil for automotive catalytic converters is also excluded from the scope of this order. This stainless steel strip in coils is a specialty foil with a thickness of between 20 and 110 microns used to produce a metallic substrate with a honeycomb structure for use in automotive catalytic converters. The steel contains, by weight, carbon of no more than 0.030 percent, silicon of no more than 1.0 percent, manganese of no more than 1.0 percent, chromium of between 19 and 22 percent, aluminum of no less than 5.0 percent, phosphorus of no more than 0.045 percent, sulfur of no more than 0.03 percent, lanthanum of less than 0.002 or greater than 0.05 percent, and total rare earth elements of more than 0.06 percent, with the balance iron.

Permanent magnet iron-chromium-cobalt alloy stainless strip is also excluded from the scope of this order. This ductile stainless steel strip contains, by weight, 26 to 30 percent chromium, and 7 to 10 percent cobalt, with the remainder of iron, in widths 228.6 mm or less, and a thickness between 0.127 and 1.270 mm. It exhibits magnetic remanence between 9,000 and 12,000 gauss, and a coercivity of between 50 and 300 oersteds. This product is most commonly used in electronic sensors and is currently available under proprietary trade names such as "Arnokrome III."²

Certain electrical resistance alloy steel is also excluded from the scope of this order. This product is defined as a non-magnetic stainless steel manufactured to American Society of Testing and Materials ("ASTM") specification B344 and containing, by weight, 36 percent nickel, 18 percent chromium, and 46 percent iron, and is most notable for its resistance to high temperature corrosion. It has a melting point of 1390 degrees Celsius and displays a creep rupture limit of 4 kilograms per square millimeter at 1000 degrees Celsius. This steel is most commonly used in the production of heating ribbons for circuit breakers and industrial furnaces, and in rheostats for railway locomotives. The product is currently available under proprietary trade names such as "Gilphy 36."³

Certain martensitic precipitation-hardenable stainless steel is also excluded from the scope of this order. This high-strength, ductile stainless steel product is designated under the Unified Numbering System ("UNS") as S45500-grade steel, and contains, by weight, 11 to 13 percent chromium, and 7 to 10 percent nickel. Carbon, manganese, silicon and molybdenum each comprise, by weight, 0.05 percent or less, with phosphorus and sulfur each comprising, by weight, 0.03 percent or less. This steel has copper, niobium, and titanium added to achieve aging, and will exhibit yield strengths as high as 1700 Mpa and ultimate tensile strengths as high as 1750 Mpa after aging, with elongation percentages of 3 percent or less in 50 mm. It is generally provided in thicknesses between 0.635 and 0.787 mm, and in widths of 25.4 mm. This product is most commonly used in the manufacture of television tubes and is currently available under proprietary trade names such as "Durphynox 17."⁴

² "Arnokrome III" is a trademark of the Arnold Engineering Company.

³ "Gilphy 36" is a trademark of Imphy, S.A.

⁴ "Durphynox 17" is a trademark of Imphy, S.A.

Finally, three specialty stainless steels typically used in certain industrial blades and surgical and medical instruments are also excluded from the scope of this order. These include stainless steel strip in coils used in the production of textile cutting tools (e.g., carpet knives).⁵ This steel is similar to AISI grade 420 but containing, by weight, 0.5 to 0.7 percent of molybdenum. The steel also contains, by weight, carbon of between 1.0 and 1.1 percent, sulfur of 0.020 percent or less, and includes between 0.20 and 0.30 percent copper and between 0.20 and 0.50 percent cobalt. This steel is sold under proprietary names such as "GIN4 Mo." The second excluded stainless steel strip in coils is similar to AISI 420-J2 and contains, by weight, carbon of between 0.62 and 0.70 percent, silicon of between 0.20 and 0.50 percent, manganese of between 0.45 and 0.80 percent, phosphorus of no more than 0.025 percent and sulfur of no more than 0.020 percent. This steel has a carbide density on average of 100 carbide particles per 100 square microns. An example of this product is "GIN5" steel. The third specialty steel has a chemical composition similar to AISI 420 F, with carbon of between 0.37 and 0.43 percent, molybdenum of between 1.15 and 1.35 percent, but lower manganese of between 0.20 and 0.80 percent, phosphorus of no more than 0.025 percent, silicon of between 0.20 and 0.50 percent, and sulfur of no more than 0.020 percent. This product is supplied with a hardness of more than Hv 500 guaranteed after customer processing, and is supplied as, for example, "GIN6".

Final Results of Review

As noted above, the Department received no comments concerning the *Preliminary Results*. Therefore, consistent with the *Preliminary Results*, we continue to find that Hyundai is the successor-in-interest to INI and the current cash deposit rate applicable to INI shall be applicable to entries of subject merchandise made by Hyundai, entered on or after the publication date of the final results of this changed circumstances review. As there have been no changes to or comments on the *Preliminary Results*, a decision memorandum was not required and, therefore, none is attached to this **Federal Register** notice. For further details of the issues included in this proceeding, see the *Preliminary Results*.

⁵ This list of uses is illustrative and provided for descriptive purposes only.

Cash Deposit Rate

The cash deposit rate shall remain in effect until publication of the final results of the next administrative review in which Hyundai participates.

Return of Destruction of Proprietary Information

This notice also serves as a reminder to parties subject to administrative protective order ("APO") of their responsibility concerning the disposition of proprietary information disclosed under APO in accordance with 19 CFR 351.305(a)(3). Timely written notification of the return/destruction of APO materials or conversion to judicial protective order is hereby requested. Failure to comply with the regulations and the terms of an APO is a sanctionable violation.

We are issuing and publishing these results in accordance with sections 751(b)(1) and 777(i)(1) of the Act.

Dated: March 12, 2007.

David M. Spooner,

Assistant Secretary for Import Administration.

[FR Doc. E7-4943 Filed 3-16-07; 8:45 am]

BILLING CODE 3510-DS-S

DEPARTMENT OF COMMERCE

Minority Business Development Agency

[Docket No. 0612243002-7057-01]

Amendment to the Required Minimum Performance Ratings for Optional Third-Year Funding for the Miami/Ft. Lauderdale, Oklahoma City and Honolulu Minority Business Enterprise Centers

AGENCY: Minority Business Development Agency, Commerce.

ACTION: Notice.

SUMMARY: On August 17, 2004, the Minority Business Development Agency (MBDA) published a **Federal Register** notice soliciting competitive applications for operators of the Miami/Ft. Lauderdale, Oklahoma City and Honolulu Minority Business Enterprise Centers (MBECs) (formerly Minority Business Development Centers). No other MBECs were included as part of this competitive solicitation. The August 17, 2004 notice provides for a two-year award period, with an optional third-year award period available at the sole discretion of MBDA and the Department of Commerce. The notice also provides that only those MBECs achieving "outstanding" performance ratings for each of the two prior program

years are eligible to receive funding for the optional third-year of the award.

This notice amends the August 17, 2004 notice to change the minimum required performance rating for the optional third-year award period from "outstanding" to "at least commendable" for the first program year. The "outstanding" performance requirement for the second program year continues to apply. MBDA is making this amendment to allow the operators of these three MBECs to be eligible for a third and final year of continuation funding if they achieve at least a "commendable" performance rating for first program year and an "outstanding" performance rating for the second program year.

DATES: The optional third-year award period, if approved by the Department of Commerce Grants Officer, will be effective as of January 1, 2007 and will continue through December 31, 2007.

FOR FURTHER INFORMATION CONTACT: Mr. Efrain Gonzalez, Program Manager, Minority Business Development Agency, Office of Business Development, 1401 Constitution Avenue, NW., Room 5075, Washington, DC 20230. Mr. Gonzalez may be reached by telephone at (202) 482-1940 and by e-mail at egonzalez@mbda.gov.

SUPPLEMENTARY INFORMATION: On August 17, 2004, MBDA published a **Federal Register** notice (69 FR 51064) soliciting competitive applications for operators of the Miami/Ft. Lauderdale, Oklahoma City and Honolulu MBECs, which cover the metropolitan statistical areas of Miami/Ft. Lauderdale, Florida, the State of Oklahoma and the Island of Hawaii, respectively. No other MBECs were included as part of this competitive solicitation. The August 17, 2004 notice provides for a two-year award period (January 1, 2005-December 31, 2006), with a third-year option (January 1, 2007-December 31, 2007) available at the sole discretion of MBDA and the Department of Commerce. The August 17, 2004 notice further provides that only those MBECs achieving "outstanding" performance ratings for each of the two prior program years are eligible to receive funding for the optional third-year of the award. Pursuant to the August 17, 2004 notice, two-year awards were made to M. Gill and Associates (Miami/Ft. Lauderdale MBEC), Langston University (Oklahoma City MBEC) and the University of Hawaii (Honolulu MBEC) for the award period January 1, 2005-December 31, 2006.

MBDA has determined that it is necessary to amend the August 17, 2004 notice to change the minimum required