

veins, contours provide no useful information and their presence would make portions of the map illegible; (2) use of cross-sections in lieu of contour lines has been practiced since the late 1800's thereby providing critical information relative to the spacing between veins and proximity to other mine workings which fluctuate considerably; (3) the vast majority of current surface anthracite mining involves either the mining of remnant pillars from previous mining/mine operators or the mining of veins of lower quality in proximity to inaccessible and frequently flooded abandoned mine workings which may or may not be mapped; and (4) the mine workings below are usually inactive and abandoned, and therefore, are not subject to changes during the life of the mine, but active mines will be mapped. The petitioner asserts that the proposed alternative method will in no way provide less than the same measure of protection than that afforded the miners under the existing standard.

Docket Number: M-2008-030-C.

Petitioner: Park Mine Coal Company, 294 Pine Creek Drive, Orwigsburg, Pennsylvania 17961.

Mine: Park Mine, MSHA I.D. No. 36-09304, located in Schuylkill County, Pennsylvania.

Regulation Affected: 30 CFR 77.1200(c) & (k) (Mine map).

Modification Request: The petitioner requests a modification of the existing standard to permit the use of cross-sections in lieu of contour lines at regular intervals through the area to be mined and to limit the required mapping of mine workings below to those present within 100 feet of the vein(s) being mined. The petitioner states that: (1) Due to the steep pitch encountered in mining anthracite coal veins, contours provide no useful information and their presence would make portions of the map illegible; (2) use of cross-sections in lieu of contour lines has been practiced since the late 1800's thereby providing critical information relative to the spacing between veins and proximity to other mine workings which fluctuate considerably; (3) the vast majority of current surface anthracite mining involves either the mining of remnant pillars from previous mining/mine operators or the mining of veins of lower quality in proximity to inaccessible and frequently flooded abandoned mine workings which may or may not be mapped; and (4) the mine workings below are usually inactive and abandoned, and therefore, are not subject to changes during the life of the

mine, but active mines will be mapped. The petitioner asserts that the proposed alternative method will in no way provide less than the same measure of protection than that afforded the miners under the existing standard.

Jack Powasnik,

Deputy Director, Office of Standards, Regulations, and Variances.

[FR Doc. E8-13813 Filed 6-18-08; 8:45 am]

BILLING CODE 4510-43-P

NATIONAL CREDIT UNION ADMINISTRATION

Sunshine Act; Notice of Agency Meeting

TIME AND DATE: 10 a.m., Thursday, June 19, 2008.

PLACE: Board Room, 7th Floor, Room 7047, 1775 Duke Street, Alexandria, VA 22314-3428.

STATUS: Open.

MATTERS TO BE CONSIDERED:

1. Advanced Notice of Proposed Rule—Part 723 of NCUA's Rules and Regulations, Member Business Loans.

RECESS: 10:30 a.m.

TIME AND DATE: 10:45 a.m., Thursday, June 19, 2008.

PLACE: Board Room, 7th Floor, Room 7047, 1775 Duke Street, Alexandria, VA 22314-3428.

STATUS: Closed.

MATTERS TO BE CONSIDERED:

1. Administrative Action under Sections 205 and 207 of the Federal Credit Union Act. Closed pursuant to Exemptions (8), (9)(A)(ii), and (9)(B).

2. Appeal under Section 745.202 of NCUA's Rules and Regulations. Closed pursuant to Exemption (8).

FOR FURTHER INFORMATION CONTACT:

Mary Rupp, Secretary of the Board, Telephone: 703-518-6304.

Mary Rupp,

Secretary of the Board.

[FR Doc. E8-13646 Filed 6-18-08; 8:45 am]

BILLING CODE 7535-01-M

NUCLEAR REGULATORY COMMISSION

Withdrawal of Regulatory Guide

AGENCY: U.S. Nuclear Regulatory Commission.

ACTION: Withdrawal of Regulatory Guide 3.42.

FOR FURTHER INFORMATION CONTACT:

Stephen C. O'Connor, U.S. Nuclear Regulatory Commission, Washington,

DC 20555-0001, telephone 301-415-2169, or e-mail SCO@nrc.gov.

SUPPLEMENTARY INFORMATION:

I. Introduction

The U.S. Nuclear Regulatory Commission (NRC) is withdrawing Regulatory Guide 3.42, "Emergency Planning for Fuel Cycle Facilities and Plants Licensed Under 10 CFR Parts 50 and 70," which was last revised in September 1979. Regulatory Guide 3.42 provides guidance in developing emergency plans for applicants for licenses of fuel cycle facilities under Title 10 of the *Code of Federal Regulations* (10 CFR) Part 50, "Domestic Licensing of Production and Utilization Facilities," as well as for applicants for licenses of special nuclear material under 10 CFR Part 70, "Domestic Licensing of Special Nuclear Material." The NRC is withdrawing Regulatory Guide 3.42 because no fuel cycle facilities are currently licensed under both 10 CFR Part 50 and 10 CFR Part 70. In addition, no fuel cycle facilities have an active license under 10 CFR Part 50. For fuel cycle and materials facilities licensed under 10 CFR Part 70, Regulatory Guide 3.67, "Standard Format and Content for Emergency Plans for Fuel Cycle and Materials Facilities," issued January 1992, provides adequate guidance for developing emergency plans.

II. Further Information

The withdrawal of Regulatory Guide 3.42 does not, in and of itself, alter any prior or existing licensing commitments based on its use. The guidance provided in this regulatory guide no longer provides useful information. Regulatory guides may be withdrawn when their guidance is superseded by congressional action, the methods or techniques described in the regulatory guide no longer describe a preferred approach, or the regulatory guide does not provide useful information.

Regulatory guides are available for inspection or downloading through the NRC's public Web site under "Regulatory Guides" in the NRC's Electronic Reading Room at <http://www.nrc.gov/reading-rm/doc-collections>. Regulatory guides are also available for inspection at the NRC's Public Document Room (PDR), Room O-1F21, One White Flint North, 11555 Rockville Pike, Rockville, MD 20852-2738. The PDR mailing address is U.S. NRC PDR, Washington, DC 20555-0001. The PDR staff can be reached by telephone at 301-415-4737 or 800-397-4209, by fax at 301-415-3548, or by e-mail to pdrc@nrc.gov.