

(b) At least 15 percent but less than 25 percent—30 points; or
 (c) 25 percent or more—50 points.

(3) Experience. The intermediary has actual experience in the administration of revolving loan funds and the preservation of Multi-Family Housing, with a successful record, for the following number of full years. Applicants must have actual experience in both the administration of revolving loan funds and the preservation of Multi-Family Housing in order to qualify for points under the selection criteria. If the number of years of experience differs between the two types of above listed experience, the type of experience with the lesser number of years will be used for the selection criteria.

(a) At least one but less than three years—5 points;

(b) At least three but less than five years—10 points;

(c) At least five but less than 10 years—20 points; or

(d) 10 or more years—30 points.

(4) Administrative. The Administrator may assign up to 25 additional points to an application to account for the following items not adequately covered by the other priority criteria set out in this section. The items that will be considered are the amount of funds requested in relation to the amount of need; a particularly successful affordable housing development record; a service area with no other PRLF coverage; a service area with severe affordable housing problems; a service area with emergency conditions caused by a natural disaster; an innovative proposal; the quality of the proposed program; economic development plan from the local community, particularly a plan prepared as part of a request for an Empowerment Zone/Enterprise Community designation; or excellent utilization of an existing revolving loan fund program. The Administrator will document the reasons for the particular point allocation.

VI. Appeal Process

All adverse determinations regarding applicant eligibility and the awarding of points as part of the selection process are appealable. Instructions on the appeal process will be provided at the time an applicant is notified of the adverse action.

To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, SW., Washington, DC 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider, employer, and lender. The U.S. Department of

Agriculture prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.)

Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

Dated: August 6, 2008.

Russell T. Davis,

Administrator, Rural Housing Service.

[FR Doc. E8-19084 Filed 8-18-08; 8:45 am]

BILLING CODE 3410-XV-P

DEPARTMENT OF COMMERCE

International Trade Administration

University of Maryland, et al.

Notice of Consolidated Decision on Applications for Duty-Free Entry of Scientific Instruments

This is a decision pursuant to Section 6(c) of the Educational, Scientific, and Cultural Materials Importation Act of 1966 (Pub. L. 89-651, as amended by Pub. L. 106-36; 80 Stat. 897; 15 CFR part 301). Related records can be viewed between 8:30 A.M. and 5:00 P.M. in Room 2104, U.S. Department of Commerce, 14th and Constitution Ave, NW, Washington, D.C.

Comments: None received. Decision: Approved. We know of no instruments of equivalent scientific value to the foreign instruments described below, for such purposes as each is intended to be used, that was being manufactured in the United States at the time of its order. *Docket Number: 08-032.* Applicant: University of Maryland, Institute for Research in Electronics and Applied Physics, College Park, MD 20742.

Instrument: Atomic Layer Deposition System. *Manufacturer:* Beneq Oy, Finland. *Intended Use:* See notice at 73 FR 45209, August 4, 2008. *Reasons:* This instrument is able to accommodate a variety of substrates of dissimilar sizes and shapes, including medical implants and flexible integrated circuits. The instrument also is able to accommodate 3-D samples and has a minimum of six sources per reactor. These features are required for the research.

Docket Number: 08-036. Applicant: University of Maryland, College Park,

MD 20742. *Instrument:* Low Temperature Near Field Confocal Optical Microscope. *Manufacturer:* Nanonics Imaging Ltd, Israel. *Intended Use:* See notice at 73 FR 45209, August 4, 2008. *Reasons:* The instrument has the following features which are essential in performing the research: simultaneous NSOM/AFM/Confocal imaging, normal force sensing open system architecture (transmission, reflection and collection modes), temperature continuously adjustable from 8K to 300K, 5x10⁻⁸ Torr high vacuum capability, large scanning range (50µm in the Z direction), fine NSOM spatial resolution (~50nm), multi-probe capability for independent pump probe measurement control, fast temporal resolution (~300fs).

Docket Number: 08-038. Applicant: Washington State University, Pullman, Washington 99164-7040. *Instrument:* Piezoelectric Microarray Spotter. *Manufacturer:* Scienion AG, Germany. *Intended Use:* See notice at 73 FR 45209, August 4, 2008. *Reasons:* The instrument has a unique feature which is a non-contact spotter to avoid interference from dust and sensitivity to shifts in relative humidity. Another essential feature is that the instrument is able to be used as a liquid handling robot.

Docket Number: 08-039. Applicant: University of Michigan-Dearborn, Dearborn, MI 48128. *Instrument:* X-Ray Computer Tomography System. *Manufacturer:* Phoenix X-Ray Inc., Germany. *Intended Use:* See notice at 73 FR 45209, August 4, 2008. *Reasons:* The instrument has an X-ray tube power high enough to penetrate metal alloy specimens which is required for the research. It also has a relatively high resolution which is also essential to the research.

Dated: August 13, 2008.

Faye Robinson,

Director, Statutory Import Programs Staff, Import Administration.

[FR Doc. E8-19172 Filed 8-18-08; 8:45 am]

BILLING CODE 3510-DS-S

DEPARTMENT OF COMMERCE

International Trade Administration

(A-580-810)

Welded ASTM A-312 Stainless Steel Pipe from South Korea: Extension of Time Limit for Preliminary Results of Antidumping Duty Administrative Review

AGENCY: Import Administration, International Trade Administration, Department of Commerce.