

3. Paragraph S4.3(d) requires that the original tire sizes, be stated on the vehicle placard. Adrian placed the rim size on the tire and loading information placard, rather than the tire size. However, the tire size is clearly identified on the vehicle certification label along with the rim size. Both tire size and rim size are available to the owner for the associated vehicle and it would be impossible to mount a tire on the vehicle using the rim numbers as a tire size.

4. The vehicle certification label which is mounted on the vehicle next to the tire and loading information placard contained the correct English and Metric information for tire size, tire pressure, and GVWR but had a vehicle type identified as "van" rather than "truck". While this classification "van" is not recognized by the agency, Adrian believes that this is inconsequential to motor vehicle safety.

Adrian stated that its Customer Care Center has never received a call or communication of any type with regard to the tire and loading information placard or the vehicle certification label.

Adrian first became aware of the noncompliance when it was contacted by NHTSA in response to a vehicle inspection conducted by NHTSA.

Adrian also stated that it has corrected the problem that caused these errors so that they will not be repeated in future production.

In summation, Adrian states that it believes that the noncompliances are inconsequential to motor vehicle safety and that no corrective action is warranted.

NHTSA notes that the statutory provisions (49 U.S.C. 30118(d) and 30120(h)) that permit manufacturers to file petitions for a determination of inconsequentiality allow NHTSA to exempt manufacturers only from the duties found in sections 30118 and 30120, respectively, to notify owners, purchasers, and dealers of a defect or noncompliance and to remedy the defect or noncompliance.

Interested persons are invited to submit written data, views, and arguments on this petition. Comments must refer to the docket and notice number cited at the beginning of this notice and be submitted by any of the following methods:

a. *By mail addressed to:* U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590.

b. *By hand delivery to:* U.S. Department of Transportation, Docket Operations, M-30, West Building

Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590. The Docket Section is open on weekdays from 10 am to 5 pm except Federal holidays.

c. *Electronically:* By logging onto the Federal Docket Management System (FDMS) Web site at <http://www.regulations.gov/>. Follow the online instructions for submitting comments. Comments may also be faxed to 1-202-493-2251.

Comments must be written in the English language, and be no greater than 15 pages in length, although there is no limit to the length of necessary attachments to the comments. If comments are submitted in hard copy form, please ensure that two copies are provided. If you wish to receive confirmation that your comments were received, please enclose a stamped, self-addressed postcard with the comments. Note that all comments received will be posted without change to <http://www.regulations.gov>, including any personal information provided.

Anyone is able to search the electronic form of all comments received into any of our dockets by the name of the individual submitting the comment (or signing the comment, if submitted on behalf of an association, business, labor union, etc.). DOT's complete Privacy Act Statement in the **Federal Register** published on April 11, 2000 (65 FR 19477-78).

You may view documents submitted to a docket at the address and times given above. You may also view the documents on the Internet at <http://www.regulations.gov> by following the online instructions for accessing the dockets available at that Web site.

The petition, supporting materials, and all comments received before the close of business on the closing date indicated below will be filed and will be considered. All comments and supporting materials received after the closing date will also be filed and will be considered to the extent possible. When the petition is granted or denied, notice of the decision will be published in the **Federal Register** pursuant to the authority indicated below.

Comment closing date: January 9, 2009.

Authority: (49 U.S.C. 30118, 30120; delegations of authority at CFR 1.50 and 501.8).

Issued on: December 4, 2008.

Claude H. Harris,
Director, Office of Vehicle Safety Compliance.
[FR Doc. E8-29192 Filed 12-9-08; 8:45 am]

BILLING CODE 4910-59-P

DEPARTMENT OF TRANSPORTATION

National Highway Traffic Safety Administration

[Docket No. NHTSA-2008-0186]

Notice of Receipt of Petition for Decision That Nonconforming 2005-2006 Porsche Carrera Cabriolet Passenger Cars Manufactured Prior to September 1, 2006 Are Eligible for Importation

AGENCY: National Highway Traffic Safety Administration, DOT.

ACTION: Notice of receipt of petition for decision that nonconforming 2005-2006 Porsche Carrera Cabriolet passenger cars manufactured prior to September 1, 2006 are eligible for importation.

SUMMARY: This document announces receipt by the National Highway Traffic Safety Administration (NHTSA) of a petition for a decision that 2005-2006 Porsche Carrera Cabriolet passenger cars manufactured prior to September 1, 2006 that were not originally manufactured to comply with all applicable Federal motor vehicle safety standards (FMVSS) are eligible for importation into the United States because (1) they are substantially similar to vehicles that were originally manufactured for sale in the United States and that were certified by their manufacturer as complying with the safety standards (the U.S.-certified version of the 2005-2006 Porsche Carrera Cabriolet passenger cars manufactured prior to September 1, 2006,) and (2) they are capable of being readily altered to conform to the standards.

DATE: The closing date for comments on the petition is January 9, 2009.

ADDRESSES: Comments should refer to the docket and notice numbers above and be submitted by any of the following methods:

- *Federal eRulemaking Portal:* Go to <http://www.regulations.gov>. Follow the online instructions for submitting comments.

- *Mail:* Docket Management Facility: U.S. Department of Transportation, 1200 New Jersey Avenue, SE., West Building Ground Floor, Room W12-140, Washington, DC 20590-0001.

- *Hand Delivery or Courier:* West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., between 9 a.m. and 5 p.m. ET, Monday through Friday, except Federal holidays.

- *Fax:* 202-493-2251.

Instructions: Comments must be written in the English language, and be no greater than 15 pages in length,

although there is no limit to the length of necessary attachments to the comments. If comments are submitted in hard copy form, please ensure that two copies are provided. If you wish to receive confirmation that your comments were received, please enclose a stamped, self-addressed postcard with the comments. Note that all comments received will be posted without change to <http://www.regulations.gov>, including any personal information provided. Please see the Privacy Act heading below.

Privacy Act: Anyone is able to search the electronic form of all comments received into any of our dockets by the name of the individual submitting the comment (or signing the comment, if submitted on behalf of an association, business, labor union, etc.). You may review DOT's complete Privacy Act Statement in the **Federal Register** published on April 11, 2000 (65 FR 19477-78).

How to Read Comments submitted to the Docket: You may read the comments received by Docket Management at the address and times given above. You may also see the comments on the Internet. To read the comments on the Internet, take the following steps:

(1) Go to the Federal Docket Management System (FDMS) Web page <http://www.regulations.gov>.

(2) On that page, click on "Advanced Docket Search."

(3) On the next page select "NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION" from the drop-down menu in the Agency field and enter the Docket ID number shown at the heading of this document.

(4) After entering that information, click on "submit."

(5) The next page contains docket summary information for the docket you selected. Click on the comments you wish to see. You may download the comments. Please note that even after the comment closing date, we will continue to file relevant information in the Docket as it becomes available. Further, some people may submit late comments. Accordingly, we recommend that you periodically search the Docket for new material.

FOR FURTHER INFORMATION CONTACT: Coleman Sachs, Office of Vehicle Safety Compliance, NHTSA (202-366-3151).

SUPPLEMENTARY INFORMATION:

Background

Under 49 U.S.C. 30141(a)(1)(A), a motor vehicle that was not originally manufactured to conform to all applicable FMVSS shall be refused admission into the United States unless

NHTSA has decided that the motor vehicle is substantially similar to a motor vehicle originally manufactured for importation into and sale in the United States, certified under 49 U.S.C. 30115, and of the same model year as the model of the motor vehicle to be compared, and is capable of being readily altered to conform to all applicable FMVSS.

Petitions for eligibility decisions may be submitted by either manufacturers or importers who have registered with NHTSA pursuant to 49 CFR Part 592. As specified in 49 CFR 593.7, NHTSA publishes notice in the **Federal Register** of each petition that it receives, and affords interested persons an opportunity to comment on the petition. At the close of the comment period, NHTSA decides, on the basis of the petition and any comments that it has received, whether the vehicle is eligible for importation. The agency then publishes this decision in the **Federal Register**.

AAA Sunshine Car Import (AAA), of Ft. Myers, Florida (Registered Importer 01-289) has petitioned NHTSA to decide whether nonconforming 2005-2006 Porsche Carrera Cabriolet passenger cars manufactured prior to September 1, 2006 are eligible for importation into the United States. The vehicles which AAA believes are substantially similar are 2005-2006 Porsche Carrera Cabriolet passenger cars manufactured prior to September 1, 2006 that were manufactured for sale in the United States and certified by their manufacturer as conforming to all applicable FMVSS.

The petitioner claims that it compared non-U.S. certified 2005-2006 Porsche Carrera Cabriolet passenger cars manufactured prior to September 1, 2006 to their U.S.-certified counterparts, and found the vehicles to be substantially similar with respect to compliance with most FMVSS.

AAA submitted information with its petition intended to demonstrate that non-U.S. certified 2005-2006 Porsche Carrera Cabriolet passenger cars manufactured prior to September 1, 2006, as originally manufactured, conform to many FMVSS in the same manner as their U.S. certified counterparts, or are capable of being readily altered to conform to those standards.

Specifically, the petitioner claims that non-U.S. certified 2005-2006 Porsche Carrera Cabriolet passenger cars manufactured prior to September 1, 2006 are identical to their U.S. certified counterparts with respect to compliance with Standard Nos. 102 *Transmission Shift Lever Sequence*, *Starter Interlock*,

and Transmission Braking Effect, 103 *Windshield Defrosting and Defogging Systems*, 104 *Windshield Wiping and Washing Systems*, 106 *Brake Hoses*, 109 *New Pneumatic Tires*, 113 *Hood Latch System*, 116 *Motor Vehicle Brake Fluids*, 124 *Accelerator Control Systems*, 135 *Passenger Car Brake Systems*, 201 *Occupant Protection in Interior Impact*, 202 *Head Restraints*, 204 *Steering Control Rearward Displacement*, 205 *Glazing Materials*, 206 *Door Locks and Door Retention Components*, 207 *Seating Systems*, 210 *Seat Belt Assembly Anchorages*, 212 *Windshield Mounting*, 216 *Roof Crush Resistance*, 219 *Windshield Zone Intrusion*, 225 *Child Restraint Anchorage Systems*, 301 *Fuel System Integrity*, and 302 *Flammability of Interior Materials*.

In addition, the petitioner claims that the vehicles comply with the Bumper Standard found in 49 CFR Part 581.

The petitioner also contends that the vehicles are capable of being readily altered to meet the following standards, in the manner indicated:

Standard No. 101 *Controls and Displays*: (a) Inscription of the word "brake" on the dash in place of the international ECE warning symbol; (b) replacement of the speedometer with a unit reading in miles per hour, or modification of existing speedometer so that it reads in miles per hour; and (c) installation or activation of U.S.-version software in the vehicle's computer system.

Standard No. 108 *Lamps, Reflective Devices and Associated Equipment*: Inspection of all vehicles and installation, on vehicles that are not already so equipped, of U.S.-model components to meet the requirements of this standard.

Standard No. 110 *Tire Selection and Rims*: Installation of a tire information placard.

Standard No. 111 *Rearview Mirrors*: Installation of a U.S.-model passenger side rearview mirror, or inscription of the required warning statement on the face of that mirror.

Standard No. 114 *Theft Protection*: Installation of a supplemental key warning buzzer, or installation or activation of U.S.-version software to meet the requirements of this standard.

Standard No. 118 *Power-Operated Window, Partition, and Roof Panel Systems*: Installation or activation of U.S.-version software in the vehicle's computer system to meet the requirements of this standard.

Standard No. 208 *Occupant Crash Protection*: Inspection of all vehicles and replacement of any non U.S.-model seat belts, air bag control units, air bags, and sensors with U.S.-model

components on vehicles that are not already so equipped; and (b) installation or activation of U.S.-version software to ensure that the seat belt warning system meets the requirements of this standard.

The petitioner states that the crash protection system used in these vehicles consists of dual front airbags and combination lap and shoulder belts at the front outboard seating positions. The seat belt systems are described as self-tensioning and capable of being released by means of a single red push-button.

Standard No. 209 *Seat Belt Assemblies*: Inspection of all vehicles and replacement of any non U.S.-certified model seat belts with U.S.-model components.

Standard No. 214 *Side Impact Protection*: Inspection of all vehicles and installation of U.S.-model door beam components on vehicles not already so equipped.

Standard No. 401 *Interior Trunk Release*: Installation of U.S.-model interior trunk release components.

The petitioner additionally states that a vehicle identification plate must be affixed to the vehicles near the left windshield post to meet the requirements of 49 CFR Part 565.

All comments received before the close of business on the closing date indicated above will be considered, and will be available for examination in the docket at the above addresses both

before and after that date. To the extent possible, comments filed after the closing date will also be considered. Notice of final action on the petition will be published in the **Federal Register** pursuant to the authority indicated below.

Authority: 49 U.S.C. 30141(a)(1)(A) and (b)(1); 49 CFR 593.8; delegations of authority at 49 CFR 1.50 and 501.8.

Issued on: December 4, 2008.

Claude H. Harris,

Director, Office of Vehicle, Safety Compliance.

[FR Doc. E8-29190 Filed 12-9-08; 8:45 am]

BILLING CODE 4910-59-P