

document on the Applicant. In reference to filings initiating a new proceeding, interventions or protests submitted on or before the comment deadline need not be served on persons other than the Applicant.

The Commission encourages electronic submission of protests and interventions in lieu of paper, using the FERC Online links at <http://www.ferc.gov>. To facilitate electronic service, persons with Internet access who will eFile a document and/or be listed as a contact for an intervenor must create and validate an eRegistration account using the eRegistration link. Select the eFiling link to log on and submit the intervention or protests.

Persons unable to file electronically should submit an original and 14 copies of the intervention or protest to the Federal Energy Regulatory Commission, 888 First St., NE., Washington, DC 20426.

The filings in the above proceedings are accessible in the Commission's eLibrary system by clicking on the appropriate link in the above list. They are also available for review in the Commission's Public Reference Room in Washington, DC. There is an eSubscription link on the Web site that enables subscribers to receive e-mail notification when a document is added to a subscribed docket(s). For assistance with any FERC Online service, please e-mail FERCOnlineSupport@ferc.gov or call (866) 208-3676 (toll free). For TTY, call (202) 502-8659.

Nathaniel J. Davis, Sr.,
Deputy Secretary.

[FR Doc. E9-3985 Filed 2-24-09; 8:45 am]

BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

[Docket No. ER09-686-001]

New York Independent System Operator, Inc.; Notice of Filing

February 18, 2009.

Take notice that on February 12, 2009, the New York Independent System Operator, Inc. filed an erratum to its February 10, 2009 filing, revising two of its Tariffs, Market Administration and Controls Area Services Tariff and its Open Access Transmission Tariff.

Any person desiring to intervene or to protest this filing must file in accordance with Rules 211 and 214 of the Commission's Rules of Practice and Procedure (18 CFR 385.211, 385.214).

Protests will be considered by the Commission in determining the appropriate action to be taken, but will not serve to make protestants parties to the proceeding. Any person wishing to become a party must file a notice of intervention or motion to intervene, as appropriate. Such notices, motions, or protests must be filed on or before the comment date. Anyone filing a motion to intervene or protest must serve a copy of that document on the Applicant and all the parties in this proceeding.

The Commission encourages electronic submission of protests and interventions in lieu of paper using the "eFiling" link at <http://www.ferc.gov>. Persons unable to file electronically should submit an original and 14 copies of the protest or intervention to the Federal Energy Regulatory Commission, 888 First Street, NE., Washington, DC 20426.

This filing is accessible on-line at <http://www.ferc.gov>, using the "eLibrary" link and is available for review in the Commission's Public Reference Room in Washington, DC. There is an "eSubscription" link on the Web site that enables subscribers to receive e-mail notification when a document is added to a subscribed docket(s). For assistance with any FERC Online service, please e-mail FERCOnlineSupport@ferc.gov, or call (866) 208-3676 (toll free). For TTY, call (202) 502-8659.

Comment Date: 5 p.m. Eastern Time on February 24, 2009.

Kimberly D. Bose,

Secretary.

[FR Doc. E9-3970 Filed 2-24-09; 8:45 am]

BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

[Docket Nos. ER05-1410-012; EL05-148-012; Docket No. ER09-412-001]

PJM Interconnection, L.L.C.; PJM Interconnection, L.L.C.; Notice Deferring Technical Conference

February 18, 2009.

In *PJM Interconnection, L.L.C.*, 124 FERC ¶ 61,272, at P 53 (2008), the Commission indicated that it expected to hold a technical conference in this proceeding in February 2009. The date of that conference is hereby deferred pending further notice.

Kimberly D. Bose,

Secretary.

[FR Doc. E9-3969 Filed 2-24-09; 8:45 am]

BILLING CODE 6717-01-P

ENVIRONMENTAL PROTECTION AGENCY

[EPA-HQ-OW-2008-0719, FRL-8776-8]

Agency Information Collection Activities; Proposed Collection; Comment Request; Information Collection Request for Cooling Water Intake Structures at Phase III Facilities (Renewal), EPA ICR No. 2169.02, OMB Control No. 2040-0268

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice.

SUMMARY: In compliance with the Paperwork Reduction Act (PRA) (44 U.S.C. 3501 *et seq.*), this document announces that EPA is planning to submit a request to renew an existing approved Information Collection Request (ICR) to the Office of Management and Budget (OMB). This ICR is scheduled to expire on May 31, 2009. Before submitting the ICR to OMB for review and approval, EPA is soliciting comments on specific aspects of the proposed information collection as described below.

DATES: Comments must be submitted on or before April 27, 2009.

ADDRESSES: Submit your comments, referencing docket ID No. EPA-HQ-OW-2008-0719, by one of the following methods:

- <http://www.regulations.gov>: Follow the online instructions for submitting comments.

- *E-mail:* ow-docket@epa.gov (Identify Docket ID No. EPA-HQ-OW-2008-0719, in the subject line).

- *Mail:* Water Docket, Environmental Protection Agency, Mailcode: 4203M, 1200 Pennsylvania Ave., NW., Washington, DC 20460. Please include a total of three copies.

- *Hand Delivery:* EPA Docket Center, EPA West, Room B102, 1301 Constitution Avenue, NW., Washington, DC. Such deliveries are only accepted during the Docket's normal hours of operation, and special arrangements should be made for deliveries of boxed information.

Instructions: Direct your comments identified by the Docket ID No. EPA-HQ-OW-2008-0719. EPA's policy is that all comments received will be included in the public docket without change and may be made available online at <http://www.regulations.gov>, including any personal information provided, unless the comment includes information claimed to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute. Do not submit

information that you consider to be CBI or otherwise protected through <http://www.regulations.gov> or e-mail. The <http://www.regulations.gov> Web site is an "anonymous access" system, which means EPA will not know your identity or contact information unless you provide it in the body of your comment. If you send an e-mail comment directly to EPA without going through <http://www.regulations.gov>, your e-mail address will be automatically captured and included as part of the comment that is placed in the public docket and made available on the Internet. If you submit an electronic comment, EPA recommends that you include your name and other contact information in the body of your comment and with any disk or CD-ROM you submit. If EPA cannot read your comment due to technical difficulties and cannot contact you for clarification, EPA may not be able to consider your comment. Electronic files should avoid the use of special characters, any form of encryption, and be free of any defects or viruses. For additional information about EPA's public docket, visit the EPA Docket Center homepage at <http://www.epa.gov/epahome/dockets.htm>.

FOR FURTHER INFORMATION CONTACT:

Amelia Letnes, State and Regional Branch, Water Permits Division, OWM Mail Code: 4203M, Environmental Protection Agency, 1200 Pennsylvania Ave., NW., Washington, DC 20460; telephone number: (202) 564-5627; e-mail address: letnes.amelia@epa.gov.

SUPPLEMENTARY INFORMATION:

How Can I Access the Docket and/or Submit Comments?

EPA has established a public docket for the ICR identified in this document (ID No. EPA-HQ-OW-2008-0719), which is available for online viewing at <http://www.regulations.gov>, or in person viewing at the Water Docket in the EPA Docket Center (EPA/DC), EPA West, Room B102, 1301 Constitution Ave., NW., Washington, DC. The EPA/DC Public Reading Room is open from 8 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Reading Room is 202-566-1744, and the telephone number for the Water Docket is 202-566-2426.

Use <http://www.regulations.gov> to obtain a copy of the existing collection of information, submit or view public comments, access the index listing of the contents of the docket, and to access those documents in the public docket that are available electronically. Once in the system, select "search," then key in

the docket ID number identified in this document.

What Information Is EPA Particularly Interested in?

Pursuant to section 3506(c)(2)(A) of the PRA, EPA specifically solicits comments and information to enable it to:

- (i) Evaluate whether the collection of information is necessary for the proper performance of the functions of the Agency, including whether the information will have practical utility;
- (ii) Evaluate the accuracy of the Agency's estimate of the burden of the collection of information, including the validity of the methodology and assumptions used;
- (iii) Enhance the quality, utility, and clarity of the information to be collected; and
- (iv) Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses. In particular, EPA is requesting comments from very small businesses (those that employ less than 25) on examples of specific additional efforts that EPA could make to reduce the paperwork burden for very small businesses affected by this collection.

What Should I Consider When I Prepare My Comments for EPA?

You may find the following suggestions helpful for preparing your comments:

1. Explain your views as clearly as possible and provide specific examples.
2. Describe any assumptions that you used.
3. Provide copies of technical information/data you used that support your views.
4. If you estimate potential burden or costs, explain how you arrived at the estimate that you provide.
5. Offer alternative ways to improve the collection activity.
6. Make sure to submit your comments by the deadline identified under **DATES**.
7. To ensure proper receipt by EPA, be sure to identify the docket ID number assigned to this action in the subject line on the first page of your response. You may also provide the name, date, and **Federal Register** citation.

What Information Collection Activity or ICR Does This Apply to?

Affected entities: Entities potentially affected by this action include new

offshore oil and gas extraction facilities meeting the applicability criteria of the 316(b) Phase III Facilities at 40 CFR 125.131.

Title: Cooling Water Intake Structures at Phase III Facilities (Renewal)

ICR Numbers: EPA ICR No. 2169.02, OMB Control No. 2040-0268

ICR Status: This ICR is currently scheduled to expire on May 31, 2009. An Agency may not conduct or sponsor, and a person is not required to respond to, a collection of information, unless it displays a currently valid OMB control number. The OMB control numbers for EPA's regulations in title 40 of the CFR, after appearing in the **Federal Register** when approved, are listed in 40 CFR Part 9, and displayed either by publication in the **Federal Register** or by other appropriate means, such as on the related collection instrument or form, if applicable. The display of OMB control numbers in certain EPA regulations is consolidated in 40 CFR Part 9.

Abstract: The section 316(b) regulation for Phase III facilities requires the collection of information from new offshore oil and gas extraction facilities which use a cooling water intake structure(s) that uses at least 25 percent of the water it withdraws for cooling purposes, and have design intake flows greater than 2 MGD. Section 316(b) of the Clean Water Act (CWA) requires that any standard established under section 301 or 306 of the CWA and applicable to a point source must require that the location, design, construction and capacity of cooling water intake structure(s) at that facility reflect the best technology available for minimizing adverse environmental impact. Such impact occurs as a result of impingement (where fish and other aquatic life are trapped on technologies at the entrance to cooling water intake structures) and entrainment (where aquatic organisms, eggs, and larvae are taken into the cooling system, passed through the heat exchanger, and then pumped back out with the discharge from the facility). The rule contains requirements applicable to the location, design, construction, and capacity of cooling water intake structures at new offshore oil and gas extraction facilities. These requirements seek to establish the best technology available for minimizing adverse environmental impact associated with the use of cooling water intake structure(s).

Burden Statement: The annual average reporting and record keeping burden for the existing collection of information by facilities responding to the section 316(b) Phase III Facilities is estimated to be 511 hours per facility

respondent (i.e., an annual average of 11,238 hours of burden divided among an annual average of 22 facilities). For new offshore oil and gas extraction facilities, the permitting process is handled directly by EPA Regions 4, 6, and 10. Since this burden is incurred by the Federal Government rather than the States, it is not included as part of the burden statement for State Directors.

The ICR provides a detailed explanation of the Agency's estimate for the existing ICR, which is only briefly summarized here:

Estimated Total Number of Potential Respondents: 22 facilities.

Frequency of Response: Every five years.

Estimated Total Average Number of Responses for Each Respondent: 22.

Estimated Total Annual Burden Hours: 11,238 hours.

Estimated Total Annual Costs: \$1,157,139. This includes an estimated labor burden cost of \$581,714 and an estimated cost of \$575,425 for capital investment or maintenance and operational costs.

The revised ICR is expected to have burden change related to universe fluctuations and increased labor rates.

What Is the Next Step in the Process for This ICR?

EPA will consider the comments received and amend the ICR as appropriate. The final ICR package will then be submitted to OMB for review and approval pursuant to 5 CFR 1320.12. At that time, EPA will issue another **Federal Register** notice pursuant to 5 CFR 1320.5(a)(1)(iv) to announce the submission of the ICR to OMB and the opportunity to submit additional comments to OMB. If you have any questions about this ICR or the approval process, please contact the technical person listed under **FOR FURTHER INFORMATION CONTACT**.

Dated: February 6, 2009.

James A. Hanlon,

Director, Office of Wastewater Management.
[FR Doc. E9-4006 Filed 2-24-09; 8:45 am]

BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY

[EPA-HQ-OW-2002-0011; FRL-8776-6]

Agency Information Collection Activities; Proposed Collection; Comment Request; Laboratory Quality Assurance Evaluation Program for Analysis of Cryptosporidium Under the Safe Drinking Water Act (Renewal); EPA ICR No. 2067.04, OMB Control No. 2040-0246

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice.

SUMMARY: In compliance with the Paperwork Reduction Act (PRA) (44 U.S.C. 3501 *et seq.*), this document announces that EPA is planning to submit a request to renew an existing approved Information Collection Request (ICR) to the Office of Management and Budget (OMB). This ICR is scheduled to expire on May 31, 2009. This notice describes the current "Laboratory Quality Assurance Evaluation Program for Analysis of *Cryptosporidium* under the Safe Drinking Water Act," hereafter referred to as the "Lab QA Program," and requests comment on both the program and the renewed paperwork requirements.

DATES: Comments must be submitted on or before April 27, 2009.

ADDRESSES: Submit your comments, identified by Docket ID No. EPA-HQ-OW-2002-0011, by one of the following methods:

- <http://www.regulations.gov>: Follow the on-line instructions for submitting comments.

- *Mail:* Water Docket, Environmental Protection Agency, Mailcode: 2822T, 1200 Pennsylvania Ave., NW., Washington, DC 20460.

- *Hand Delivery:* Monday through Friday, excluding legal holidays. The telephone number for the Reading Room is (202) 566-1744, and the telephone number for the Water Docket is (202) 566-2426. Such deliveries are only accepted during the Docket's normal hours of operation, and special arrangements should be made for deliveries of boxed information.

Instructions: Direct your comments to Docket ID No. EPA-HQ-OW-2002-0011. EPA's policy is that all comments received will be included in the public docket without change and may be made available online at <http://www.regulations.gov>, including any personal information provided, unless the comment includes information claimed to be Confidential Business

Information (CBI) or other information whose disclosure is restricted by statute. Do not submit information that you consider to be CBI or otherwise protected using <http://www.regulations.gov> or e-mail. Please contact EPA prior to submitting CBI. The <http://www.regulations.gov> Web site is an "anonymous access" system, which means EPA will not know your identity or contact information unless you provide it in the body of your comment. If you send an e-mail comment directly to EPA without going through <http://www.regulations.gov> your e-mail address will be automatically captured and included as part of the comment that is placed in the public docket and made available on the Internet. If you submit an electronic comment, EPA recommends that you include your name and other contact information in the body of your comment and with any disk or CD-ROM you submit. If EPA cannot read your comment due to technical difficulties and cannot contact you for clarification, EPA may not be able to consider your comment. Electronic files should avoid the use of special characters, any form of encryption, and be free of any defects or viruses. For additional information about EPA's public docket visit the EPA Docket Center homepage at <http://www.epa.gov/epahome/dockets.htm>.

FOR FURTHER INFORMATION CONTACT: Carrie Miller, EPA, Office of Ground Water and Drinking Water, Technical Support Center, 26 West Martin Luther King Drive (MS-140), Cincinnati, Ohio 45268; e-mail address: miller.carrie@epa.gov.

SUPPLEMENTARY INFORMATION:

How Can I Access the Docket and/or Submit Comments?

EPA has established a public docket for this ICR under Docket ID No. EPA-HQ-OW-2002-0011, which is available for online viewing at <http://www.regulations.gov>, or in person viewing at the Water Docket in the EPA Docket Center (EPA/DC), EPA West, Room 3334, 1301 Constitution Ave., NW., Washington, DC. The EPA/DC Public Reading Room is open from 8:30 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Reading Room is 202-566-1744, and the telephone number for the Water Docket is 202-566-2426.

Use <http://www.regulations.gov> to obtain a copy of the draft collection of information, submit or view public comments, access the index listing of the contents of the docket, and to access those documents in the public docket