

23M, near Chicago, Illinois, November 30, 2007 (DCA-08-MR-003).

**NEWS MEDIA CONTACT:** Telephone: (202) 314-6100.

Individuals requesting specific accommodations should contact Rochelle Hall at (202) 314-6305 by Friday, March 27, 2007.

The public may view the meeting via a live or archived Webcast by accessing a link under "News & Events" on the NTSB home page at <http://www.nts.gov>.

**FOR FURTHER INFORMATION CONTACT:** Vicky D'Onofrio, (202) 314-6410.

Dated: March 18, 2009.

**Vicky D'Onofrio,**

*Federal Register Liaison Officer.*

[FR Doc. E9-6269 Filed 3-18-09; 4:15 pm]

**BILLING CODE 7533-01-P**

## NEIGHBORHOOD REINVESTMENT CORPORATION

### Neighborworks® America Regular Board of Directors Meeting; Sunshine Act

**TIME AND DATE:** 1 p.m., Friday, March 20, 2009.

**PLACE:** 1325 G Street NW., Suite 800, Boardroom, Washington, DC 20005.

**STATUS:** Open.

**CONTACT PERSON FOR MORE INFORMATION:** Erica Hall, Assistant Corporate Secretary, (202) 220-2376; [ehall@nw.org](mailto:ehall@nw.org).

#### Agenda

- I. Call to Order
- II. Approval of the Minutes
- III. Summary Report of the Audit Committee
- IV. Summary Report of the Corporate Administration Committee
- V. Summary Report of the Finance, Budget and Program Committee
- VI. Approval of Committee Appointments
- VII. Financial Report
- VIII. Corporate Scorecard
- IX. Chief Executive Officer's Quarterly Management Report
- X. Adjournment

**Erica Hall,**

*Assistant Corporate Secretary.*

[FR Doc. E9-6196 Filed 3-18-09; 11:15 am]

**BILLING CODE 7570-02-P**

## NUCLEAR REGULATORY COMMISSION

[NRC-2008-0472]

### Notice of Availability of the Final Interim Staff Guidance COL/ESP-ISG-004 on the Definition of Construction and on Limited Work Authorizations; Correction

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Notice of availability; correction.

**SUMMARY:** This document corrects a notice appearing in the *Federal Register* on February 23, 2009 (74 FR 8124), that announced the availability of Final Interim Staff Guidance (ISG) COL/ESP-ISG-004. This action is necessary to correct the Agencywide Documents Access Management System (ADAMS) accession number for the ISG.

**FOR FURTHER INFORMATION CONTACT:** Ms. Nanette V. Gilles, Division of New Reactor Licensing, Office of the New Reactors, U.S. Nuclear Regulatory Commission, Washington, DC, 20555-0001; telephone 301-415-1180 or e-mail at [Nanette.Gilles@nrc.gov](mailto:Nanette.Gilles@nrc.gov).

**SUPPLEMENTARY INFORMATION:** On page 8124, in the second column, Supplementary Information, sixth line, the ISG's COL/ESP-ISG-004 ADAMS accession number is corrected to read from "ML08290729" to "ML082970729".

Dated at Rockville, Maryland, this 13th day of March 2009.

For the Nuclear Regulatory Commission.

**David B. Matthews,**

*Director, Division of New Reactor Licensing, Office of New Reactors.*

[FR Doc. E9-6111 Filed 3-19-09; 8:45 am]

**BILLING CODE 7590-01-P**

## NUCLEAR REGULATORY COMMISSION

[Docket Nos. 50-387 AND 50-388; NRC-2008-0246]

### PPL Susquehanna, LLC, Susquehanna Steam Electric Station, Units 1 and 2; Notice of Availability of the Final Supplement 35 to the Generic Environmental Impact Statement for License Renewal of Nuclear Plants, Regarding the License Renewal of Susquehanna Steam Electric Station, Units 1 and 2

Notice is hereby given that the U.S. Nuclear Regulatory Commission (NRC, Commission) has published a final plant-specific supplement to the "Generic Environmental Impact

Statement for License Renewal of Nuclear Plants (GEIS)", NUREG-1437, regarding the renewal of operating licenses NPF-14 and NPF-22 for an additional 20 years of operation for the Susquehanna Steam Electric Station, Units 1 and 2 (SSES). SSES is located on the western shore of the Susquehanna River in Salem Township, Pennsylvania. SSES is 5 miles north of the Borough of Berwick, 20 miles southeast of Wilkes-Barre, and 50 miles northwest of Allentown. Possible alternatives to the proposed action (license renewal) include no action and reasonable alternative energy sources.

As discussed in Section 9.3 of the final Supplement 35, based on: (1) The analysis and findings in the GEIS; (2) the Environmental Report submitted by PPL Susquehanna, LLC; (3) consultation with Federal, State, and local agencies; (4) the NRC staff's own independent review; and (5) the NRC staff's consideration of public comments, the recommendation of the staff is that the adverse environmental impacts of license renewal for SSES are not so great that preserving the option of license renewal for energy-planning decision makers would be unreasonable.

The final Supplement 35 to the GEIS is publicly available at the NRC Public Document Room (PDR), located at One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852, or from the NRC's Agencywide Documents Access and Management System (ADAMS). The ADAMS Public Electronic Reading Room is accessible at <http://adamswebsearch.nrc.gov/dologin.htm>. The Accession Number for the final Supplement 35 to the GEIS is ML090700454. Persons who do not have access to ADAMS, or who encounter problems in accessing the documents located in ADAMS, should contact the NRC's PDR reference staff by telephone at 1-800-397-4209, or 301-415-4737, or by e-mail at [pdr@nrc.gov](mailto:pdr@nrc.gov). In addition, the McBride Memorial Library, located at 205 Chestnut St., Berwick, PA 18603, and the Mill Memorial Library, located at 495 East Main Street, Nanticoke, PA 18634, have agreed to make the final supplement available for public inspection.

**FOR FURTHER INFORMATION CONTACT:** Mr. Andrew Stuyvenberg, Projects Branch 2, Division of License Renewal, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Mail Stop O-11F1, Washington, DC 20555-0001. Mr. Stuyvenberg may be contacted by telephone at 1-800-368-5642, extension 4006 or via e-mail at [andrew.stuyvenberg@nrc.gov](mailto:andrew.stuyvenberg@nrc.gov).

Dated at Rockville, Maryland, this 13th day of March, 2009.

For the Nuclear Regulatory Commission.

**David L. Pelton,**

*Chief, Projects Branch 1, Division of License Renewal, Office of Nuclear Reactor Regulation.*

[FR Doc. E9-6110 Filed 3-19-09; 8:45 am]

**BILLING CODE 7590-01-P**

## **NUCLEAR REGULATORY COMMISSION**

[NRC-2008-0539]

### **Final Regulatory Guide: Issuance, Availability**

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Notice of Issuance and Availability of Regulatory Guide, RG 5.73.

**FOR FURTHER INFORMATION CONTACT:** Michael Boggi, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, telephone: (301) 415-5309 or e-mail to [Michael.Boggi@nrc.gov](mailto:Michael.Boggi@nrc.gov).

#### **SUPPLEMENTARY INFORMATION:**

##### **I. Introduction**

The U.S. Nuclear Regulatory Commission (NRC or Commission) is issuing a new guide in the agency's "Regulatory Guide" series. This series was developed to describe and make available to the public information such as methods that are acceptable to the NRC staff for implementing specific parts of the agency's regulations, techniques that the staff uses in evaluating specific problems or postulated accidents, and data that the staff needs in its review of applications for permits and licenses.

RG 5.73, "Fatigue Management for Nuclear Power Plant Personnel," was issued with a temporary identification as Draft Regulatory Guide, DG-5026. This guide describes a method that the staff of the NRC considers acceptable for complying with the Commission's regulations for managing personnel fatigue at nuclear power plants. The regulations established by the NRC in Title 10, part 26, "Fitness for Duty Programs," of the Code of Federal Regulations (10 CFR part 26) establish requirements for ensuring that personnel are fit to safely and competently perform their duties. Subpart I, "Managing Fatigue," of 10 CFR part 26 establishes requirements for managing personnel fatigue at nuclear power plants. The regulations in subpart I provide a comprehensive and integrated approach to fatigue management, taking into account the

multiple causes and effects of worker fatigue. The Commission recognizes that the potential for excessive fatigue is not solely based on extensive work hours but can result from other factors, such as stressful working conditions, sleep disorders, accumulation of sleep debt, and the disruptions of circadian rhythms associated with shift work. The requirements of the rule reflect these considerations to ensure that licensees effectively manage worker fatigue and provide reasonable assurance that workers are able to safely and competently perform their duties.

##### **II. Further Information**

In September 2008, DG-5026 was published with a public comment period of 45 days from the issuance of the guide. The public comment period closed on October 31, 2008. The staff's responses to the public comments received are included with the guide as Appendix B, "Response to Public Comments." They are also located in the NRC's Agencywide Documents Access and Management System under Accession Number ML083540269. Electronic copies of RG 5.73 are available through the NRC's public Web site under "Regulatory Guides" at <http://www.nrc.gov/reading-rm/doc-collections/>.

In addition, regulatory guides are available for inspection at the NRC's Public Document Room (PDR), which is located at 11555 Rockville Pike, Rockville, Maryland. The PDR's mailing address is USNRC PDR, Washington, DC 20555-0001. The PDR can also be reached by telephone at (301) 415-4737 or (800) 397-4205, by fax at (301) 415-3548, and by e-mail to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov).

Regulatory guides are not copyrighted, and Commission approval is not required to reproduce them.

Dated at Rockville, Maryland, this 10th day of March, 2009.

For the Nuclear Regulatory Commission.

**Andrea D. Valentin,**

*Chief, Regulatory Guide Development Branch, Division of Engineering, Office of Nuclear Regulatory Research.*

[FR Doc. E9-6105 Filed 3-19-09; 8:45 am]

**BILLING CODE 7590-01-P**

## **NUCLEAR REGULATORY COMMISSION**

[Docket No. 50-305; NRC-2009-0125]

### **Dominion Energy Kewaunee, Inc.; Notice of Withdrawal of Application for Amendment to Facility Operating License**

The U.S. Nuclear Regulatory Commission (NRC, the Commission) has granted the request of Dominion Energy Kewaunee (the licensee) to withdraw its September 14, 2007 application for proposed amendment to Facility Operating License No. DPR-43 for Kewaunee Power Station located in Kewaunee County, Wisconsin.

The proposed amendment would have revised the Technical Specification (TS) requirements related to control room envelope habitability. The proposed changes include revisions to the control room post-accident recirculation system, the instrument operating conditions for isolation functions, and a control room envelope habitability program. The changes are consistent with TS Task Force (TSTF) Change Traveler, TSTF-448-A, Revision 3, "Control Room Habitability."

The Commission had previously issued a Notice of Consideration of Issuance of Amendment published in the **Federal Register** on November 20, 2007 (72 FR 65363). However, by letter dated December 17, 2008, the licensee withdrew the application for the proposed amendment.

For further details with respect to this action, see the application for amendment dated September 14, 2007, and the licensee's letter dated December 17, 2008, which withdrew the application for license amendment. Documents may be examined, and/or copied for a fee, at the NRC's Public Document Room (PDR), located at One White Flint North, Public File Area O1 F21, 11555 Rockville Pike (first floor), Rockville, Maryland. Publicly available records will be accessible electronically from the Agencywide Documents Access and Management System (ADAMS) Public Electronic Reading Room on the Internet at the NRC Web site, <http://www.nrc.gov/reading-rm.html>. Persons who do not have access to ADAMS or who encounter problems in accessing the documents located in ADAMS should contact the NRC PDR Reference staff by telephone at 1-800-397-4209, or 301-415-4737 or by e-mail to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov).

Dated at Rockville, Maryland, this 11th day of March, 2009.