

Name: Advisory Committee for Education and Human Resources (#1119).

Date/Time: May 6, 2009; 8:30 a.m. to 5 p.m.; May 7, 2009; 8:30 a.m. to 1:30 p.m.

Place: National Science Foundation Headquarters, Stafford Place I—Room 1235 4201 Wilson Boulevard, Arlington, VA 22230.

Type of Meeting: Open.

Contact Person: James Colby, National Science Foundation, 4201 Wilson Boulevard, Arlington, VA 22230, (703) 292-5331, jcolby@nsf.gov.

If you are attending the meeting and need access to the NSF, please contact the individual listed above so your name may be added to the building access list.

Purpose of Meeting: To provide advice with respect to the Foundation's science, technology, engineering, and mathematics (STEM) education and human resources programming.

Agenda:

May 6, 2009

- I. Acting Assistant Director's Remarks
- II. Discussion of EHR Investment Themes:
 - Broadening Participation to Improve Workforce Development
 - Promoting Learning Through Research and Evaluation
 - Enriching the Education of STEM Teachers
 - Advancing Career Development Opportunities
- III. Visit From the Office of the NSF Director
- IV. Review and Acceptance of Committee of Visitors Report
 - Robert Noyce Teacher Scholarships Program

May 7, 2009

- V. Discussion of Strategic Partnerships
- VI. Subcommittee Meetings
- VII. Future Issues for Consideration

Dated: April 15, 2009.

Susanne Bolton,

Committee Management Officer.

[FR Doc. E9-8967 Filed 4-17-09; 8:45 am]

BILLING CODE 7555-01-P

NUCLEAR REGULATORY COMMISSION

[NRC-2009-0171]

Final Regulatory Guide: Issuance, Availability

AGENCY: Nuclear Regulatory Commission.

ACTION: Notice of Issuance and Availability of Regulatory Guide 1.211 and Withdrawal of Regulatory Guide 1.131.

FOR FURTHER INFORMATION CONTACT:

Mark Orr, Regulatory Guide Development Branch, Division of Engineering, Office of Nuclear Regulatory Research, U.S. Nuclear Regulatory Commission, Washington,

DC 20555-0001, telephone (301) 251-7495 or e-mail to Mark.Orr@nrc.gov.

SUPPLEMENTARY INFORMATION:

I. Introduction

The U.S. Nuclear Regulatory Commission (NRC) is issuing a new regulatory guide and withdrawing an outdated regulatory guide in the agency's "Regulatory Guide" series. This series was developed to describe and make available to the public information such as methods that are acceptable to the NRC staff for implementing specific parts of the agency's regulations, techniques that the staff uses in evaluating specific problems or postulated accidents, and data that the staff needs in its review of applications for permits and licenses.

Regulatory Guide 1.131, "Qualification Tests of Electric Cables, Field Splices, and Connections for Light-Water-Cooled Nuclear Power Plants," was issued for comment in August 1977 and never finalized. Regulatory Guide 1.131 is being withdrawn because its guidance has been replaced by the guidance in Regulatory Guide 1.211.

Regulatory Guide 1.211, "Qualification of Safety-Related Cables and Field Splices for Nuclear Power Plants," was issued with a temporary identification as Draft Regulatory Guide 1132. This guide describes a method that the staff of the NRC considers acceptable for use in complying with the Commission's regulations for the qualification of safety-related cables and field splices for nuclear power plants.

The regulations established by the NRC in Title 10, Part 50, "Domestic Licensing of Production and Utilization Facilities," of the Code of Federal Regulations (10 CFR Part 50) require that structures, systems, and components that are important to safety in a nuclear power plant must be designed to accommodate the effects of environmental conditions (i.e., remain functional under postulated design-basis events (DBEs)). Toward that end, General Design Criterion (GDC) 1, "Quality Standards and Records," GDC 2, "Design Bases for Protection Against Natural Phenomena," GDC 4, "Environmental and Dynamic Effects Design Bases," and GDC 23, "Protection System Failure Modes," of Appendix A, "General Design Criteria for Nuclear Power Plants," to 10 CFR Part 50 contain the general requirements. Augmenting those general requirements, the specific requirements pertaining to the qualification of certain electrical equipment important to safety appear in 10 CFR 50.49, "Environmental Qualification of Electric Equipment

Important to Safety for Nuclear Power Plants." In addition, Criterion III, "Design Control," of Appendix B, "Quality Assurance Criteria for Nuclear Power Plants," to 10 CFR Part 50 requires that, where a test program is used to verify the adequacy of a specific design feature, the test program must include suitable qualification testing of a prototype unit under the most severe DBE.

II. Further Information

In June 2007, DG-1132 was published with a public comment period of 60 days from the issuance of the guide. The public comment period closed on September 14, 2007. The staff's responses to the public comments are located in the NRC's Agencywide Documents Access and Management System (ADAMS), Accession Number ML081690227. Electronic copies of Regulatory Guide 1.211 are available through the NRC's public Web site under "Regulatory Guides" at <http://www.nrc.gov/reading-rm/doc-collections/>.

In addition, regulatory guides are available for inspection at the NRC's Public Document Room (PDR), which is located at Room O-1F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852-2738. The PDR's mailing address is USNRC PDR, Washington, DC 20555-0001. The PDR can also be reached by telephone at (301) 415-4737 or (800) 397-4209, by fax at (301) 415-3548, and by e-mail to pdr.resource@nrc.gov.

Regulatory guides are not copyrighted, and NRC approval is not required to reproduce them.

Dated at Rockville, Maryland, this 13th day of April 2009.

For the Nuclear Regulatory Commission.

Andrea D. Valentin,

Chief, Regulatory Guide Development Branch, Division of Engineering, Office of Nuclear Regulatory Research.

[FR Doc. E9-9034 Filed 4-17-09; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

[Docket No. 50-219; NRC-2009-0167]

Exelon Generation Company, LLC; Oyster Creek Nuclear Generating Station; Notice of Issuance of Renewed Facility Operating License No. DPR-16 for an Additional 20-Year Period; Record of Decision

Notice is hereby given that the U.S. Nuclear Regulatory Commission (the Commission) has issued Renewed

Facility Operating License No. DPR-16 to Exelon Generation Company, LLC (the licensee), the operator of the Oyster Creek Nuclear Generating Station (OCNGS). Renewed facility operating license No. DPR-16 authorizes operation of OCNGS by the licensee at reactor core power levels not in excess of 1930 megawatts thermal, in accordance with the provisions of the OCNGS renewed license and its technical specifications.

The notice also serves as the record of decision for the renewal of Facility Operating License No. DPR-16, consistent with Title 10 of the *Code of Federal Regulations* (10 CFR), Section 51.103 "Record of Decision—General." As discussed in the final Supplemental Environmental Impact Statement (FSEIS) for OCNGS, dated January 2007, the Commission has considered a range of reasonable alternatives that included generation from oil, wind, solar, hydropower, geothermal, wood waste, municipal solid waste, other biomass-derived fuels, fuel cells, delayed retirement, conservation measures and, tidal and ocean energy. The factors considered in the record of decision can be found in the supplemental environmental impact statement for OCNGS.

OCNGS is a boiling water reactor located in Lacey Township, Ocean County, New Jersey, approximately two miles south of the community of Forked River. OCNGS was operated by AmerGen Energy Company, LLC, until January 9, 2009, when the license was transferred to Exelon Generation Company, LLC (74 FR 4777), in accordance with Section 184 of the Atomic Energy Act of 1954, as amended, and 10 CFR Section 50.80, "Transfer of Licenses." The application for the renewed license complied with the standards and requirements of the Atomic Energy Act of 1954 (the Act), as amended, and the Commission's regulations. As required by the Act and the Commission's regulations in 10 CFR Chapter I, the Commission has made appropriate findings, which are set forth in the license. Prior public notice of the action involving the proposed issuance of the renewed license and of an opportunity for a hearing regarding the proposed issuance of the renewed license was published in the **Federal Register** on September 15, 2005 (70 FR 54585).

For further details with respect to this action, see: (1) Exelon Generation Company, LLC, formerly AmerGen Energy Company, LLC, license renewal application for OCNGS dated July 22, 2005, as supplemented by letters dated through January 14, 2008; (2) the

Commission's Safety Evaluation Report (NUREG-1875, Volumes 1 and 2), published on March 30, 2007, supplemented on September 19, 2008; (3) the licensee's updated safety analysis report; and (4) the Commission's FSEIS (NUREG-1437, Supplement 28), published on January 31, 2007. These documents are available at the NRC's Public Document Room, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852, and can be viewed from the NRC Public Electronic Reading Room at <http://www.nrc.gov/reading-rm/adams.html>.

Copies of renewed facility operating license No. DPR-16, may be obtained by writing to the U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, Attention: Director, Division of License Renewal. Copies of the OCNGS Safety Evaluation Report (NUREG-1875), Supplement 1, and the FSEIS (NUREG-1437, Supplement 28) may be purchased from the National Technical Information Service, U.S. Department of Commerce, Springfield, Virginia 22161 (<http://www.ntis.gov>), 703-605-6000, or Attention: Superintendent of Documents, U.S. Government Printing Office, P.O. Box 371954 Pittsburgh, PA 15250-7954 (<http://www.gpoaccess.gov>), 202-512-1800.

All orders should clearly identify the NRC publication number and the requestor's Government Printing Office deposit account number or Visa or MasterCard number and expiration date.

Dated at Rockville, Maryland, this 8th day of April, 2009.

For the Nuclear Regulatory Commission.

Brian E. Holian,

Director, Division of License Renewal, Office of Nuclear Reactor Regulation.

[FR Doc. E9-9030 Filed 4-17-09; 8:45 am]

BILLING CODE 7590-01-P

POSTAL REGULATORY COMMISSION

[Docket No. CP2009-27; Order No. 202]

Postal Product Price Changes

AGENCY: Postal Regulatory Commission.

ACTION: Notice.

SUMMARY: This document announces the Postal Service's filing of a notice of price changes for several competitive products and invites public comment. The price changes are for products identified in a Postal Service notice of errata to changes in rates of general applicability.

DATES: Postal Service responses are due April 20, 2009. Comments are due May 1, 2009.

ADDRESSES: Submit comments electronically via the Commission's Filing Online system at <http://www.prc.gov>.

FOR FURTHER INFORMATION CONTACT: Stephen L. Sharfman, General Counsel, 202-789-6820 and stephen.sharfman@prc.gov.

SUPPLEMENTARY INFORMATION: On February 10, 2009, the Postal Service filed a notice with the Commission concerning changes in rates of general applicability for competitive products.¹ The Commission issued its final decision on these matters approving the changes on March 12, 2009.² These price changes are scheduled to become effective May 11, 2009.

Postal Service filing. On April 9, 2009, the Postal Service filed a Notice of Errata to United States Postal Service Notice of Changes in Rates of General Applicability for Competitive Products Established in Governors' Decision No. 09-01 (Notice).³ The Notice explains that the price charts in the Mail Classification Schedule language included as Attachment B to the Governors' Decision omitted charges for Pickup on Demand service for certain competitive products. The Postal Service states that the price change from \$14.75 to \$15.30 for Pickup on Demand for Express Mail, Priority Mail, and certain international competitive products was inadvertently omitted in the materials included in the Filing, although the same price change was made for certain market dominant services that offer Pickup on Demand service in Docket No. R2009-2.

The Postal Service notes that it has sent a notice of correction for publication in the **Federal Register**, and has advised the Governors of this matter

¹ See Docket No. CP2009-23, Notice of the United States Postal Service of Changes in Rates of General Applicability for Competitive Products Established in Governors' Decision No. 09-01, February 10, 2009 (Filing). The Filing is available on the Commission's Web site, <http://www.prc.gov>, under Daily Listings for February 10, 2009. Pursuant to 39 U.S.C. 3632(b)(2), the "Governors shall cause each rate and class decision under this section and the record of the Governors' proceedings in connection with such decision to be published in the **Federal Register** at least 30 days before the effective date of any new rates or classes." Similarly, 39 CFR 3015.2(a) requires that "[w]hen the Postal Service determines to change a rate or rates of general applicability, it shall file notice of the change with the Commission no later than the date of publication of the decision in the **Federal Register** concerning such change, but at least 30 days before the effective date of the change."

² PRC Order No. 190, Review of Notice Concerning Changes in Rates of General Applicability for Competitive Products, March 12, 2009.

³ The Notice is available on the Commission's Web site, <http://www.prc.gov>, under Daily Listings for April 9, 2009.