

the Commission's Rules of Practice and Procedure (18 CFR 385.211, 385.214). Protests will be considered by the Commission in determining the appropriate action to be taken, but will not serve to make protestants parties to the proceeding. Any person wishing to become a party must file a notice of intervention or motion to intervene, as appropriate. The Respondent's answer and all interventions, or protests, must be filed on or before the comment date. The Respondent's answer, motions to intervene, and protests must be served on the Complainants.

The Commission encourages electronic submission of protests and interventions in lieu of paper using the "eFiling" link at <http://www.ferc.gov>. Persons unable to file electronically should submit an original and 14 copies of the protest or intervention to the Federal Energy Regulatory Commission, 888 First Street, NE., Washington, DC 20426.

This filing is accessible on-line at <http://www.ferc.gov>, using the "eLibrary" link and is available for review in the Commission's Public Reference Room in Washington, DC. There is an "eSubscription" link on the Web site that enables subscribers to receive e-mail notification when a document is added to a subscribed docket(s). For assistance with any FERC Online service, please e-mail [FERCOnlineSupport@ferc.gov](mailto:FERCOnlineSupport@ferc.gov), or call (866) 208-3676 (toll free). For TTY, call (202) 502-8659.

*Comment Date:* 5 p.m. Eastern Time on June 11, 2009.

**Nathaniel J. Davis, Sr.,**  
*Deputy Secretary.*

[FR Doc. E9-12729 Filed 6-1-09; 8:45 am]

BILLING CODE 6717-01-P

## DEPARTMENT OF ENERGY

### Federal Energy Regulatory Commission

[Docket Nos. ER09-900-001; ER09-901-001; ER09-902-001]

#### **Sky River LLC, Victory Garden Phase IV, LLC, FPL Energy Cabazon Wind, LLC; Notice of Compliance Filing**

May 22, 2009.

Take notice that on May 21, 2009, Sky River LLC, Victory Garden Phase IV, LLC, and FPL Energy Cabazon Wind, LLC filed an amendment to market-based rate tariffs.

Any person desiring to intervene or to protest this filing must file in accordance with Rules 211 and 214 of the Commission's Rules of Practice and

Procedure (18 CFR 385.211, 385.214). Protests will be considered by the Commission in determining the appropriate action to be taken, but will not serve to make protestants parties to the proceeding. Any person wishing to become a party must file a notice of intervention or motion to intervene, as appropriate. Such notices, motions, or protests must be filed on or before the comment date. On or before the comment date, it is not necessary to serve motions to intervene or protests on persons other than the Applicant.

The Commission encourages electronic submission of protests and interventions in lieu of paper using the "eFiling" link at <http://www.ferc.gov>. Persons unable to file electronically should submit an original and 14 copies of the protest or intervention to the Federal Energy Regulatory Commission, 888 First Street, NE., Washington, DC 20426.

This filing is accessible on-line at <http://www.ferc.gov>, using the "eLibrary" link and is available for review in the Commission's Public Reference Room in Washington, DC. There is an "eSubscription" link on the Web site that enables subscribers to receive e-mail notification when a document is added to a subscribed docket(s). For assistance with any FERC Online service, please e-mail [FERCOnlineSupport@ferc.gov](mailto:FERCOnlineSupport@ferc.gov), or call (866) 208-3676 (toll free). For TTY, call (202) 502-8659.

*Comment Date:* 5 p.m. Eastern Time on May 29, 2009.

**Kimberly D. Bose,**  
*Secretary.*

[FR Doc. E9-12695 Filed 6-1-09; 8:45 am]

BILLING CODE 6717-01-P

## DEPARTMENT OF ENERGY

### Federal Energy Regulatory Commission

[Docket No. ER09-1147-000]

#### **Ameren Services Company; Notice of Filing**

May 22, 2009.

Take notice that on May 15, 2009, Ameren Services Company as agent for Central Illinois Light Company tendered for filing of an executed service agreement for Wholesale Distribution Service with Illinois Municipal Electric Agency on behalf of the Village of Riverton.

Any person desiring to intervene or to protest this filing must file in accordance with Rules 211 and 214 of the Commission's Rules of Practice and

Procedure (18 CFR 385.211, 385.214). Protests will be considered by the Commission in determining the appropriate action to be taken, but will not serve to make protestants parties to the proceeding. Any person wishing to become a party must file a notice of intervention or motion to intervene, as appropriate. Such notices, motions, or protests must be filed on or before the comment date. On or before the comment date, it is not necessary to serve motions to intervene or protests on persons other than the Applicant.

The Commission encourages electronic submission of protests and interventions in lieu of paper using the "eFiling" link at <http://www.ferc.gov>. Persons unable to file electronically should submit an original and 14 copies of the protest or intervention to the Federal Energy Regulatory Commission, 888 First Street, NE., Washington, DC 20426.

This filing is accessible on-line at <http://www.ferc.gov>, using the "eLibrary" link and is available for review in the Commission's Public Reference Room in Washington, DC. There is an "eSubscription" link on the Web site that enables subscribers to receive e-mail notification when a document is added to a subscribed docket(s). For assistance with any FERC Online service, please e-mail [FERCOnlineSupport@ferc.gov](mailto:FERCOnlineSupport@ferc.gov), or call (866) 208-3676 (toll free). For TTY, call (202) 502-8659.

*Comment Date:* 5 p.m. Eastern Time on June 5, 2009.

**Kimberly D. Bose,**  
*Secretary.*

[FR Doc. E9-12696 Filed 6-1-09; 8:45 am]

BILLING CODE 6717-01-P

## DEPARTMENT OF ENERGY

### Federal Energy Regulatory Commission

[Docket No. ER09-1141-000]

#### **JP Morgan Commodities Canada Corporation; Supplemental Notice That Initial Market-Based Rate Filing Includes Request for Blanket Section 204 Authorization**

May 22, 2009.

This is a supplemental notice in the above-referenced proceeding of JP Morgan Commodities Canada Corporation's application for market-based rate authority, with an accompanying rate tariff, noting that such application includes a request for blanket authorization, under 18 CFR

Part 34, of future issuances of securities and assumptions of liability.

Any person desiring to intervene or to protest should file with the Federal Energy Regulatory Commission, 888 First Street, NE., Washington, DC 20426, in accordance with Rules 211 and 214 of the Commission's Rules of Practice and Procedure (18 CFR 385.211 and 385.214). Anyone filing a motion to intervene or protest must serve a copy of that document on the Applicant.

Notice is hereby given that the deadline for filing protests with regard to the Applicant's request for blanket authorization, under 18 CFR Part 34, of future issuances of securities and assumptions of liability, is June 11, 2009.

The Commission encourages electronic submission of protests and interventions in lieu of paper, using the FERC Online links at <http://www.ferc.gov>. To facilitate electronic service, persons with Internet access who will eFile a document and/or be listed as a contact for an intervenor must create and validate an eRegistration account using the eRegistration link. Select the eFiling link to log on and submit the intervention or protests.

Persons unable to file electronically should submit an original and 14 copies of the intervention or protest to the Federal Energy Regulatory Commission, 888 First St., NE., Washington, DC 20426.

The filings in the above-referenced proceeding are accessible in the Commission's eLibrary system by clicking on the appropriate link in the above list. They are also available for review in the Commission's Public Reference Room in Washington, DC. There is an eSubscription link on the Web site that enables subscribers to receive e-mail notification when a document is added to a subscribed docket(s). For assistance with any FERC Online service, please e-mail [FERCOnlineSupport@ferc.gov](mailto:FERCOnlineSupport@ferc.gov) or call (866) 208-3676 (toll free). For TTY, call (202) 502-8659.

**Kimberly D. Bose,**  
*Secretary.*

[FR Doc. E9-12697 Filed 6-1-09; 8:45 am]

**BILLING CODE 6717-01-P**

## DEPARTMENT OF ENERGY

### Federal Energy Regulatory Commission

[Docket No. AD09-6-000]

#### Pipeline Siting and Stakeholder Involvement Workshop; Supplemental Notice of Pipeline Siting and Stakeholder Involvement Workshop

May 26, 2009.

On May 15, 2009, the Commission issued a notice scheduling a workshop in the above-captioned proceeding. In addition to the information provided in that notice, a free Webcast of the meeting/conference is available through <http://www.ferc.gov>. Anyone with Internet access who desires to listen to this event can do so by navigating to <http://www.ferc.gov>'s Calendar of Events and locating this event in the Calendar. The event will contain a link to its Webcast. The Capitol Connection provides technical support for the Webcasts and offers the option of listening to the meeting via phone-bridge for a fee. If you have any questions, visit <http://www.CapitolConnection.org> or call 703-993-3100.

**Kimberly D. Bose,**  
*Secretary.*

[FR Doc. E9-12703 Filed 6-1-09; 8:45 am]

**BILLING CODE 6717-01-P**

## ENVIRONMENTAL PROTECTION AGENCY

[FRL-8909-9]

### Office of Research and Development; Ambient Air Monitoring Reference and Equivalent Methods: Designation of Three New Reference Methods and Four New Equivalent Methods

**AGENCY:** Environmental Protection Agency.

**ACTION:** Notice of the designation of three new reference methods and four new equivalent methods for monitoring ambient air quality.

**SUMMARY:** Notice is hereby given that the Environmental Protection Agency (EPA) has designated, in accordance with 40 CFR Part 53, three new reference methods and four new equivalent methods. The reference methods include one for measuring carbon monoxide (CO) in ambient air (Ecotech Serinus 30 Carbon Monoxide Analyzer) and two for measuring PM<sub>10-2.5</sub> in the ambient air (a Thermo Scientific Partisol® Model 2000 sampler pair and a Partisol®-Plus Model 2025

Sequential sampler pair). The four new equivalent methods are two for measuring PM<sub>2.5</sub> and two for measuring PM<sub>10-2.5</sub> in the ambient air (Thermo Scientific Partisol® Model 2000-D, and Dichotomous Partisol®-Plus Model 2025-D Sequential, air samplers).

**FOR FURTHER INFORMATION CONTACT:** Surender Kaushik, Human Exposure and Atmospheric Sciences Division (MD-D205-03), National Exposure Research Laboratory, U.S. EPA, Research Triangle Park, North Carolina 27711. *Phone:* (919) 541-5691, *e-mail:* [Kaushik.Surender@epa.gov](mailto:Kaushik.Surender@epa.gov).

**SUPPLEMENTARY INFORMATION:** In accordance with regulations at 40 CFR Part 53, the EPA evaluates various methods for monitoring the concentrations of those ambient air pollutants for which EPA has established National Ambient Air Quality Standards (NAAQSs) as set forth in 40 CFR Part 50. Monitoring methods that are determined to meet specific requirements for adequacy are designated by the EPA as either reference methods or equivalent methods (as applicable), thereby permitting their use under 40 CFR Part 58 by States and other agencies for determining compliance with the NAAQSs.

The EPA hereby announces the designation of one new reference method for measuring concentrations of CO, two new reference methods for measuring PM<sub>10-2.5</sub>, two new equivalent methods for measuring PM<sub>2.5</sub>, and two new equivalent methods for measuring PM<sub>10-2.5</sub> in the ambient air. These designations are made under the provisions of 40 CFR Part 53, as amended on October 17, 2006 (71 FR 61271).

The new reference method for CO is an automated method that utilizes the measurement principle based on non-dispersive infra-red adsorption photometry (combined with gas filter correlation) and the calibration procedure specified in Appendix C of 40 CFR Part 50. The newly designated reference method is identified as follows:

RFCA-0509-174, "Ecotech Serinus 30 Carbon Monoxide Analyzer", operated in the range of 0-50 ppm, with a five-micron Teflon® filter element installed, and with the following selected: Background-Enabled, Control Loop-Enabled, Diagnostic Mode-Operate, Pres/Temp/Flow Compensation-Enabled, Span Compensation-Disabled, with concentration automatically corrected for temperature and pressure changes.

An application for a reference method determination for this candidate method was received by the EPA on October 17,