FOR FURTHER INFORMATION CONTACT:

Anthony Malana, Laboratories and Scientific Services, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue, NW., Suite 1500N, Washington, DC 20229, 202–344–1060.

Dated: June 29, 2010.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services. [FR Doc. 2010–16714 Filed 7–8–10; 8:45 am] BILLING CODE 9111–14–P

DEPARTMENT OF HOMELAND SECURITY

U.S. Customs and Border Protection

Accreditation and Approval of Inspectorate America Corporation, as a Commercial Gauger and Laboratory

AGENCY: U.S. Customs and Border Protection, Department of Homeland Security.

ACTION: Notice of accreditation and approval of Inspectorate America Corporation, as a commercial gauger and laboratory.

SUMMARY: Notice is hereby given that, pursuant to 19 CFR 151.12 and 19 CFR 151.13, Inspectorate America Corporation, 6175 Hwy 347, Beaumont, TX 77705, has been approved to gauge and accredited to test petroleum and petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.12 and 19 CFR 151.13. Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquiries regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to cbp.labhq@dhs.gov. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories: http://cbp.gov/ xp/cgov/import/operations support/ labs scientific svcs/ commercial_gaugers/

DATES: The accreditation and approval of Inspectorate America Corporation, as commercial gauger and laboratory became effective on March 10, 2010. The next triennial inspection date will be scheduled for March 2013.

FOR FURTHER INFORMATION CONTACT: Anthony Malana, Laboratories and Scientific Services, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue, NW., Suite 1500N, Washington, DC 20229, 202–344–1060.

Dated: June 29, 2010.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services . [FR Doc. 2010–16726 Filed 7–8–10; 8:45 am] BILLING CODE 9111–14–P

DEPARTMENT OF HOMELAND SECURITY

U.S. Customs and Border Protection

Accreditation and Approval of Intertek USA, Inc., as a Commercial Gauger and Laboratory

AGENCY: U.S. Customs and Border Protection, Department of Homeland Security.

ACTION: Notice of accreditation and approval of Intertek USA, Inc., as a commercial gauger and laboratory.

SUMMARY: Notice is hereby given that, pursuant to 19 CFR 151.12 and 19 CFR 151.13, Intertek USA, Inc., 152 Blades Lane, Suite C, Glen Burnie, MD 21061, has been approved to gauge and accredited to test petroleum and petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.12 and 19 CFR 151.13. Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquires regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344–1060. The inquiry may also be sent to cbp.labhq@dhs.gov. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories: http://cbp.gov/ xp/cgov/import/operations support/ labs scientific svcs/ commercial gaugers/.

DATES: The accreditation and approval of Intertek USA, Inc., as commercial gauger and laboratory became effective on April 01, 2010. The next triennial inspection date will be scheduled for April 2013.

FOR FURTHER INFORMATION CONTACT:

Anthony Malana, Laboratories and Scientific Services, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue, NW., Suite 1500N, Washington, DC 20229, 202–344–1060.

Dated: June 29, 2010.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services. [FR Doc. 2010–16731 Filed 7–8–10; 8:45 am] BILLING CODE 9111–14–P

DEPARTMENT OF HOMELAND SECURITY

U.S. Customs and Border Protection

Accreditation and Approval of Intertek USA, Inc., as a Commercial Gauger and Laboratory

AGENCY: U.S. Customs and Border Protection, Department of Homeland Security.

ACTION: Notice of accreditation and approval of Intertek USA, Inc., as a commercial gauger and laboratory.

SUMMARY: Notice is hereby given that, pursuant to 19 CFR 151.12 and 19 CFR 151.13, Intertek USA, Inc., 116 Bryan Road Suite 101, Wilmington, NC 28412, has been approved to gauge and accredited to test petroleum and petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.12 and 19 CFR 151.13. Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquiries regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to U.S. Customs and Border Protection by calling (202) 344–1060. The inquiry may also be sent to *cbp.labhq@dhs.gov*. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories: http://cbp.gov/xp/cgov/ import/operations support/ labs scientific svcs/ commercial gaugers/.

DATES: The accreditation and approval of Intertek USA, Inc., as commercial gauger and laboratory became effective on April 15, 2010. The next triennial inspection date will be scheduled for April 2013.

FOR FURTHER INFORMATION CONTACT:

Anthony Malana, Laboratories and Scientific Services, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue, NW., Suite 1500N, Washington, DC 20229, 202–344–1060.