or include citations to and analyses of SMCRA, its legislative history, its implementing regulations, case law, other pertinent Tribal or Federal laws or regulations, technical literature, or other relevant publications.

We cannot ensure that comments received after the close of the comment period (see **DATES**) or sent to an address other than those listed above (see **ADDRESSES**) will be included in the docket for this rulemaking and considered.

Public Availability of Comments

Before including your address, phone number, e-mail address, or other personal identifying information in your comment, you should be aware that your entire comment—including your personal identifying information—may be made publicly available in the electronic docket for this rulemaking at *http://www.regulations.gov.* While you can ask us in your comment to withhold your personal identifying information from public review, we cannot guarantee that we will be able to do so.

IV. Procedural Determinations

Executive Order 12866—Regulatory Planning and Review

This rule is exempted from review by the Office of Management and Budget (OMB) under Executive Order 12866 (Regulatory Planning and Review).

Other Laws and Executive Orders Affecting Rulemaking

When a State submits a program amendment to OSM for review, our regulations at 30 CFR 732.17(h) require us to publish a notice in the Federal **Register** indicating receipt of the proposed amendment, its text or a summary of its terms, and an opportunity for public comment. We conclude our review of the proposed amendment after the close of the public comment period and determine whether the amendment should be approved, approved in part, or not approved. At that time, we will also make the determinations and certifications required by the various laws and executive orders governing the rulemaking process and include them in the final rule.

List of Subjects in 30 CFR Part 926

Intergovernmental relations, Surface mining, Underground mining.

Dated: May 18, 2010.

Allen D. Klein,

Director, Western Region. [FR Doc. 2010–18231 Filed 7–23–10; 8:45 am] BILLING CODE P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 271

[EPA-R01-RCRA-2010-0561; FRL-9179-6]

Rhode Island: Final Authorization of State Hazardous Waste Management Program Revisions

AGENCY: Environmental Protection Agency (EPA). **ACTION:** Proposed rule.

SUMMARY: The State of Rhode Island has applied to EPA for final authorization of changes to its hazardous waste program under the Resource Conservation and Recovery Act (RCRA). EPA proposes to grant final authorization to Rhode Island. EPA has determined that these changes satisfy all requirements needed to qualify for final authorization, and is authorizing the State's changes through an immediate final action.

DATES: Comments must be received on or before August 25, 2010.

ADDRESSES: Submit your comments, identified by Docket ID No. EPA-R01-RCRA-2010-0561, by one of the following methods:

• *http://www.regulations.gov:* Follow the on-line instructions for submitting comments.

E-mail: biscaia.robin@epa.gov. Fax: (617) 918–0642, to the

attention of Robin Biscaia.

• *Mail:* Robin Biscaia, RCRA Waste Management Section, Office of Site Remediation and Restoration (OSRR 07– 1), EPA New England—Region I, 5 Post Office Square, Suite 100, Boston, MA 02109–3912.

• Hand Delivery or Courier: Deliver your comments to: Robin Biscaia, RCRA Waste Management Section, Office of Site Restoration and Remediation (OSRR 07–1), EPA New England— Region I, 5 Post Office Square, Suite 100, Boston, MA 02109–3912. Such deliveries are only accepted during the Office's normal hours of operation, and special arrangements should be made for deliveries of boxed information.

For further information on how to submit comments, please see today's immediate final rule published in the "Rules and Regulations" section of this **Federal Register**.

FOR FURTHER INFORMATION CONTACT:

Robin Biscaia, RCRA Waste Management Section, Office of Site Remediation and Restoration (OSRR 07– 1), EPA New England—Region I, 5 Post Office Square, Suite 100, Boston, MA 02109–3912, telephone number: (617) 918–1642; fax number: (617) 918–0642, e-mail address: *biscaia.robin@epa.gov.* SUPPLEMENTARY INFORMATION: In the "Rules and Regulations" section of this Federal Register, EPA is authorizing the changes by an immediate final rule (except with respect to the zinc fertilizer rule). EPA did not make a proposal prior to the immediate final rule because we believe this action is not controversial and do not expect adverse comments that oppose it. We have explained the reasons for this authorization in the preamble to the immediate final rule. Unless we get written adverse comments which oppose this authorization during the comment period, the immediate final rule will become effective on the date it establishes, and we will not take further action on this proposal. If we get comments that oppose this action, we will withdraw the immediate final rule and it will not take immediate effect. We will then respond to public comments in a later final rule based on this proposal. You may not have another opportunity for comment. If you want to comment on this action, you should do so at this time.

With respect to the zinc fertilizer rule (checklist 200), we think that there may be adverse comments that oppose the Federal authorization of the State for this rule. Thus, we are not including the authorization of the zinc fertilizer rule within the immediate final rule. Rather, we are proposing to authorize Rhode Island for the zinc fertilizer rule in this proposed rule. Any approval of Rhode Ísland to implement the zinc fertilizer rule will occur only through a later separate final rule, which will be issued only after considering any public comments. Anyone wishing to comment on our proposal to authorize Rhode Island for the zinc fertilizer rule must also do so at this time.

We are proposing to authorize Rhode Island for the zinc fertilizer rule because, through Rules 2.2 C and 2.2 H, Rhode Island has incorporated by reference the Federal zinc fertilizer rule exactly. When a State incorporates by reference Federal requirements exactly, the State is being equivalent to and consistent with the Federal rule. Any commenter opposed to EPA's adoption of the zinc fertilizer rule should have addressed his or her comments to the EPA prior to the Federal adoption of the rule. Any commenter opposed to Rhode Island's adoption of the rule should have addressed his or her comment to Rhode Island before the State adopted the rule. While Rhode Island has the right to be more stringent and not adopt the rule, Rhode Island also has the right not to be more stringent and to adopt the Rule. Commenters wishing a State to be more stringent should make sure to

submit their comments to the State, rather than waiting to ask EPA not to authorize the State for the rule.

Dated: July 7, 2010.

H. Curtis Spalding,

Regional Administrator, EPA New England. [FR Doc. 2010–18234 Filed 7–23–10; 8:45 am] BILLING CODE 6560–50–P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket ID FEMA-2010-0003; Internal Agency Docket No. FEMA-B-1139]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS. **ACTION:** Proposed rule.

SUMMARY: Comments are requested on the proposed Base (1% annual-chance) Flood Elevations (BFEs) and proposed BFE modifications for the communities listed in the table below. The purpose of this notice is to seek general information and comment regarding the proposed regulatory flood elevations for the reach described by the downstream and upstream locations in the table below. The BFEs and modified BFEs are a part of the floodplain management measures that the community is required either to adopt or to show evidence of having in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP). In addition, these elevations, once finalized, will be used by insurance agents and others to calculate appropriate flood insurance premium rates for new buildings and the contents in those buildings.

DATES: Comments are to be submitted on or before October 25, 2010.

ADDRESSES: The corresponding preliminary Flood Insurance Rate Map (FIRM) for the proposed BFEs for each community is available for inspection at the community's map repository. The respective addresses are listed in the table below.

You may submit comments, identified by Docket No. FEMA–B–1139, to Kevin C. Long, Acting Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646–2820, or (e-mail) *kevin.long@dhs.gov.*

FOR FURTHER INFORMATION CONTACT:

Kevin C. Long, Acting Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646–2820, or (e-mail) kevin.long@dhs.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA) proposes to make determinations of BFEs and modified BFEs for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and also are used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are

made final, and for the contents in those buildings.

Comments on any aspect of the Flood Insurance Study and FIRM, other than the proposed BFEs, will be considered. A letter acknowledging receipt of any comments will not be sent.

National Environmental Policy Act. This proposed rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. An environmental impact assessment has not been prepared.

Regulatory Flexibility Act. As flood elevation determinations are not within the scope of the Regulatory Flexibility Act, 5 U.S.C. 601–612, a regulatory flexibility analysis is not required.

Executive Order 12866, Regulatory Planning and Review. This proposed rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866, as amended.

Executive Order 13132, Federalism. This proposed rule involves no policies that have federalism implications under Executive Order 13132.

Executive Order 12988, Civil Justice Reform. This proposed rule meets the applicable standards of Executive Order 12988.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows:

PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.;* Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§67.4 [Amended]

2. The tables published under the authority of 67.4 are proposed to be amended as follows:

Flooding source(s)	Location of referenced elevation	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ∧ Elevation in meters (MSL)		Communities affected				
		Effective	Modified					
New London County, Connecticut (All Jurisdictions)								
Eightmile River	Approximately 100 feet upstream of Hamburg Road	None	+56	Town of Lyme.				

Eightmile River	Approximately 100 feet upstream of Hamburg Road	None	+56	Town of Lyme.
	Approximately 700 feet upstream of Hamburg Road	None	+57	
Four Mile River	Just upstream of railroad	+9	+10	Town of Old Lyme.
	Approximately 1,200 feet downstream of the	+9	+10	
	breached dam.			