

Rules and Regulations

Federal Register

Vol. 76, No. 105

Wednesday, June 1, 2011

This section of the FEDERAL REGISTER contains regulatory documents having general applicability and legal effect, most of which are keyed to and codified in the Code of Federal Regulations, which is published under 50 titles pursuant to 44 U.S.C. 1510.

The Code of Federal Regulations is sold by the Superintendent of Documents. Prices of new books are listed in the first FEDERAL REGISTER issue of each week.

FEDERAL RESERVE SYSTEM

12 CFR Part 202

[Regulation B; Docket No. R-1420]

Equal Credit Opportunity

AGENCY: Board of Governors of the Federal Reserve System.

ACTION: Final rule; technical amendment.

SUMMARY: The Board is publishing amendments to Regulation B (Equal Credit Opportunity Act) to update the address where questions should be directed concerning creditors for which the Federal Deposit Insurance Corporation administers compliance with the regulation.

DATES: *Effective Date:* July 1, 2011. Compliance is optional until May 31, 2012.

FOR FURTHER INFORMATION CONTACT: Jamie Z. Goodson or Priscilla Walton-Fein, Attorneys, Division of Consumer and Community Affairs, Board of Governors of the Federal Reserve System, at (202) 452-3667. For the users of Telecommunications Device for the Deaf ("TDD") only, contact (202) 263-4869.

SUPPLEMENTARY INFORMATION: The Equal Credit Opportunity Act (ECOA), 15 U.S.C. 1691-1691f, makes it unlawful for a creditor to discriminate against an applicant in any aspect of a credit transaction on the basis of the applicant's national origin, marital status, religion, sex, color, race, age (provided the applicant has the capacity to contract), receipt of public assistance benefits, or the good faith exercise of a right under the Consumer Credit Protection Act, 15 U.S.C. 1601 *et seq.* The ECOA is implemented by the Board's Regulation B.

In addition to the general prohibition against discrimination, Regulation B contains specific rules concerning the

taking and evaluation of credit applications, including procedures and notices for credit denials and other adverse actions. Under section 202.9 of Regulation B, notification given to an applicant when adverse action is taken must contain the name and address of the federal agency that administers compliance with respect to the creditor. Appendix A of Regulation B contains the names and addresses of the enforcement agencies where questions concerning a particular creditor shall be directed. This amendment updates the address for the Federal Deposit Insurance Corporation. Creditors for which the Federal Deposit Insurance Corporation administers compliance with Regulation B must include this new address on their adverse action notices starting May 31, 2012.

12 CFR Chapter II

List of Subjects in 12 CFR Part 202

Aged, Banks, Banking, Civil rights, Consumer protections, Credit, Discrimination, Federal Reserve System, Marital status discrimination, Penalties, Religious discrimination, Sex discrimination.

Authority and Issuance

For the reasons set forth in the preamble, the Board amends 12 CFR part 202 to read as set forth below:

PART 202—EQUAL CREDIT OPPORTUNITY ACT (REGULATION B)

- 1. The authority citation for part 202 continues to read as follows:

Authority: Section 15 U.S.C. 1691-1691f.

- 2. Appendix A is amended by removing the fourth paragraph and adding a new paragraph in its place to read as follows:

Appendix A to Part 202—Federal Enforcement Agencies

* * * * *

Nonmember Insured Banks and Insured State Branches of Foreign Banks: FDIC Consumer Response Center, 1100 Walnut Street, Box #11, Kansas City, MO 64106.

* * * * *

By order of the Board of Governors of the Federal Reserve System, acting through the

Secretary of the Board under delegated authority, May 25, 2011.

Jennifer J. Johnson,
Secretary of the Board.

[FR Doc. 2011-13430 Filed 5-31-11; 8:45 am]

BILLING CODE 6210-01-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 25

[Docket No. NM450; Special Conditions No. 25-430-SC]

Special Conditions: Boeing Model 747-8 Airplanes; Stairway Between the Main Deck and Upper Deck

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Final special conditions.

SUMMARY: These special conditions are issued for Boeing Model 747-8 airplanes. This airplane will have novel or unusual design features when compared to the state of technology envisioned in the airworthiness standards for transport category airplanes. These design features include a stairway between the main deck and upper deck. These special conditions contain the additional safety standards that the Administrator considers necessary to establish a level of safety equivalent to that established by the existing airworthiness standards. Additional special conditions will be issued for other novel or unusual design features of Boeing 747-8 airplanes.

DATES: *Effective Date:* July 1, 2011

FOR FURTHER INFORMATION CONTACT: Jayson Claar, FAA, Airframe and Cabin Safety Branch, ANM-115, Transport Airplane Directorate, Aircraft Certification Service, 1601 Lind Avenue, SW., Renton, Washington 98057-3356; telephone (425) 227-2194; facsimile (425) 227-1232.

SUPPLEMENTARY INFORMATION:

Background

On November 4, 2005, The Boeing Company, PO Box 3707, Seattle, WA, 98124, applied for an amendment to Type Certificate Number A20WE to include the new Model 747-8 series passenger airplane. The Model 747-8 is a derivative of the 747-400. The Model 747-8 is a four-engine jet transport

airplane that will have a maximum takeoff weight of 975,000 pounds, new General Electric GENx -2B67 engines, and the capacity to carry 605 passengers.

Type Certification Basis

Under the provisions of Title 14, Code of Federal Regulations (14 CFR) 21.101, Boeing must show that the Model 747-8 (hereafter referred as 747-8) meets the applicable provisions of part 25, Amendments 25-1 through 25-120, plus Amendment 25-127 for § 25.795(a), except for earlier amendments as agreed upon by the FAA. These regulations will be incorporated into Type Certificate No. A20WE after type certification approval of the 747-8.

In addition, the certification basis includes other regulations, special conditions, and exemptions that are not relevant to these special conditions. Type Certificate No. A20WE will be updated to include a complete description of the certification basis for these airplanes.

If the Administrator finds that the applicable airworthiness regulations (i.e., 14 CFR part 25) do not contain adequate or appropriate safety standards for the 747-8 because of a novel or unusual design feature, special conditions are prescribed under the provisions of § 21.16.

Special conditions are initially applicable to the model for which they are issued. Should the type certificate for that model be amended later to include any other model or series that incorporates the same or similar novel or unusual design feature, or should any other model or series already included on the same type certificate be modified to incorporate the same or similar novel or unusual design feature, the special conditions would also apply to the other model or series under § 21.101.

In addition to the applicable airworthiness regulations and special conditions, the 747-8 must comply with the fuel vent and exhaust emission requirements of 14 CFR part 34 and the noise certification requirements of 14 CFR part 36.

Special conditions, as defined in § 11.19, are issued under § 11.38, and become part of the type certification basis under § 21.101.

Novel or Unusual Design Features

The Boeing Model 747-8 will incorporate the following novel or unusual design features: The 747-8 design offers seating capacity on two separate decks, the main deck with a maximum passenger capacity of 495 and the upper deck with a maximum passenger capacity of 110. Occupants

can move between decks via a staircase located near door 2 on the main deck of the airplane in the forward part of the cabin. With large seating capacities on the main deck and upper deck of the 747-8, the stairway must be designed to support evacuation between decks of the airplane in an in-flight emergency.

Discussion

The regulations governing the certification of the 747-8 do not adequately address the certification requirements for a two-deck passenger airplane. The Airbus A380-800 and all of the earlier Boeing 747 passenger airplane models were certified with seating capacity on two separate decks. When the seating capacity of the upper deck of the Boeing 747 exceeded 24 passengers, the FAA issued Special Condition No. 25-61-NW-1 for a maximum seat capacity of 32 passengers on the upper deck for take-off and landing. A second set of special conditions, Special Condition No. 25-71-NW-3, was issued to include airplanes up to a maximum seating capacity of 45 passengers on the upper deck for take-off and landing. The second set of special conditions was modified to address airplanes with a maximum seating capacity of 110 passengers on the upper deck for take-off and landing. Special Conditions No. 25-326-SC for the Airbus A380-800 allowed a seating capacity on two separate decks: the main deck with a maximum passenger capacity of 542 and the upper deck with a maximum passenger capacity of 308. Although these previously issued special conditions for the A380-800 provided a starting point for developing the 747-8 special conditions, the 747-8 special conditions are specific to the unique aspects of this airplane's design.

The regulations do not adequately address a passenger airplane with separate decks for passenger occupancy, thus the FAA considers this to be a novel design. Therefore, the FAA has determined that special conditions, in addition to the requirements of §§ 25.803 and 25.811 through 25.813, are required to address the proposed design.

Discussion of Comments

Notice of proposed special conditions No. 25-11-08-SC for Boeing Model 747-8 airplanes was published in the **Federal Register** on March 18, 2011 (76 FR 14819). No comments were received and the special conditions are adopted as proposed.

Applicability

As discussed above, these special conditions are applicable to Boeing Model 747-8 airplanes. Should Boeing apply at a later date for a change to the type certificate to include another model incorporating the same novel or unusual design features, these special conditions would apply to that model as well.

Conclusion

This action affects only certain novel or unusual design features of Boeing Model 747-8 airplanes. It is not a rule of general applicability.

List of Subjects in 14 CFR Part 25

Aircraft, Aviation safety, Reporting and recordkeeping requirements.

The authority citation for these special conditions is as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701, 44702, 44704.

The Special Conditions

Accordingly, pursuant to the authority delegated to me by the Administrator, the following special conditions are issued as part of the type certification basis for Boeing Model 747-8 airplanes.

1. The stairway must have essentially straight route segments with a landing at each significant change in segment direction.

2. The stairway must have essentially rectangular treads.

3. With the airplane in level attitude and in each attitude resulting from the collapse of one or more legs of the landing gear, the stairway must have entrance, exit, and gradient characteristics that allow the upper deck passengers, with assistance from a crewmember, to merge with passengers on the main deck during an emergency evacuation and exit the airplane through a main deck exit. This must be shown by demonstration, tests, analysis, or any combination thereof.

4. The stairway must accommodate the carriage of an incapacitated occupant from the upper deck to the main deck. The crewmember procedures for such carriage must be established and included in the airplane flight manual.

5. The stairway must be located to provide occupants an adequate descent rate under probable emergency conditions, including a condition in which an occupant falls or is incapacitated while on the stairway.

6. The stairway must be designed and located to minimize damage to its structure during an emergency landing or ditching.

7. General illumination must be provided so, when measured along the center lines of each tread and landing, the illumination is not less than 0.05 foot-candle. This is in lieu of compliance with § 25.812(c), at Amendment 25–116.

8. Means must be provided to assist passengers in locating the stairway in dense smoke conditions as part of compliance with § 25.811(c), at Amendment 25–88.

9. An emergency exit sign meeting § 25.812(b)(1)(i), at Amendment 25–116, must be provided in the upper deck near the stairway visible to passengers approaching along the main aisle as required by § 25.811(d)(1), at Amendment 25–88.

10. Floor proximity lighting required by § 25.812(e), at Amendment 25–120, must be provided along the stairs.

11. When passengers occupy the upper deck, at least one flight attendant must also be present during taxi, take-off, and landing.

12. The stairway must have a handrail on at least one side to allow occupants to steady themselves during foreseeable conditions, including but not limited to, gear collapse on the ground and moderate turbulence in flight. The handrail(s) must be constructed so there is no obstruction on them that will cause the user to release his/her grip or hinder the continuous movement of the hands along the handrail. Handrail(s) must be terminated in a manner that will not interfere with occupants walking by or create a hazard (such as catching clothing). Boeing must demonstrate that the design can accommodate the stature of a fifth percentile female and a ninety-fifth percentile male.

13. The public address system must be intelligible in the stairway during all flight phases.

14. “No smoking” and “return to seat” signs must be installed and visible in the stairway both going up and down and at the stairway entrances.

Issued in Renton, Washington, on May 25, 2011.

Ali Bahrami,

*Manager, Transport Airplane Directorate,
Aircraft Certification Service.*

[FR Doc. 2011–13433 Filed 5–31–11; 8:45 am]

BILLING CODE 4910–13–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 25

[Docket No. NM439; Special Conditions No. 25–428–SC]

Special Conditions: Gulfstream Model GVI Airplane; Single-Occupant Side-Facing Seats

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Final special conditions.

SUMMARY: These special conditions are issued for the Gulfstream GVI airplane. This airplane will have a novel or unusual design feature(s) associated with single-occupant side-facing seats. The applicable airworthiness regulations do not contain adequate or appropriate safety standards for this design feature. These special conditions contain the additional safety standards that the Administrator considers necessary to establish a level of safety equivalent to that established by the existing airworthiness standards.

DATES: *Effective Date:* July 1, 2011.

FOR FURTHER INFORMATION CONTACT: Daniel Jacquet, FAA, Airframe/Cabin Safety Branch, ANM–115, Transport Standards Staff, Transport Airplane Directorate, Aircraft Certification Service, 1601 Lind Avenue, SW., Renton, Washington, 98057–3356; telephone (425) 227–2676; facsimile (425) 227–1320.

SUPPLEMENTARY INFORMATION:

Background

On March 29, 2005, Gulfstream Aerospace Corporation (hereafter referred to as “Gulfstream”) applied for an FAA type certificate for its new Gulfstream Model GVI passenger airplane. Gulfstream later applied for, and was granted, an extension of time for the type certificate, which changed the effective application date to September 28, 2006. The Gulfstream Model GVI airplane will be an all-new, two-engine jet transport airplane. The maximum takeoff weight will be 99,600 pounds, with a maximum passenger count of 19 passengers.

Type Certification Basis

Under provisions of Title 14, Code of Federal Regulations (14 CFR) 21.17, Gulfstream must show that the Gulfstream Model GVI airplane (hereafter referred to as “the GVI”) meets the applicable provisions of 14 CFR part 25, as amended by Amendments 25–1 through 25–119, 25–122, and 25–124. If the Administrator finds that the

applicable airworthiness regulations (i.e., 14 CFR part 25) do not contain adequate or appropriate safety standards for the GVI because of a novel or unusual design feature, special conditions are prescribed under the provisions of § 21.16.

Special conditions are initially applicable to the model for which they are issued. Should the type certificate for that model be amended later to include any other model that incorporates the same novel or unusual design features, the special conditions would also apply to the other model under provisions of § 21.101.

In addition to complying with the applicable airworthiness regulations and special conditions, the GVI must comply with the fuel vent and exhaust emission requirements of 14 CFR part 34 and the noise certification requirements of 14 CFR part 36. The FAA must also issue a finding of regulatory adequacy pursuant to section 611 of Public Law 92–574, the “Noise Control Act of 1972.”

The FAA issues special conditions, as defined in 14 CFR 11.19, in accordance with § 11.38, and they become part of the type certification basis under § 21.17(a)(2).

Novel or Unusual Design Features

The Gulfstream model GVI airplane will incorporate the following novel or unusual design feature: A single-occupant side-facing seat intended to be occupied during takeoff and landing.

Discussion

Section 25.785(b), requires that “each seat * * * at each station designated as occupiable during takeoff and landing must be designed so that a person making proper use of these facilities will not suffer serious injury in an emergency landing as a result of the inertia forces specified in §§ 25.561 and 25.562.” Additionally, § 25.562 requires dynamic testing of all seats occupied during takeoff and landing. The relative forces and injury mechanisms affecting the occupants of side-facing seats during an emergency landing are different from those of standard forward or aft facing seats. Therefore, the FAA has determined that, in addition to the requirements of part 21 and part 25, these special conditions are needed to address this seat installation.

Discussion of Comments

Notice of proposed special conditions No. 25–10–04–SC for Gulfstream GVI airplanes was published in the **Federal Register** on January 4, 2011 (76 FR 291). No comments were received and these