

Dated: August 1, 2011.

Ronald K. Lorentzen,

Deputy Assistant Secretary for Import Administration.

Appendix I

Discussion of the Issues

Comment 1: Whether the Application of Fact Available (FA)/Adverse Facts Available (AFA) Is Lawful.

Comment 2: Whether the Department's Circumvention Analysis Properly Addressed the Statutory Criteria.

Comment 3: Whether the Department's Use of FA/AFA Is Uncorroborated, Unreasonable and Punitive.

Comment 4: Whether the Remedy Imposed Is Lawful.

Comment 5: Whether the Assignment of the PRC-Wide Rate as AFA Is Appropriate.

[FR Doc. 2011-19921 Filed 8-4-11; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

International Trade Administration

[A-588-850, A-588-851, A-485-805]

Certain Large Diameter Carbon and Alloy Seamless Standard, Line and Pressure Pipe From Japan; Certain Small Diameter Carbon and Alloy Seamless Standard, Line and Pressure Pipe From Japan and Romania: Final Results of the Expedited Second Five-Year Sunset Reviews of the Antidumping Duty Orders

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

DATES: *Effective Date:* August 5, 2011.

SUMMARY: On April 1, 2011, the Department of Commerce ("Department") initiated the second sunset reviews of the antidumping duty orders on certain large diameter carbon and alloy seamless standard, line and pressure pipe ("large diameter pipe") from Japan and certain small diameter carbon and alloy seamless standard, line and pressure pipe ("small diameter pipe") from Japan and Romania. The Department has conducted expedited sunset reviews of these orders. As a result of these reviews, the Department finds that revocation of the antidumping duty orders would likely lead to a continuation or recurrence of dumping at the margins identified in the "Final Results of Review" section of this notice.

FOR FURTHER INFORMATION CONTACT:

Mary Kolberg, AD/CVD Operations, Office 1, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, NW.,

Washington, DC 20230; telephone (202) 482-1785.

SUPPLEMENTARY INFORMATION:

Background

On April 1, 2011, the Department published the notice of initiation of the second sunset reviews of the antidumping duty orders on large diameter pipe from Japan and small diameter pipe from Japan and Romania pursuant to section 751(c) of the Tariff Act of 1930, as amended ("the Act"). *See Initiation of Five-Year ("Sunset") Review*, 76 FR 18163 (April 1, 2011). The Department received a notice of intent to participate in each of these reviews from United States Steel Corporation ("Petitioner"), within the deadline specified in 19 CFR 351.218(d)(1)(i). Petitioner claimed interested party status for each of these reviews under section 771(9)(C) of the Act, as a manufacturer of the domestic-like product in the United States.

On May 2, 2011, the Department received a complete substantive response from Petitioner for each of the reviews within the deadline specified in 19 CFR 351.218(d)(3)(i). We received no substantive responses from any respondent interested parties. As a result, pursuant to section 751(c)(3)(B) of the Act and 19 CFR 351.218(e)(1)(ii)(C)(2), the Department conducted expedited sunset reviews of these antidumping duty orders.

Scope of the Orders

Large Diameter Pipe From Japan

The products covered by this order are large diameter seamless carbon and alloy (other than stainless) steel standard, line, and pressure pipes produced, or equivalent, to the American Society for Testing and Materials ("ASTM") A-53, ASTM A-106, ASTM A-333, ASTM A-334, ASTM A-589, ASTM A-795, and the American Petroleum Institute ("API") 5L specifications and meeting the physical parameters described below, regardless of application. The scope of this order also includes all other products used in standard, line, or pressure pipe applications and meeting the physical parameters described below, regardless of specification, with the exception of the exclusions discussed below. Specifically included within the scope of this order are seamless pipes greater than 4.5 inches (114.3 mm) up to and including 16 inches (406.4 mm) in outside diameter, regardless of wall-thickness, manufacturing process (hot finished or cold-drawn), end finish (plain end,

beveled end, upset end, threaded, or threaded and coupled), or surface finish.

The seamless pipes subject to this order are currently classifiable under the subheadings 7304.10.10.30, 7304.10.10.45, 7304.10.10.60, 7304.10.50.50, 7304.19.10.30, 7304.19.10.45, 7304.19.10.60, 7304.19.50.50, 7304.31.60.10, 7304.31.60.50, 7304.39.00.04, 7304.39.00.06, 7304.39.00.08, 7304.39.00.36, 7304.39.00.40, 7304.39.00.44, 7304.39.00.48, 7304.39.00.52, 7304.39.00.56, 7304.39.00.62, 7304.39.00.68, 7304.39.00.72, 7304.51.50.15, 7304.51.50.45, 7304.51.50.60, 7304.59.20.30, 7304.59.20.55, 7304.59.20.60, 7304.59.20.70, 7304.59.60.00, 7304.59.80.30, 7304.59.80.35, 7304.59.80.40, 7304.59.80.45, 7304.59.80.50, 7304.59.80.55, 7304.59.80.60, 7304.59.80.65, and 7304.59.80.70 of the Harmonized Tariff Schedule of the United States ("HTSUS").

Specifications, Characteristics, and Uses: Large diameter seamless pipe is used primarily for line applications such as oil, gas, or water pipeline, or utility distribution systems. Seamless pressure pipes are intended for the conveyance of water, steam, petrochemicals, chemicals, oil products, natural gas and other liquids and gasses in industrial piping systems. They may carry these substances at elevated pressures and temperatures and may be subject to the application of external heat. Seamless carbon steel pressure pipe meeting the ASTM A-106 standard may be used in temperatures of up to 1,000 degrees Fahrenheit, at various American Society of Mechanical Engineers ("ASME") code stress levels. Alloy pipes made to ASTM A-335 standard must be used if temperatures and stress levels exceed those allowed for ASTM A-106. Seamless pressure pipes sold in the United States are commonly produced to the ASTM A-106 standard. Seamless standard pipes are most commonly produced to the ASTM A-53 specification and generally are not intended for high temperature service.

They are intended for the low temperature and pressure conveyance of water, steam, natural gas, air and other liquids and gasses in plumbing and heating systems, air conditioning units, automatic sprinkler systems, and other related uses. Standard pipes (depending on type and code) may carry liquids at elevated temperatures but must not exceed relevant ASME code requirements. If exceptionally low temperature uses or conditions are anticipated, standard pipe may be

manufactured to ASTM A-333 or ASTM A-334 specifications.

Seamless line pipes are intended for the conveyance of oil and natural gas or other fluids in pipe lines. Seamless line pipes are produced to the API 5L specification. Seamless water well pipe (ASTM A-589) and seamless galvanized pipe for fire protection uses (ASTM A-795) are used for the conveyance of water.

Seamless pipes are commonly produced and certified to meet ASTM A-106, ASTM A-53, API 5L-B, and API 5L-X42 specifications. To avoid maintaining separate production runs and separate inventories, manufacturers typically triple or quadruple certify the pipes by meeting the metallurgical requirements and performing the required tests pursuant to the respective specifications. Since distributors sell the vast majority of this product, they can thereby maintain a single inventory to service all customers.

The primary application of ASTM A-106 pressure pipes and triple or quadruple certified pipes in large diameters is for use as oil and gas distribution lines for commercial applications. A more minor application for large diameter seamless pipes is for use in pressure piping systems by refineries, petrochemical plants, and chemical plants, as well as in power generation plants and in some oil field uses (on shore and off shore) such as for separator lines, gathering lines and metering runs. These applications constitute the majority of the market for the subject seamless pipes. However, ASTM A-106 pipes may be used in some boiler applications.

The scope of this order includes all seamless pipe meeting the physical parameters described above and produced to one of the specifications listed above, regardless of application, with the exception of the exclusions discussed below, whether or not also certified to a non-covered specification. Standard, line, and pressure applications and the above-listed specifications are defining characteristics of the scope of this review. Therefore, seamless pipes meeting the physical description above, but not produced to the ASTM A-53, ASTM A-106, ASTM A-333, ASTM A-334, ASTM A-589, ASTM A-795, and API 5L specifications shall be covered if used in a standard, line, or pressure application, with the exception of the specific exclusions discussed below.

For example, there are certain other ASTM specifications of pipe which, because of overlapping characteristics, could potentially be used in ASTM A-106 applications. These specifications

generally include ASTM A-161, ASTM A-192, ASTM A-210, ASTM A-252, ASTM A-501, ASTM A-523, ASTM A-524, and ASTM A-618. When such pipes are used in a standard, line, or pressure pipe application, such products are covered by the scope of this order.

Specifically excluded from the scope of this order are: A. Boiler tubing and mechanical tubing, if such products are not produced to ASTM A-53, ASTM A-106, ASTM A-333, ASTM A-334, ASTM A-589, ASTM A-795, and API 5L specifications and are not used in standard, line, or pressure pipe applications. B. Finished and unfinished oil country tubular goods ("OCTG"), if covered by the scope of another antidumping duty order from the same country. If not covered by such an OCTG order, finished and unfinished OCTG are included in this scope when used in standard, line or pressure applications. C. Products produced to the A-335 specification unless they are used in an application that would normally utilize ASTM A-53, ASTM A-106, ASTM A-333, ASTM A-334, ASTM A-589, ASTM A-795, and API 5L specifications. D. Line and riser pipe for deepwater application, *i.e.*, line and riser pipe that is (1) Used in a deepwater application, which means for use in water depths of 1,500 feet or more; (2) intended for use in and is actually used for a specific deepwater project; (3) rated for a specified minimum yield strength of not less than 60,000 psi; and (4) not identified or certified through the use of a monogram, stencil, or otherwise marked with an API specification (*e.g.*, API 5L).

With regard to the excluded products listed above, the Department will not instruct U.S. Customs and Border Protection ("CBP") to require end-use certification until such time as Petitioner or other interested parties provide to the Department a reasonable basis to believe or suspect that the products are being utilized in a covered application. If such information is provided, we will require end-use certification only for the product(s) (or specification(s)) for which evidence is provided that such products are being used in a covered application as described above. For example, if, based on evidence provided by Petitioner, the Department finds a reasonable basis to believe or suspect that seamless pipe produced to the A-335 specification is being used in an A-106 application, we will require end-use certifications for imports of that specification. Normally we will require only the importer of record to certify to the end use of the imported merchandise. If it later proves

necessary for adequate implementation, we may also require producers who export such products to the United States to provide such certification on invoices accompanying shipments to the United States.

Although the HTSUS subheadings are provided for convenience and customs purposes, our written description of the merchandise subject to this scope is dispositive.

Small Diameter Pipe From Japan and Romania

The products covered by these orders include small diameter seamless carbon and alloy (other than stainless) steel standard, line, and pressure pipes and redraw hollows produced, or equivalent, to the ASTM A-53, ASTM A-106, ASTM A-333, ASTM A-334, ASTM A-335, ASTM A-589, ASTM A-795, and the API 5L specifications and meeting the physical parameters described below, regardless of application. The scope of these orders also includes all products used in standard, line, or pressure pipe applications and meeting the physical parameters described below, regardless of specification. Specifically included within the scope of these orders are seamless pipes and redraw hollows, less than or equal to 4.5 inches (114.3 mm) in outside diameter, regardless of wall-thickness, manufacturing process (hot finished or cold-drawn), end finish (plain end, beveled end, upset end, threaded, or threaded and coupled), or surface finish.

The seamless pipes subject to these orders are currently classifiable under the subheadings 7304.10.10.20, 7304.10.50.20, 7304.19.10.20, 7304.19.50.20, 7304.31.30.00, 7304.31.60.50, 7304.39.00.16, 7304.39.00.20, 7304.39.00.24, 7304.39.00.28, 7304.39.00.32, 7304.51.50.05, 7304.51.50.60, 7304.59.60.00, 7304.59.80.10, 7304.59.80.15, 7304.59.80.20, and 7304.59.80.25 of the HTSUS.

Specifications, Characteristics, and Uses: Seamless pressure pipes are intended for the conveyance of water, steam, petrochemicals, chemicals, oil products, natural gas and other liquids and gasses in industrial piping systems. They may carry these substances at elevated pressures and temperatures and may be subject to the application of external heat. Seamless carbon steel pressure pipe meeting the ASTM A-106 standard may be used in temperatures of up to 1000 degrees Fahrenheit, at various ASME code stress levels. Alloy pipes made to ASTM A-335 standard must be used if temperatures and stress levels exceed those allowed for ASTM

A-106. Seamless pressure pipes sold in the United States are commonly produced to the ASTM A-106 standard.

Seamless standard pipes are most commonly produced to the ASTM A-53 specification and generally are not intended for high temperature service. They are intended for the low temperature and pressure conveyance of water, steam, natural gas, air and other liquids and gasses in plumbing and heating systems, air conditioning units, automatic sprinkler systems, and other related uses. Standard pipes (depending on type and code) may carry liquids at elevated temperatures but must not exceed relevant ASME code requirements. If exceptionally low temperature uses or conditions are anticipated, standard pipe may be manufactured to ASTM A-333 or ASTM A-334 specifications.

Seamless line pipes are intended for the conveyance of oil and natural gas or other fluids in pipe lines. Seamless line pipes are produced to the API 5L specification.

Seamless water well pipe (ASTM A-589) and seamless galvanized pipe for fire protection uses (ASTM A-795) are used for the conveyance of water.

Seamless pipes are commonly produced and certified to meet ASTM A-106, ASTM A-53, API 5L-B, and API 5L-X42 specifications. To avoid maintaining separate production runs and separate inventories, manufacturers typically triple or quadruple certify the pipes by meeting the metallurgical requirements and performing the required tests pursuant to the respective specifications. Since distributors sell the vast majority of this product, they can thereby maintain a single inventory to service all customers.

The primary application of ASTM A-106 pressure pipes and triple or quadruple certified pipes is in pressure piping systems by refineries, petrochemical plants, and chemical plants. Other applications are in power generation plants (electrical-fossil fuel or nuclear), and in some oil field uses (on shore and off shore) such as for separator lines, gathering lines and metering runs. A minor application of this product is for use as oil and gas distribution lines for commercial applications. These applications constitute the majority of the market for the subject seamless pipes. However, ASTM A-106 pipes may be used in some boiler applications.

Redraw hollows are any unfinished pipe or "hollow profiles" of carbon or alloy steel transformed by hot rolling or cold drawing/hydrostatic testing or other methods to enable the material to be sold under ASTM A-53, ASTM A-

106, ASTM A-333, ASTM A-334, ASTM A-335, ASTM A-589, ASTM A-795, and API 5L specifications.

The scope of these orders includes all seamless pipe meeting the physical parameters described above and produced to one of the specifications listed above, regardless of application, with the exception of the specific exclusions discussed below, and whether or not also certified to a non-covered specification. Standard, line, and pressure applications and the above-listed specifications are defining characteristics of the scope of the orders. Therefore, seamless pipes meeting the physical description above, but not produced to the ASTM A-53, ASTM A-106, ASTM A-333, ASTM A-334, ASTM A-335, ASTM A-589, ASTM A-795, and API 5L specifications shall be covered if used in a standard, line, or pressure application, with the exception of the specific exclusions discussed below.

For example, there are certain other ASTM specifications of pipe which, because of overlapping characteristics, could potentially be used in ASTM A-106 applications. These specifications generally include ASTM A-161, ASTM A-192, ASTM A-210, ASTM A-252, ASTM A-501, ASTM A-523, ASTM A-524, and ASTM A-618. When such pipes are used in a standard, line, or pressure pipe application, such products are covered by the scope of these orders.

Specifically excluded from the scope of these orders are boiler tubing and mechanical tubing, if such products are not produced to ASTM A-53, ASTM A-106, ASTM A-333, ASTM A-334, ASTM A-335, ASTM A-589, ASTM A-795, and API 5L specifications and are not used in standard, line, or pressure pipe applications. In addition, finished and unfinished OCTG are excluded from the scope of these orders, if covered by the scope of another antidumping duty order from the same country. If not covered by such an OCTG order, finished and unfinished OCTG are included in these scopes when used in standard, line or pressure applications.

With regard to the excluded products listed above, the Department will not instruct CBP to require end-use certification until such time as Petitioner or other interested parties provide to the Department a reasonable basis to believe or suspect that the products are being used in a covered application. If such information is provided, we will require end-use certification only for the product(s) (or specification(s)) for which evidence is provided that such products are being

used in covered applications as described above. For example, if, based on evidence provided by Petitioner, the Department finds a reasonable basis to believe or suspect that seamless pipe produced to the A-161 specification is being used in a standard, line or pressure application, we will require end-use certifications for imports of that specification. Normally we will require only the importer of record to certify to the end use of the imported merchandise. If it later proves necessary for adequate implementation, we may also require producers who export such products to the United States to provide such certification on invoices accompanying shipments to the United States.

Although the HTSUS subheadings are provided for convenience and customs purposes, our written description of the merchandise under these orders is dispositive.

Analysis of Comments Received

All issues raised in these reviews are addressed in the Issues and Decision Memorandum ("Decision Memorandum") from Christian Marsh, Deputy Assistant Secretary for Antidumping and Countervailing Duty Operations, to Ronald K. Lorentzen, Deputy Assistant Secretary for Import Administration, dated concurrently with this notice, which is hereby adopted by this notice. The issues discussed in the Decision Memorandum include the likelihood of continuation or recurrence of dumping and the magnitude of the margins likely to prevail if the orders were revoked. Parties can find a complete discussion of all issues raised in these reviews and the corresponding recommendations in this public memorandum, which is on file in the Central Records Unit in room 7046 of the main Commerce building.

In addition, a complete version of the Decision Memorandum can be accessed directly on the Internet at <http://ia.ita.doc.gov/frn>. The paper copy and electronic version of the Decision Memorandum are identical in content.

Final Results of Review

Pursuant to sections 752(c)(1) and (3) of the Act, we determine that revocation of the antidumping duty order on large diameter pipe from Japan and the antidumping orders on small diameter pipe from Japan and Romania would be likely to lead to continuation or recurrence of dumping at the following weighted-average percentage margins:

Manufacturers/producers/exporters	Margin (percent)
Large Diameter Pipe from Japan:	
Nippon Steel Corporation	107.80
Kawasaki Steel Corporation	107.80
Sumitomo Metal Industries, Ltd ..	107.80
All Others	68.88
Small Diameter Pipe from Japan:	
Nippon Steel Corporation	106.07
Kawasaki Steel Corporation	106.07
Sumitomo Metal Industries, Ltd ..	106.07
All Others	70.43
Small Diameter Pipe from Romania:	
Metal Business International S.R.L	11.08
S.C. Petrotub S.A	11.08
Sota Communication Company ..	15.15
S.C. Silcotub	15.15
All Others	13.06

This notice also serves as the only reminder to parties subject to administrative protective order (“APO”) of their responsibility concerning the return or destruction of proprietary information disclosed under APO in accordance with 19 CFR 351.305. Timely notification of the return or destruction of APO materials or conversion to judicial protective orders is hereby requested. Failure to comply with the regulations and terms of an APO is a violation which is subject to sanction.

We are issuing and publishing the final results and notice in accordance with sections 751(c), 752(c), and 777(i)(1) of the Act.

Dated: July 29, 2011.

Ronald K. Lorentzen,

Deputy Assistant Secretary for Import Administration.

[FR Doc. 2011-19933 Filed 8-4-11; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

International Trade Administration

[C-533-825]

Polyethylene Terephthalate Film, Sheet, and Strip From India: Preliminary Results of Countervailing Duty Administrative Review

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

SUMMARY: The Department of Commerce (the Department) is conducting an administrative review under the countervailing duty (CVD) order on polyethylene terephthalate film, sheet and strip (PET Film) from India. This review covers one respondent, Ester

Industries Ltd. (Ester), a producer and exporter of PET Film from India.

We preliminarily determine that Ester has benefitted from countervailable subsidies provided on the production and export of PET Film from India. See the “Preliminary Results of Administrative Review” section, below. If the final results remain the same as the preliminary results of this review, we intend to instruct U.S. Customs and Border Protection (CBP) to assess countervailing duties. Interested parties are invited to comment on the preliminary results of this administrative review. See the “Disclosure and Public Hearing” section of this notice, below.

DATES: *Effective Date:* August 5, 2011.

FOR FURTHER INFORMATION CONTACT: Toni Page or Elfi Blum, AD/CVD Operations, Office 6, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, NW., Washington, DC 20230; *telephone:* (202) 482-1398 or (202) 482-0197, respectively.

SUPPLEMENTARY INFORMATION:

Background

On July 1, 2002, the Department published in the **Federal Register** the CVD order on PET Film from India. See *Notice of Countervailing Duty Order: Polyethylene Terephthalate Film, Sheet, and Strip (PET Film) from India*, 67 FR 44179 (July 1, 2002). On July 1, 2010, the Department published a notice of opportunity to request an administrative review of the countervailing duty order on PET Film from India covering the period January 1, 2009, through December 31, 2009 (POR). See *Antidumping or Countervailing Duty Order, Finding, or Suspended Investigation; Opportunity To Request Administrative Review*, 75 FR 38074 (July 1, 2010). The Department received a request for review from the petitioners (Dupont Teijin Films, Mitsubishi Polyester Film, Inc., SKC, Inc., and Toray Plastics (America), Inc.) and two companies, Ester and SRF Limited. On August 31, 2010, the Department published a notice of initiation of administrative review with respect to Ester and SRF Limited. See *Initiation of Antidumping and Countervailing Duty Administrative Reviews and Deferral of Initiation of Administrative Review*, 75 FR 53274 (August 31, 2010). On October 1, 2010, SRF Limited withdrew its request for an administrative review. On July 7, 2011, the Department published a rescission, in part, with respect to SRF Limited. See *Polyethylene Terephthalate Film, Sheet and Strip*

From India: Rescission, in Part, of Countervailing Duty Administrative Review, 76 FR 39855 (July 7, 2011).

The Department issued the initial questionnaires to the Government of India (GOI), Ester, and SRF Limited on September 15, 2010. Ester submitted its questionnaire response on October 20, 2010, while the GOI submitted its questionnaire response on October 21, 2010. The Department issued its first supplemental questionnaires to the GOI and Ester on February 16, 2011. On March 11, 2011, Ester submitted its first supplemental questionnaire response. The GOI filed its first supplemental questionnaire response after the deadline established by the Department. Because the GOI missed the filing deadline and did not request a timely extension of the filing deadline, the Department rejected the GOI’s late filing and no further supplemental questionnaires have been sent to the GOI. The Department issued a second supplemental questionnaire to Ester on June 16, 2011 and received the company’s second supplemental questionnaire response on July 5, 2011.

On March 28, 2011, the Department extended the deadline for the preliminary results of the countervailing duty administrative review from April 2, 2011 to August 1, 2011. See *Polyethylene Terephthalate Film, Sheet, and Strip From India: Extension of Time Limit for Preliminary Results of Countervailing Duty Administrative Review*, 76 FR 18156 (April 1, 2011).

On July 20, 2011, petitioners filed pre-preliminary comments regarding Ester’s data.

Scope of the Order

The products covered by the countervailing duty order are all gauges of raw, pretreated, or primed Polyethylene Terephthalate Film, Sheet and Strip, whether extruded or coextruded. Excluded are metallized films and other finished films that have had at least one of their surfaces modified by the application of a performance-enhancing resinous or inorganic layer of more than 0.00001 inches thick. Imports of PET Film are currently classifiable in the Harmonized Tariff Schedule of the United States (HTSUS) under item number 3920.62.00.90. HTSUS subheadings are provided for convenience and customs purposes. The written description of the scope of the countervailing duty order is dispositive.

Period of Review

This countervailing duty administrative review covers the period