Flooding Source(s)	Location of referenced elevation **	(NG + Elevati (NA # Depth in gro ∧ Elevation	on in feet GVD) on in feet VD) feet above und n in meters SL)	Communities affected
		Effective	Modified	

Township of Manchester

Maps are available for inspection at the Manchester Township Municipal Building, 3881 Hancock Highway, Equinunk, PA 18417. Township of Oregon

Maps are available for inspection at the Oregon Township Municipal Building, 474 Fox Hill Road, Honesdale, PA 18431.

Township of Salem

Maps are available for inspection at the Salem Township Municipal Building, 3 Savitz Road, Moscow, PA 18444.

Township of Scott

Maps are available for inspection at the Scott Township Municipal Building, 197 Sherman Road, Susquehanna, PA 18847.

Township of South Canaan

Maps are available for inspection at the South Canaan Township Municipal Building, 46 Lake Quinn Road, Waymart, PA 18472. Township of Texas

Maps are available for inspection at the Texas Township Municipal Building, 320 Shady Lane, Honesdale, PA 18431.

(Catalog of Federal Domestic Assistance No. 97.022, "Flood Insurance.")

Dated: October 17, 2011.

Sandra K. Knight,

Deputy Associate Administrator for Mitigation, Department of Homeland Security, Federal Emergency Management Agency.

[FR Doc. 2011–29197 Filed 11–10–11; 8:45 am] BILLING CODE 9110–12–P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket ID FEMA-2011-0002; Internal Agency Docket No. FEMA-B-1229]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS. **ACTION:** Proposed rule.

SUMMARY: Comments are requested on the proposed Base (1% annual-chance) Flood Elevations (BFEs) and proposed BFE modifications for the communities listed in the table below. The purpose of this proposed rule is to seek general information and comment regarding the proposed regulatory flood elevations for the reach described by the downstream and upstream locations in the table below. The BFEs and modified BFEs are a part of the floodplain management measures that the community is required either to adopt or to show evidence of having in effect in order to qualify or remain qualified for participation in the National Flood

Insurance Program (NFIP). In addition, these elevations, once finalized, will be used by insurance agents and others to calculate appropriate flood insurance premium rates for new buildings and the contents in those buildings. **DATES:** Comments are to be submitted on or before February 13, 2012. **ADDRESSES:** The corresponding preliminary Flood Insurance Rate Map (FIRM) for the proposed BFEs for each community is available for inspection at the community's map repository. The respective addresses are listed in the

table below. You may submit comments, identified by Docket No. FEMA–B–1229, to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646–4064, or (email) Luis.Rodriguez3@fema.dhs.gov.

FOR FURTHER INFORMATION CONTACT: Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646–4064, or (email) Luis.Rodriguez3@fema.dhs.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA) proposes to make determinations of BFEs and modified BFEs for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required.

They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and also are used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in those buildings.

Comments on any aspect of the Flood Insurance Study and FIRM, other than the proposed BFEs, will be considered. A letter acknowledging receipt of any comments will not be sent.

National Environmental Policy Act. This proposed rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. An environmental impact assessment has not been prepared.

Regulatory Flexibility Act. As flood elevation determinations are not within the scope of the Regulatory Flexibility Act, 5 U.S.C. 601–612, a regulatory flexibility analysis is not required.

Executive Order 12866, Regulatory Planning and Review. This proposed rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866, as amended.

Executive Order 13132, Federalism. This proposed rule involves no policies that have federalism implications under Executive Order 13132.

Executive Order 12988, Civil Justice Reform. This proposed rule meets the

applicable standards of Executive Order 12988.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements. Accordingly, 44 CFR part 67 is proposed to be amended as follows:

PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.;* Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§67.4 [Amended]

2. The tables published under the authority of § 67.4 are proposed to be amended as follows:

State	City/town/ county	Source of flooding	Location **	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ∧ Elevation in meters (MSL)			
			Existing	Modified			
	City of Snyder, Oklahoma						
Oklahoma	City of Sny- der.	Tributary 1	Approximately 1,200 feet downstream of A Street.	None	+1347		
			Approximately 160 feet downstream of A Street.	None	+1348		
	City of Sny- der.	Tributary 2	Approximately 950 feet downstream of B Street to approximately 850 feet down- stream of B Street.	None	+1353		

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

A Mean Sea Level, rounded to the nearest 0.1 meter.

- **BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.
- Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472.

ADDRESSES

City of Snyder

Maps are available for inspection at City Hall, 721 E Street, Snyder, OK 73566.

Flooding source(s)	Location of referenced elevation **	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ∧ Elevation in meters (MSL)		Communities affected	
		Effective	Modified		
Cass County, Indiana, and Incorporated Areas					
Crooked Creek	Approximately 0.44 mile upstream of the	None	+569	Unincorporated Areas of Cass County.	

GIUUKEU GIEEK	Approximately 0.44 mile upstream of the	NONE	+509	Officulture Aleas of Cass County.
	Wabash River confluence.			
	Approximately 0.39 mile upstream of West	None	+636	
	County Road 100 North.			
Goose Creek	At the upstream side of Cliff Drive	None	+591	City of Logansport, Unincorporated Areas
				of Cass County.
	Approximately 200 feet upstream of Hum-	None	+598	
	phrey Boulevard.			
			1	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

A Mean Sea Level, rounded to the nearest 0.1 meter.

**BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472.

Flooding source(s)	Location of referenced elevation **	(NG + Elevation (NA # Depth in gro	on in feet aVD) on in feet VD) feet above und n in meters SL) Modified	Communities affected
		Ellective	woulled	

Maps are available for inspection at City Hall, 601 East Broadway Street, Room 303, Logansport, IN 46947.

Unincorporated Areas of Cass County

Maps are available for inspection at the Cass County Government Building, 200 Court Park, Logansport, IN 46947.

Harrison County, Indiana, and Incorporated Areas				
Blue River (backwater effects from Ohio River).	At the Ohio River confluence	None	+431	Unincorporated Areas of Harrison Coun- ty.
	Approximately 530 feet downstream of State Route 462.	None	+431	
Blue River	Approximately 1.7 miles downstream of Main Street.	None	+540	Unincorporated Areas of Harrison Coun- ty.
	Approximately 0.5 mile downstream of Main Street.	None	+545	
Blue River	Approximately 1,150 feet upstream of Nor- folk Southern Railway.	None	+551	Unincorporated Areas of Harrison Coun- ty.
	Approximately 0.77 mile upstream of Nor- folk Southern Railway.	None	+554	
Indian Creek Tributary 27.	Approximately 1,940 feet downstream of State Route 64.	None	+645	Unincorporated Areas of Harrison Coun- ty.
	Approximately 0.41 mile upstream of Private Drive #5755.	None	+699	
Ohio River	At the Meade County boundary	None	+431	Town of Mauckport.
	At the Jefferson County boundary	None	+446	Town of New Amsterdam, Unincor- porated Areas of Harrison County.

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

AMean Sea Level, rounded to the nearest 0.1 meter.

**BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472.

ADDRESSES

Town of Mauckport

Maps are available for inspection at the Harrison County Plan Commission, 245 Atwood Street Northeast, Suite 215, Corydon, IN 47112. Town of New Amsterdam

Maps are available for inspection at the Harrison County Plan Commission, 245 Atwood Street Northeast, Suite 215, Corydon, IN 47112. Unincorporated Areas of Harrison County

Maps are available for inspection at the Harrison County Plan Commission, 245 Atwood Street Northeast, Suite 215, Corydon, IN 47112.

Magoffin County, Kentucky, and Incorporated Areas

Beetree Branch (back- water effects from Licking River).	At the Licking River confluence	None	+956	Unincorporated Areas of Magoffin Coun- ty.
	Approximately 885 feet upstream of the Licking River confluence.	None	+956	
Big Half Mountain Creek (backwater effects from Licking River).	At the Licking River confluence	None	+901	Unincorporated Areas of Magoffin County
	Approximately 355 feet upstream of Clyde Holliday Cemetery Road.	None	+901	
Brushy Fork (backwater effects from Licking River).	At the Licking River confluence	None	+976	Unincorporated Areas of Magoffin Coun- ty.
	Approximately 865 feet upstream of the Licking River confluence.	None	+976	
Buck Branch (backwater effects from Licking River).	At the Licking River confluence	None	+932	Unincorporated Areas of Magoffin County.

-

Flooding source(s)	Location of referenced elevation **	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ∧ Elevation in meters (MSL) Effective Modified		Communities affected
	Approximately 1,615 feet upstream of the	None	+932	
Elk Creek (backwater effects from Licking	Licking River confluence. At the Licking River confluence	+846	+848	Unincorporated Areas of Magoffin County.
River).	Approximately 175 feet upstream of Combs	+846	+848	
Gardner Branch (back- water effects from Licking River).	Branch Road. At the Licking River confluence	+847	+849	Unincorporated Areas of Magoffin County.
Lioking river).	Approximately 615 feet upstream of	+847	+849	
Grape Creek (backwater effects from Licking	Connelly Farm Road. At the Licking River confluence	None	+828	Unincorporated Areas of Magoffin County.
River).	Approximately 0.7 mile upstream of the	None	+828	
Gun Creek (backwater effects from Licking	Licking River confluence. At the Licking River confluence	None	+890	Unincorporated Areas of Magoffin County.
River).	Approximately 700 feet upstream of State	None	+890	
Johnson Creek (back- water effects from	Highway 7. At the Licking River confluence	None	+829	Unincorporated Areas of Magoffin County.
Licking River).	Approximately 870 feet upstream of State	None	+829	
Left Fork Licking River (backwater effects from Licking River).	Highway 134. Approximately 0.8 mile upstream of Bert T. Combs Mountain Parkway.	+844	+846	Unincorporated Areas of Magoffin County.
nom Eloking Hivor).	Approximately 1,505 feet upstream of State Highway 3337.	+844	+846	
Lick Creek (backwater effects from Licking River).	At the Licking River confluence	None	+814	Unincorporated Areas of Magoffin County.
	Approximately 120 feet downstream of Hensley Road.	None	+814	
Licking River		None	+806	City of Salyersville, Unincorporated Areas of Magoffin County.
	Approximately 800 feet upstream of Quick- sand Fork Road.	None	+1014	
Licking River Arc 1	At the Licking River confluence	+847	+849	Unincorporated Areas of Magoffin County.
Licking River Arc 2	At the Licking River divergence At the Licking River confluence	+848 +850	+849 +852	City of Salyersville, Unincorporated Areas of Magoffin
	Approximately 1,935 feet downstream of	+851	+852	County.
Middle Fork Licking River (backwater ef- fects from Licking River).	Main Street. At the Licking River confluence	+844	+846	Unincorporated Areas of Magoffin County.
niver).	Approximately 0.8 mile upstream of Bert T.	+844	+846	
Oakley Creek (back- water effects from Licking River).	Combs Mountain Parkway. At the Licking River confluence	None	+883	Unincorporated Areas of Magoffin County.
	Approximately 1,140 feet upstream of State Highway 1635.	None	+883	
Pricy Creek (backwater effects from Licking River).	At the Licking River confluence	None	+808	Unincorporated Areas of Magoffin County.
· ··· · ····	Approximately 670 feet upstream of State Highway 3333.	None	+808	

Flooding source(s)	Location of referenced elevation **	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ∧ Elevation in meters (MSL)		(NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ∧ Elevation in meters (MSL)		Communities affected
		Effective	Modified			
Quicksand Fork (back- water effects from Licking River).	At the Licking River confluence	None	+1012	Unincorporated Areas of Magoffin County.		
3 3,	Approximately 360 feet upstream of Quick- sand Fork Road.	None	+1012			
Right Fork Buck Branch (backwater effects from Licking River).	At the Buck Branch confluence	None	+932	Unincorporated Areas of Magoffin County.		
	Approximately 95 feet downstream of Buck Creek Road.	None	+932			
Right Fork Licking River (backwater effects from Licking River).	Approximately 0.8 mile upstream of Bert T. Combs Mountain Parkway.	+844	+846	Unincorporated Areas of Magoffin County.		
	Approximately 1,670 feet upstream of Ghost Branch Road.	+844	+846			
Salt Lick Branch (back- water effects from Licking River).	At the Licking River confluence	None	+924	Unincorporated Areas of Magoffin County.		
	Approximately 0.6 mile upstream of State Highway 7.	None	+924			
Trace Fork (backwater effects from Licking River).	At the Licking River confluence	None	+943	Unincorporated Areas of Magoffin County.		
,	Approximately 1,410 feet upstream of the Licking River confluence.	None	+943			

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

∧Mean Sea Level, rounded to the nearest 0.1 meter.

**BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472.

ADDRESSES

City of Salyersville

Maps are available for inspection at City Hall, 315 East Maple Street, Salyersville, KY 41465. Unincorporated Areas of Magoffin County

Maps are available for inspection at the Magoffin County Courthouse, Judge's Office, 457 Parkway Drive, Salyersville, KY 41465.

Wayne County, West Virginia, and Incorporated Areas				
Big Sandy River	At the Ohio River confluence	+549	+550	Town of Fort Gay, Unincorporated Areas of Wayne County.
	At the Tug Fork confluence	+576	+575	
Mill Creek (backwater effects from Tug Fork).	From the Tug Fork confluence to approxi- mately 1.1 miles upstream of the Tug Fork confluence.	+577	+575	Town of Fort Gay.
Tug Fork	At the Big Sandy River confluence	+576	+575	Town of Fort Gay.
	Approximately 0.5 mile upstream of the Big Sandy River confluence.	+577	+575	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

∧Mean Sea Level, rounded to the nearest 0.1 meter.

**BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472. ADDRESSES

Town of Fort Gay

Maps are available for inspection at the Town Hall, 3407 Wayne Street, Fort Gay, WV 25514.

Flooding source(s)	Location of referenced elevation **	(NG + Elevatio (NA # Depth in gro	on in feet VD) feet above und n in meters	Communities affected
		Effective	Modified	

Unincorporated Areas of Wayne County

Maps are available for inspection at the Wayne County Courthouse, 700 Hendricks Street, Wayne, WV 25570.

	Marquette County, Wiscons	in, and Incorp	orated Areas	
Fox River	Approximately 1.8 miles downstream of State Highway 22.	+771	+770	City of Montello, Unincorporated Areas of Marguette County, Village of Endeavor.
	At the Columbia County boundary	+782	+779	
Montello River	Approximately 292 feet downstream of the State Highway 22 bridge.	+774	+771	City of Montello.
	At Montello Granite Company Dam	+787	+774	
Neenah Creek	At the most downstream Columbia County boundary.	+783	+782	Unincorporated Areas of Marquette County.
	At the most upstream Columbia County boundary.	+788	+789	-

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

∧Mean Sea Level, rounded to the nearest 0.1 meter.

**BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472.

City of Montello

ADDRESSES

Maps are available for inspection at 20 Underwood Avenue, Montello, WI 53949.

Unincorporated Areas of Marquette County

Maps are available for inspection at 77 West Park Street, Montello, WI 53949.

Village of Endeavor

Maps are available for inspection at 400 Church Street, Endeavor, WI 53930.

Sauk County, Wisconsin, and Incorporated Areas

		, ,		
Baraboo River	At the Columbia County boundary	+802	+804	City of Baraboo, City of Reedsburg, Unin- corporated Areas of Sauk County, Vil- lage of La Valle, Village of North Free- dom, Village of Rock Springs.
	At the Juneau County boundary	+910	+912	
Devil's Lake Tributary (backwater effects from Baraboo River).	At the Baraboo River confluence	+819	+820	City of Baraboo.
	Approximately 780 feet downstream of Old Lake Road.	+819	+820	
Hay Creek (backwater effects from Baraboo River).	Approximately 75 feet downstream of Coun- ty Highway V.	+881	+882	City of Reedsburg, Unincorporated Areas of Sauk County.
	Approximately 1,860 feet upstream of Coun- ty Highway V.	+881	+882	
Little Baraboo River (backwater effects from Baraboo River).	At the Baraboo River confluence	+892	+895	Unincorporated Areas of Sauk County Village of La Valle.
	Approximately 70 feet downstream of State Highway 58.	+892	+895	
Narrows Creek (back- water effects from Baraboo River).	At the Baraboo River confluence	+870	+872	Unincorporated Areas of Sauk County Village of Rock Springs.
	At the downstream side of State Highway 154.	+870	+872	
Plum Creek (backwater effects from Baraboo River).	At the Baraboo River confluence	+909	+912	Unincorporated Areas of Sauk County.
	Approximately 0.78 mile upstream of con- fluence with Baraboo River.	+911	+912	

Flooding source(s)	Location of referenced elevation **	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ∧ Elevation in meters (MSL)		Communities affected
		Effective	Modified	
Seeley Creek (back- water effects from Baraboo River).	At the Baraboo River confluence	+864	+865	Unincorporated Areas of Sauk County.
	Approximately 1,450 feet downstream of Freedom Road.	+864	+865	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

 $\ensuremath{\wedge}\xspace$ Mean Sea Level, rounded to the nearest 0.1 meter.

**BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472.

ADDRESSES

City of Baraboo

Maps are available for inspection at City Hall, 135 4th Street, Baraboo, WI 53913. **City of Reedsburg** Maps are available for inspection at City Hall, 134 South Locust Street, Reedsburg, WI 53959.

Unincorporated Areas of Sauk County

Maps are available for inspection at the West Square Building, 505 Broadway, Baraboo, WI 53913. Village of La Valle

Maps are available for inspection at the Village Hall, 103 West Main Street, La Valle, WI 53941. Village of North Freedom

Maps are available for inspection at the Village Hall, 103 North Maple Street, North Freedom, WI 53951.

Village of Rock Springs

Maps are available for inspection at the Village Hall, 101 1st Street, Rock Springs, WI 53961.

(Catalog of Federal Domestic Assistance No. 97.022, "Flood Insurance.")

Dated: October 28, 2011.

David L. Miller,

Associate Administrator, Federal Insurance and Mitigation Administration, Department of Homeland Security, Federal Emergency Management Agency.

[FR Doc. 2011–29337 Filed 11–10–11; 8:45 am] BILLING CODE 9110–12–P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket ID FEMA-2011-0002; Internal Agency Docket No. FEMA-B-1227]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS. **ACTION:** Proposed rule.

SUMMARY: Comments are requested on the proposed Base (1% annual-chance)

Flood Elevations (BFEs) and proposed BFE modifications for the communities listed in the table below. The purpose of this proposed rule is to seek general information and comment regarding the proposed regulatory flood elevations for the reach described by the downstream and upstream locations in the table below. The BFEs and modified BFEs are a part of the floodplain management measures that the community is required either to adopt or to show evidence of having in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP). In addition, these elevations, once finalized, will be used by insurance agents and others to calculate appropriate flood insurance premium rates for new buildings and the contents in those buildings.

DATES: Comments are to be submitted on or before February 13, 2012.

ADDRESSES: The corresponding preliminary Flood Insurance Rate Map (FIRM) for the proposed BFEs for each community is available for inspection at the community's map repository. The respective addresses are listed in the table below. You may submit comments, identified by Docket No. FEMA–B–1227, to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646–4064, or (email) Luis.Rodriguez3@fema.dhs.gov.

FOR FURTHER INFORMATION CONTACT: Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646–4064, or (email) Luis.Rodriguez3@fema.dhs.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA) proposes to make determinations of BFEs and modified BFEs for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean