CFR 180.910 pre- and post-harvest and 40 CFR 180.930 animal uses. The petitioner believes no analytical method is needed because it is not required for the establishment of a tolerance exemption for inert ingredients. Contact: Elizabeth Fertich, (703) 347–8560, email address: fertich.elizabeth@epa.gov.

3. *PP 2E8010.* (EPA–HQ–ÖPP–2012– 0461). Rhodia Inc., c/o SciReg, Inc., 12733 Director's Loop, Woodbridge, VA 22192, requests to establish an exemption from the requirement of a tolerance for residues of the methyl 5-(dimethylamino)-2-methyl-5oxopentanoate (CAS No. 1174627-68-9) and related reaction products, herein referred to as methyl 5-(dimethylamino)-2-methyl-5oxopentanoate, under 40 CFR 180.910 when used as a pesticide inert ingredient in pesticide formulations. Rhodia, is requesting that methyl 5-(dimethylamino)-2-methyl-5oxopentanoate be exempt from the requirement of a tolerance under 40 CFR 180.910. Therefore, Rhodia believes that an analytical method to determine residues in treated crops is not relevant. Contact: Mark Dow, (703) 305-5533, email address: dow.mark@epa.gov.

4. PP 2E8031. (EPA-HQ-OPP-2012-0469).Wellmark International, Central Life Sciences, 1501 East Woodfield Road, Suite 200 West, Schaumburg, IL 60173, requests to establish an exemption from the requirement of a tolerance for residues of diisopropyl adipate (CAS No. 6938-94-9) under 40 CFR 180.920 in or on all raw agricultural commodities when used as a pesticide inert ingredient in pesticide formulations applied pre-harvest, as a consequence of mosquito treatment in and around growing crops. Diisopropyl Adipate (DIPA) is currently used in nonfood pesticide formulations and is now proposed for use in pesticide formulations intended to control mosquitoes in agricultural areas where food crops may receive incidental exposure. The petitioner believes no analytical method is needed because it is not required for the establishment of a tolerance exemption for inert ingredients. Contact: David Lieu, (703) 305-0079, email address: lieu.david@epa.gov.

5. PP 2E8033. (EPA-HQ-OPP-2012-0456). H.B. Fuller Company, 1200 Willow Lake Boulevard, Saint Paul, MN 55101, requests to establish an inert ingredient low risk polymer exemption from the requirement of a tolerance for residues of 2-propenoic acid, 2-ethylhexyl ester, polymer with ethenylbenzene (8,900 amu) (CAS No. 25153-46-2) under 40 CFR 180.960 when used as a pesticide inert binder

ingredient for antimicrobial pesticide formulations. The petitioner believes no analytical method is needed because it is not required for the establishment of a tolerance exemption for inert ingredients. Contact: Mark Dow, (703) 305–5533, email address: dow.mark@epa.gov.

6. PP 2E8043. (EPA-HQ-OPP-2012-0491). Suterra LLC., 20950 NE. Talus Place, Bend, OR 97701, requests to establish an exemption from the requirement of a tolerance for residues of n-heptane (CAS No. 142-82-5) under 40 CFR 180.920 in or on raw agricultural commodities, when used as a pesticide inert ingredient in aerosol, pheromone mating disruption products only, and only in concentrations less than 40% of the total formulation, and applied to growing crops only. Suterra LLC., is applying for an exemption from the requirement of a tolerance for nheptane under 40 CFR 180.920. Therefore, no analytical method to analyze for n-heptane is enclosed with this petition. Contact: David Lieu, (703) 305-0079, email address: lieu.david@epa.gov.

7. PP 2F8001. (EPA-HQ-OPP-2012-0591). EcoSMART Technologies, Inc., 20 Mansell Road, Suite 375, Roswell, GA 30076, requests to establish an exemption from the requirement of a tolerance for residues of the biochemical pesticide 2-phenethyl propionate (2pep) (CAS No. 122-70-3) and its degradates phenethyl alcohol (PEA) (CAS No. 60-12-8) and propionic acid (CAS No. 79-09-4), in or on all food commodities. The petitioner believes no analytical method for residues is required because it is expected that, when used as proposed, 2-pep, and its degradates PEA and propionic acid, would not result in residues that are of toxicological concern. Contact: Cheryl Greene, (703) 308–0352, email address: greene.cheryl@epa.gov.

### **List of Subjects**

Environmental protection, Agricultural commodities, Feed additives, Food additives, Pesticides and pests, Reporting and recordkeeping requirements.

Dated: August 10, 2012.

#### Daniel J. Rosenblatt,

Acting Director, Registration Division, Office of Pesticide Programs.

[FR Doc. 2012-20655 Filed 8-21-12; 8:45 am]

BILLING CODE 6560-50-P

# DEPARTMENT OF HOMELAND SECURITY

# Federal Emergency Management Agency

# 44 CFR Part 67

[Docket ID FEMA-2010-0003; Internal Agency Docket No. FEMA-B-1127]

### Proposed Flood Elevation Determinations

**AGENCY:** Federal Emergency Management Agency, DHS. **ACTION:** Proposed rule; correction.

SUMMARY: On September 13, 2010, FEMA published in the Federal Register a proposed rule that contained an erroneous table. This notice provides corrections to that table, to be used in lieu of the information published at 75 FR 55515. The table provided here represents the flooding sources, location of referenced elevations, effective and modified elevations, and communities affected for Venango County, Pennsylvania. Specifically, it addresses the flooding sources Allegheny River, East Sandy Creek, and Sugar Creek.

on or before November 20, 2012.

ADDRESSES: You may submit comments, identified by Docket No. FEMA-B-1127, to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW.,

Washington, DC 20472, (202) 646-4064

or (email)
Luis.Rodriguez3@fema.dhs.gov.

FOR FURTHER INFORMATION CONTACT: Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646–4064 or (email) Luis.Rodriguez3@fema.dhs.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA) publishes proposed determinations of Base (1% annualchance) Flood Elevations (BFEs) and modified BFEs for communities participating in the National Flood Insurance Program (NFIP), in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are minimum requirements. They should not be construed to mean that the community must change any

existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and also are used to calculate the appropriate flood insurance premium rates for new

buildings built after these elevations are made final, and for the contents in those buildings.

### Correction

In the proposed rule published at 75 FR 55515, in the September 13, 2010, issue of the **Federal Register**, FEMA published a table under the authority of 44 CFR 67.4. The table, entitled "Venango County, Pennsylvania (All Jurisdictions)" addressed the flooding sources Allegheny River, East Sandy

Creek, and Sugar Creek. That table contained inaccurate information as to the location of referenced elevation, effective and modified elevation in feet, and/or communities affected for the flooding source Allegheny River. In this notice, FEMA is publishing a table containing the accurate information, to address these prior errors. The information provided below should be used in lieu of that previously published.

Flooding source(s)	Location of referenced elevation**	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL)		Communities affected			
		Effective	Modified				
Venango County, Pennsylvania (All Jurisdictions)							
Allegheny River	Approximately 860 feet upstream of I-80	None	+880	Borough of Emlenton, Township of Clinton, Township of Richland, Township of Rockland, Township of Scrubgrass, Township of Victory.			
	At the confluence of Sandy Creek	None	+949				
East Sandy Creek	Approximately 460 feet upstream of the confluence with the Allegheny River.	None	+961	Township of Rockland.			
	Approximately 1,000 feet upstream of the confluence with the Allegheny River.	None	+961				
Sugar Creek	Approximately 0.79 mile downstream of Bradleytown Road.	None	+1201	Township of Plum.			
	Approximately 0.78 mile downstream of Bradleytown Road.	None	+1201				

<sup>\*</sup> National Geodetic Vertical Datum.

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472.

## **ADDRESSES**

#### **Borough of Emlenton**

Maps are available for inspection at the Borough Building, 511 Hill Street, Emlenton, PA 16373.

# **Township of Clinton**

Maps are available for inspection at the Clinton Township Building, 123 Donaldson Road, Kennerdell, PA 16374.

#### **Township of Plum**

Maps are available for inspection at the Plum Township Building, 2360 Sunville Road, Cooperstown, PA 16317.

### Township of Richland

Maps are available for inspection at the Richland Township Building, 1740 Rockland Nickleville Road, Emlenton, PA 16373.

## Township of Rockland

Maps are available for inspection at the Rockland Township Building, 1115 Rockland Township Road, Kennerdell, PA 16374.

## **Township of Scrubgras**

Maps are available for inspection at the Scrubgrass Township Office, 4976 Emlenton-Clintonville Road, Emlenton, PA 16373.

# Township of Victory

Maps are available for inspection at the Victory Township Municipal Building, 2794 Old Route 8, Polk, PA 16342.

<sup>+</sup> North American Vertical Datum.

<sup>#</sup> Depth in feet above ground.

<sup>∧</sup> Mean Sea Level, rounded to the nearest 0.1 meter.

<sup>\*\*</sup>BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

(Catalog of Federal Domestic Assistance No. 97.022, "Flood Insurance.")

Dated: August 8, 2012.

#### Sandra K. Knight,

Deputy Associate Administrator for Mitigation, Department of Homeland Security, Federal Emergency Management Agency.

[FR Doc. 2012–20644 Filed 8–21–12; 8:45 am]

BILLING CODE 9110-12-P

# DEPARTMENT OF HOMELAND SECURITY

# Federal Emergency Management Agency

### 44 CFR Part 67

[Docket ID FEMA-2008-0020; Internal Agency Docket No. FEMA-B-1104]

## Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS. ACTION: Proposed rule; correction.

**SUMMARY:** On May 25, 2010, FEMA published in the **Federal Register** a proposed rule that contained an erroneous table. This notice provides corrections to that table, to be used in lieu of the information published at 75 FR 29246. The table provided here represents the flooding sources, location of referenced elevations, effective and modified elevations, and communities

affected for Erie County, Pennsylvania (All Jurisdictions). Specifically, it addresses the flooding sources Fourmile Creek and Lake Erie.

**DATES:** Comments are to be submitted on or before November 20, 2012.

ADDRESSES: You may submit comments, identified by Docket No. FEMA-B-1104, to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-4064 or (email)

Luis.Rodriguez3@fema.dhs.gov.

FOR FURTHER INFORMATION CONTACT: Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646–4064 or (email) Luis.Rodriguez3@fema.dhs.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA) publishes proposed determinations of Base (1% annualchance) Flood Elevations (BFEs) and modified BFEs for communities participating in the National Flood Insurance Program (NFIP), in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR

60.3, are minimum requirements. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and also are used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in those buildings.

### Correction

In the proposed rule published at 75 FR 29246, in the May 25, 2010, issue of the Federal Register, FEMA published a table under the authority of 44 CFR 67.4. The table, entitled "Erie County, Pennsylvania (All Jurisdictions)" addressed the flooding sources Fourmile Creek and Lake Erie. That table contained inaccurate information as to the location of referenced elevation, effective and modified elevation in feet, and/or communities affected for Lake Erie. In this notice, FEMA is publishing a table containing the accurate information, to address these prior errors. The information provided below should be used in lieu of that previously published.

Flooding source(s)	Location of referenced elevation **	*Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL)		Communities affected			
		Effective	Modified				
Erie County, Pennsylvania (All Jurisdiction)							
Fourmile Creek	Approximately 735 feet downstream of Access Road	None	+577	Township of Harborcreek, Township of Lawrence Park.			
	Approximately 745 feet downstream of Buffalo Road	None	+688				
	Approximately 485 feet downstream of Buffalo Road	None	+693				
	Approximately 400 feet upstream of Mindi Court	None	+770				
Lake Erie	Entire coastline in the Commonwealth of Pennsylvania.	None	+577	Borough of Lake City, Township of Girard, Township of Harborcreek, Township of North East.			

<sup>\*</sup> National Geodetic Vertical Datum.

<sup>+</sup> North American Vertical Datum.

<sup>#</sup> Depth in feet above ground.

A Mean Sea Level, rounded to the nearest 0.1 meter.

<sup>\*\*</sup>BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.