

without change, including any personal identifiers, contact information, or other personal information provided, to <http://www.regulations.gov>. Do not submit confidential business information, trade secret information, or other sensitive or protected information electronically. Such information should be submitted in writing.

*Docket:* For access to the docket to read background documents or comments received, go to <http://www.regulations.gov>.

**FOR FURTHER INFORMATION CONTACT:** For further information contact: Robert H. Squibb, Consumer Product Safety Commission, 4330 East West Highway, Bethesda, MD 20814; (301) 504-7815, or by email to: [rsquibb@cpsc.gov](mailto:rsquibb@cpsc.gov).

**SUPPLEMENTARY INFORMATION:** In 1990, Congress enacted legislation, under provisions of the Consumer Product Safety Act (CPSA) (15 U.S.C. 2051 et seq.), requiring that residential garage door operators comply with the provisions of a standard published by Underwriters Laboratories (UL) to protect against entrapment. The entrapment protection requirements of UL Standard 325 are codified into the Safety Standard for Automatic Residential Garage Door Operators, 16 CFR Part 1211. Automatic residential garage door operators must comply with the latest edition of the Commission's regulations at 16 CFR part 1211.

OMB approved the collection of information concerning the Safety Standard for Automatic Residential Garage Door Operators under control number 3041-0125. OMB's most recent approval will expire on December 31, 2012. The Commission now proposes to request an extension of approval of this collection of information.

#### A. Certification Requirements

Section 203 of Public Law 101-608 requires that UL Standard 325 shall be considered to be a consumer product safety standard under section 9 of the CPSA (15 U.S.C. 2058). The Commission's regulations provide that manufacturers and importers of automatic residential garage door operators subject to the safety standard shall issue certificates of compliance. 16 CFR 1112.20. Section 14(b) of the CPSA (15 U.S.C. 2063(b)) authorizes the Commission to issue regulations to prescribe a reasonable testing program to support certificates of compliance with a consumer product safety standard under the CPSA or similar rule, ban, standard, or regulation under any other act enforced by the Commission. Section 16(b) of the CPSA (15 U.S.C 2065(b)) authorizes the

Commission to issue rules to require that firms "establish and maintain" records to permit the Commission to determine compliance with rules issued under the authority of the CPSA.

On December 22, 1992, the Commission issued rules prescribing requirements for a reasonable testing program to support certificates of compliance with the Safety Standard for Automatic Residential Garage Door Operators (57 FR 60449). These regulations also require manufacturers, importers, and private labelers of residential garage door operators to establish and maintain records to demonstrate compliance with the requirements for testing to support certification of compliance. 16 CFR Part 1211, Subparts B and C. The Commission uses the information compiled and maintained by manufacturers and importers of residential garage door operators to protect consumers from risks of death and injury resulting from entrapment accidents associated with garage door operators. More specifically, the Commission uses this information to determine whether the products produced and imported by those firms comply with the standard. The Commission also uses this information to facilitate corrective action if any residential garage door operators fail to comply with the standard in a manner that creates a substantial risk of injury to the public.

#### B. Estimated Burden

Commission staff estimates that about 23 firms are subject to the testing and recordkeeping requirements of the certification regulations. Staff estimates that each respondent will spend 40 hours annually on the collection of information, for a total of about 920 hours. The estimated total annual cost to industry is approximately \$25,429, based on 920 hours × \$27.64 (Bureau of Labor Statistics, total compensation for all sales and office workers in goods-producing private industries: <http://www.bls.gov/ncs>).

Commission staff will expend approximately 6 staff months reviewing records required to be maintained for automatic residential garage door operators. The annual cost to the federal government of the collection of information in these regulations is estimated to be \$86,031. This estimate uses an annual total compensation of \$119,238 (the equivalent of a GS-14 step 5 employee, with an additional 30.7 percent added for benefits.)

#### C. Request for Comments

The Commission solicits written comments from all interested persons about the proposed collection of information. The Commission specifically solicits information relevant to the following topics:

- Whether the collection of information described above is necessary for the proper performance of the Commission's functions, including whether the information would have practical utility;
- Whether the estimated burden of the proposed collection of information is accurate;
- Whether the quality, utility, and clarity of the information to be collected could be enhanced; and
- Whether the burden imposed by the collection of information could be minimized by use of automated, electronic, or other technological collection techniques, or other forms of information technology.

Dated: October 1, 2012.

**Todd A. Stevenson,**

*Secretary, Consumer Product Safety Commission.*

[FR Doc. 2012-24487 Filed 10-3-12; 8:45 am]

**BILLING CODE 6355-01-P**

## DEPARTMENT OF DEFENSE

### Department of the Navy

#### Record of Decision for the U.S. Marine Corps Basewide Water Infrastructure Project at Marine Corps Base Camp Pendleton, California

**AGENCY:** Department of the Navy, DoD.

**ACTION:** Notice of record of decision.

**SUMMARY:** Pursuant to Section 102(2)(c) of the National Environmental Policy Act (NEPA) of 1969, 42 United States Code (U.S.C.) Section 4332(2)(c), the regulations of the Council on Environmental Quality for Implementing the Procedural Provisions of NEPA (40 Code of Federal Regulations [CFR] parts 1500-1508), the Department of the Navy (DoN) NEPA regulations (32 CFR part 775), and the Marine Corps Environmental Compliance and Protection Manual (Marine Corps Order P5090.2A, Change 2), the DoN announces its decision to upgrade and improve the Basewide water infrastructure at Marine Corps Base Camp Pendleton, California (MCBCP). More specifically, the DoN has decided to implement Alternative 5, the Preferred Alternative of the Basewide Water Infrastructure Improvements Final Environmental

Impact Statement (EIS), which entails two separate projects to construct, operate, and maintain water infrastructure upgrades, expansions, and improvements at MCBCP. These potable water infrastructure improvements will include construction, operation, and maintenance of a new Northern Advanced Water Treatment plant and associated facilities, an effluent discharge system, and connection of the MCBCP northern and southern water systems. All practical means to avoid or minimize environmental impacts resulting from implementation of the Preferred Alternative have been adopted.

**SUPPLEMENTARY INFORMATION:** The complete text of the Record of Decision is available for public viewing on the project Web site at <http://www.marines.mil/unit/basecamppendleton/Pages/BaseStaffandAgencies/Environmental/EAEIS/Home.aspx> along with the Final Environmental Impact Statement (EIS). For further information, contact Mr. Jesse Martinez, EIS Project Manager, 1220 Pacific Highway, San Diego, California 92132-5190, 619-532-3844 or [jesse.w.martinez1@navy.mil](mailto:jesse.w.martinez1@navy.mil).

Dated: September 25, 2012.

**D.G. Zimmerman,**

*Lieutenant Commander, Office of the Judge Advocate General, U.S. Navy, Federal Register Liaison Officer.*

[FR Doc. 2012-24481 Filed 10-3-12; 8:45 am]

**BILLING CODE 3810-FF-P**

**DEPARTMENT OF ENERGY**

**Environmental Management Site-Specific Advisory Board, Savannah River Site**

**AGENCY:** Department of Energy.

**ACTION:** Notice of open meeting.

**SUMMARY:** This notice announces a meeting of the Environmental Management Site-Specific Advisory Board (EM SSAB), Savannah River Site. The Federal Advisory Committee Act (Pub. L. 92-463, 86 Stat. 770) requires that public notice of this meeting be announced in the **Federal Register**.

**DATES:** Monday, October 29, 2012, 1:00 p.m.–5:00 p.m.; Tuesday, October 30, 2012, 8:30 a.m.–4:30 p.m.

**ADDRESSES:** Hilton Garden Inn, 1065 Stevens Creek Road, Augusta, GA 30907.

**FOR FURTHER INFORMATION CONTACT:** Gerri Flemming, Office of External Affairs, Department of Energy,

Savannah River Operations Office, P.O. Box A, Aiken, SC 29802; Phone: (803) 952-7886.

**SUPPLEMENTARY INFORMATION:** *Purpose of the Board:* The purpose of the Board is to make recommendations to DOE-EM and site management in the areas of environmental restoration, waste management, and related activities.

**Tentative Agenda**

*Monday, October 29, 2012*

1:00 p.m. Combined Committees Session

5:00 p.m. Adjourn

*Tuesday, October 30, 2012*

8:30 a.m. Approval of Minutes, Agency Updates

Public Comment Session

Waste Management Committee Update

Nuclear Materials Committee Report

Public Comment Session

12:30 p.m. Lunch Break

1:30 p.m. Facilities Disposition and Site Remediation Committee Update

Strategic and Legacy Management Committee Report

Administrative Committee Report

Public Comment Session

4:30 p.m. Adjourn

*Public Participation:* The EM SSAB, Savannah River Site, welcomes the attendance of the public at its advisory committee meetings and will make every effort to accommodate persons with physical disabilities or special needs. If you require special accommodations due to a disability, please contact Gerri Flemming at least seven days in advance of the meeting at the phone number listed above. Written statements may be filed with the Board either before or after the meeting. Individuals who wish to make oral statements pertaining to agenda items should contact Gerri Flemming's office at the address or telephone listed above. Requests must be received five days prior to the meeting and reasonable provision will be made to include the presentation in the agenda. The Deputy Designated Federal Officer is empowered to conduct the meeting in a fashion that will facilitate the orderly conduct of business. Individuals wishing to make public comments will be provided a maximum of five minutes to present their comments.

*Minutes:* Minutes will be available by writing or calling Gerri Flemming at the address or phone number listed above. Minutes will also be available at the following Web site: <http://cab.srs.gov/srs-cab.html>.

Issued at Washington, DC, on September 28, 2012.

**LaTanya R. Butler,**

*Acting Deputy Committee Management Officer.*

[FR Doc. 2012-24483 Filed 10-3-12; 8:45 am]

**BILLING CODE 6450-01-P**

**DEPARTMENT OF ENERGY**

**Office of Energy Efficiency and Renewable Energy**

[Case No. RF-022]

**Decision and Order Granting a Waiver to Sanyo From the Department of Energy Residential Refrigerator and Refrigerator-Freezer Test Procedures; Correction**

**AGENCY:** Office of Energy Efficiency and Renewable Energy, Department of Energy.

**ACTION:** Notice of correction.

**SUMMARY:** The U.S. Department of Energy (DOE) published a decision and order (Case No. RF-022) in the **Federal Register** on August 16, 2012 (77 FR 49443) that grants Sanyo E&E Corporation (Sanyo) a waiver from the DOE electric refrigerator and refrigerator-freezer test procedures for determining the energy consumption of residential refrigerator-freezers for the basic models set forth in its petition for waiver. This Notice of Correction includes information that was inadvertently omitted from the decision and order which was contained in the petition for waiver pertaining to a correction factor which is needed to calculate the energy efficiency. This information was included in the petition for waiver published in the **Federal Register** on April 2, 2012 (77 FR 19654).

**DATES:** This Notice of Correction is effective October 4, 2012.

**FOR FURTHER INFORMATION CONTACT:**

Mr. Bryan Berringer, U.S. Department of Energy, Building Technologies Program, Mailstop EE-2J, 1000 Independence Avenue SW., Washington, DC 20585-0121. Telephone: (202) 586-0371, Email: [Bryan.Berringer@ee.doe.gov](mailto:Bryan.Berringer@ee.doe.gov).

Ms. Elizabeth Kohl, U.S. Department of Energy, Office of the General Counsel, Mail Stop GC-71, 1000 Independence Avenue SW., Washington, DC 20585-0103, (202) 586-7796, Email: [Elizabeth.Kohl@hq.doe.gov](mailto:Elizabeth.Kohl@hq.doe.gov).

**Correction**

In FR Doc. 2012-20125 published in the **Federal Register** on August 16, 2012