

DEPARTMENT OF JUSTICE**Drug Enforcement Administration****[Docket No. DEA-361]****Exempt Chemical Preparations Under the Controlled Substances Act****AGENCY:** Drug Enforcement Administration (DEA), Department of Justice.**ACTION:** Order with opportunity for comment.**SUMMARY:** The applications for exempt chemical preparations received by DEA between June 12, 2011, and June 30, 2012, as listed below, were accepted for filing and have been approved or denied as indicated.**DATES:** Electronic comments must be submitted and written comments must be postmarked on or before March 25, 2013. Commenters should be aware that the electronic Federal Docket Management System will not accept comments after midnight Eastern Time on the last day of the comment period.**ADDRESSES:** To ensure proper handling of comments, please reference "Docket No. DEA-361" on all electronic and written correspondence. DEA encourages that all comments be submitted electronically through <http://www.regulations.gov> using the electronic comment form provided on that site. An electronic copy of this document is also available at the <http://www.regulations.gov> Web site for easy reference. Paper comments that duplicate the electronic submission are not necessary as all comments submitted to www.regulations.gov will be posted for public review and are part of the official docket record. Written comments submitted via regular or express mail should be sent to the Drug Enforcement Administration, Attention: DEA Federal Register Representative/ODL, 8701 Morrisette Drive, Springfield, Virginia 22152.**FOR FURTHER INFORMATION CONTACT:** John W. Partridge, Executive Assistant, Office of Diversion Control, Drug Enforcement Administration; Mailing Address: 8701 Morrisette Drive, Springfield, Virginia 22152. Telephone: (202) 307-7165.**SUPPLEMENTARY INFORMATION:****Posting of Public Comments**

Please note that all comments received are considered part of the public record and made available for public inspection online at <http://www.regulations.gov> and in the DEA's public docket. Such information includes personal identifying information (such as your name,

address, etc.) voluntarily submitted by the commenter.

If you want to submit personal identifying information (such as your name, address, etc.) as part of your comment, but do not want it to be posted online or made available in the public docket, you must include the phrase "PERSONAL IDENTIFYING INFORMATION" in the first paragraph of your comment. You must also place all the personal identifying information you do not want posted online or made available in the public docket in the first paragraph of your comment and identify what information you want redacted.

If you want to submit confidential business information as part of your comment, but do not want it to be posted online or made available in the public docket, you must include the phrase "CONFIDENTIAL BUSINESS INFORMATION" in the first paragraph of your comment. You must also prominently identify confidential business information to be redacted within the comment. If a comment has so much confidential business information that it cannot be effectively redacted, all or part of that comment may not be posted online or made available in the public docket.

Personal identifying information and confidential business information identified and located as set forth above will be redacted, and the comment, in redacted form, will be posted online and placed in DEA's public docket file. Please note that the Freedom of Information Act applies to all comments received. If you wish to inspect the agency's public docket file in person by appointment, please see the **FOR FURTHER INFORMATION CONTACT** paragraph.

SUPPLEMENTARY INFORMATION:**Legal Authority**

DEA implements and enforces Titles II and III of the Comprehensive Drug Abuse Prevention and Control Act of 1970, often referred to as the Controlled Substances Act and the Controlled Substances Import and Export Act (codified at Title 21, Chapter 13 of the U.S.C.), as amended (hereinafter, "CSA"). DEA drafts and publishes the implementing regulations for these statutes in Title 21 of the Code of Federal Regulations (CFR), parts 1300 to 1321. The CSA and its implementing regulations are designed to prevent, detect, and eliminate the diversion of controlled substances and listed chemicals into the illicit market while providing for a sufficient supply of controlled substances and listed chemicals for legitimate medical, scientific, research, and industrial

purposes. Controlled substances have the potential for abuse and dependence and are controlled to protect the public health and safety.

Section 201 of the CSA (21 U.S.C. 811) authorizes the Attorney General, by regulation, to exempt from certain provisions of the CSA certain compounds, mixtures, or preparations containing a controlled substance, if he finds that such compounds, mixtures, or preparations meet the requirements detailed in 21 U.S.C. 811(g)(3)(B).¹ DEA regulations at 21 CFR 1308.23 and 1308.24 further detail the criteria by which the DEA Deputy Assistant Administrator may exempt a chemical preparation or mixture from the application of certain provisions of the CSA. The Deputy Assistant Administrator may, pursuant to 21 CFR 1308.23(f), modify or revoke the criteria by which exemptions are granted and modify the scope of exemptions at any time.

Exempt Chemical Preparation Applications Submitted Between June 12, 2011, and June 30, 2012

The Deputy Assistant Administrator received applications between June 12, 2011, and June 30, 2012, requesting exempt chemical preparation status pursuant to 21 CFR 1308.23. Pursuant to the criteria stated in 21 U.S.C. 811(g)(3)(B) and in 21 CFR 1308.23, the Deputy Assistant Administrator has found that each of the compounds, mixtures, and preparations described in Chart I below is intended for laboratory, industrial, educational, or special research purposes and not for general administration to a human being or other animal and either: (1) Contains no narcotic controlled substance and is packaged in such a form or concentration that the packaged quantity does not present any significant potential for abuse; or (2) contains either a narcotic or non-narcotic controlled substance and one or more adulterating or denaturing agents in such a manner, combination, quantity, proportion, or concentration that the preparation or mixture does not present any potential for abuse; if the preparation or mixture contains a narcotic controlled substance, it must be formulated in such a manner that it incorporates methods of denaturing or other means so that the preparation or mixture is not liable to be abused or have ill effects if abused, and so that the

¹ This authority has been delegated from the Attorney General to the Administrator of the DEA by 28 CFR 0.100 and subsequently redelegated to the Deputy Assistant Administrator pursuant to the Appendix to Subpart R of 28 CFR 0.104.

narcotic substance cannot in practice be removed.

Accordingly, pursuant to 21 U.S.C. 811(g)(3)(B), 21 CFR 1308.23, and 21 CFR 1308.24, the Deputy Assistant Administrator has determined that each of the chemical preparations or mixtures

generally described in Chart I below and specifically described in the application materials received by DEA, are exempt from application of sections 302, 303, 305, 306, 307, 308, 309, 1002, 1003, and 1004 (21 U.S.C. 822–823, 825–829, and

952–954) of the CSA and from application of 21 CFR 1301.74, to the extent described in 21 CFR 1308.24, as of the date listed below that was provided in the approval letters to the individual requesters.

CHART I

Supplier	Product name	Form	Exemption date
Abbott Laboratories	ARCHITECT 2nd Generation Testosterone Calibrators (B,C,D,E,F).	Bottle: 4 mL; Box: 6 bottles	12/22/2011
Abbott Laboratories	ARCHITECT 2nd Generation Testosterone Controls (L,M,H).	Bottle: 8 mL; Box: 3 bottles	12/22/2011
Abbott Laboratories	ARCHITECT Estradiol Assay Diluent, No. 2K25J	Bag-in-box: 18–200 L; Flask/Carboy: 1–50 L; Bottle/Vial: 0.5 mL–1 L; Box: 1–50 bottles.	12/22/2011
Abbott Laboratories	ARCHITECT Estradiol Assay Diluent, No. 7K72J	Bottle: 5.9 mL	12/22/2011
Abbott Laboratories	ARCHITECT Estradiol Reagent Kit, No. 07K72–20.	Bottle: 5.9 mL; Kit: 16 bottles	12/22/2011
Abbott Laboratories	ARCHITECT Estradiol Reagent Kit, No. 07K72–25.	Bottle: 5.9 mL; Kit: 4 bottles	12/22/2011
Abbott Laboratories	ARCHITECT Estradiol Reagent Kit, No. 2K25–20	Bottle: 5.9 mL; Kit: 16 bottles	12/22/2011
Abbott Laboratories	ARCHITECT Estradiol Reagent Kit, No. 2K25–25	Bottle: 5.9 mL; Kit: 4 bottles	12/22/2011
Abbott Laboratories	AxSYM Estradiol Buffer	Flask/Carboy: 1–50 L; Bottle/Vial: 0.5 mL–1 L; Box: 1–50 bottles.	12/22/2011
Abbott Laboratories	AxSYM Estradiol Reagent Pack	Bottle: 5.5 mL, Pack: 4 bottles	12/22/2011
Agilent Technologies	Special Order Standard TOXI-LAB DISCS; 1, 2, or 3 drugs.	Plastic Vial: 50 discs	12/22/2011
Agilent Technologies	Special Procedure Standard TOXI-LAB DISCS: Benzodiazepines: Hydrolysis Procedure.	Plastic Vial: 50 discs	12/22/2011
Agilent Technologies	Special Procedure Standard TOXI-LAB DISCS: Benzoylcegonine.	Plastic Vial: 50 discs	12/22/2011
Agilent Technologies	Special Procedure Standard TOXI-LAB DISCS: MDMA, MDA, MDEA.	Plastic Vial: 50 discs	12/22/2011
Agilent Technologies	Special Procedure Standard TOXI-LAB DISCS: Morphine and Hydromorphone: Differentiation.	Plastic Vial: 50 discs	12/22/2011
Agilent Technologies	Special Procedure Standard TOXI-LAB DISCS: Opiate.	Plastic Vial: 50 discs	12/22/2011
Agilent Technologies	Special Procedure Standard TOXI-LAB DISCS: Sympathomimetic amines: Differentiation.	Plastic Vial: 50 discs	12/22/2011
Agilent Technologies	Special Standard TOXI-LAB DISCS LTD-Opiate: 1, 2, or 3 drugs.	Plastic Vial: 50 discs	12/22/2011
Agilent Technologies	TOXI-LAB Chromatograms A	Glass jar: 100 Chromatograms	12/22/2011
Agilent Technologies	TOXI-LAB Chromatograms B	Glass jar: 100 Chromatograms	12/22/2011
Agilent Technologies	TOXI-LAB CONTROL LTD FM	Plastic vial: 50 discs	12/22/2011
Agilent Technologies	TOXI-LAB CONTROL No. 19	Plastic bottle: 2 oz	12/22/2011
Agilent Technologies	TOXI-LAB CONTROL No. 2	Plastic bottle: 2 oz	12/22/2011
Agilent Technologies	TOXI-LAB CONTROL No. 3	Plastic bottle: 2 oz	12/22/2011
Agilent Technologies	TOXI-LAB CONTROL No. 5	Plastic bottle: 2 oz	12/22/2011
Agilent Technologies	TOXI-LAB CONTROL THC	Plastic vial: 50 discs	12/22/2011
Agilent Technologies	TOXI-LAB DISCS A–1	Plastic vial: 50 discs	12/22/2011
Agilent Technologies	TOXI-LAB DISCS A–2	Plastic vial: 50 discs	12/22/2011
Agilent Technologies	TOXI-LAB DISCS A–3	Plastic vial: 50 discs	12/22/2011
Agilent Technologies	TOXI-LAB DISCS A–4	Plastic vial: 50 discs	12/22/2011
Agilent Technologies	TOXI-LAB DISCS B–1	Plastic vial: 50 discs	12/22/2011
Agilent Technologies	TOXI-LAB DISCS B–2	Plastic vial: 50 discs	12/22/2011
Agilent Technologies	TOXI-LAB DISCS B–3	Plastic vial: 50 discs	12/22/2011
Agilent Technologies	TOXI-LAB DISCS B–4	Plastic vial: 50 discs	12/22/2011
Agilent Technologies	TOXI-LAB DISCS LTD HD	Plastic vial: 50 discs	12/22/2011
Agilent Technologies	TOXI-LAB DISCS LTD OP	Plastic vial: 50 discs	12/22/2011
Agilent Technologies	TOXI-LAB DISCS LTD OPI	Plastic vial: 50 discs	12/22/2011
Agilent Technologies	TOXI-LAB DISCS THC	Plastic vial: 50 discs	12/22/2011
Agilent Technologies	TOXI-LAB Proficiency Sample	Plastic bottle: 2 oz	12/22/2011
American Radiolabeled Chemicals, Inc.	(+)-iodo-Lysergic Acid diethylamide [125I]	Vial: 1 mL	12/22/2011
American Radiolabeled Chemicals, Inc.	(+)-Pentazocine (1 mg/mL)	Vial: 1 mL	12/22/2011
American Radiolabeled Chemicals, Inc.	(+)-Pentazocine [ring-1,3-3H]	Vial: 1 mL	12/22/2011
American Radiolabeled Chemicals, Inc.	(±)-Ketamine [N-methyl-3H] hydrochloride	Vial: 1 mL	12/22/2011

CHART I—Continued

Supplier			Product name	Form	Exemption date
American Inc.	Radiolabeled	Chemicals,	(±)-Ketamine hydrochloride (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	1,1-Dimethyltryptamine (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	1,1-Dimethyltryptamine [α,β-3H] as TFA salt	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Amobarbital (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Amphetamine, D-[ring-2,3,5-3H] hydrochloride	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Amphetamine, DL-[ring-2,3,5-3H] hydrochloride ...	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Amphetamine, L-[ring-2,3,5-3H] hydrochloride	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Buprenorphine [ring-3H] hydrochloride	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Buprenorphine hydrochloride (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Cocaine (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Cocaine [methyl-14C] hydrochloride	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Cocaine, levo-[benzoyl-3,4-3H(N)]	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Codeine (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	D-Amphetamine hydrochloride (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Dextropropoxyphene (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Diazepam (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Dihydrocodeine (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Dihydromorphine (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Diprenorphine (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	DL-Amphetamine hydrochloride (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	D-Methamphetamine hydrochloride (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Ecgonine (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Fentanyl (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Fentanyl [3H(G)] as TFA salt	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Fludiazepam (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Flunitrazepam (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Flunitrazepam [methyl-3H]	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Flurazepam (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Flurazepam [N-methyl-3H]	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Heroin (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Heroin [methyl-14C]	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Heroin [methyl-3H]	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Hydrocodone (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Hydromorphone (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Hydromorphone [N-methyl-14C] hydrochloride	Vial: 1 mL	12/22/2011

CHART I—Continued

Supplier			Product name	Form	Exemption date
American Inc.	Radiolabeled	Chemicals,	Ibogaine (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	L-Amphetamine hydrochloride (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	L-Methamphetamine hydrochloride (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Lysergic Acid (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Lysergic acid diethylamide [N-methyl-3H]	Vial: 1 mL	3/22/2012
American Inc.	Radiolabeled	Chemicals,	Mazindol (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Meperidine Hydrochloride (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Metazocine (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Metazocine [ring-1,3-3H]	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Methamphetamine, D-[methyl-14C] hydrochloride	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Methamphetamine, L-[methyl-14C] hydrochloride	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Midazolam (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Midazolam [3H(G)]	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Morphine (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Morphine [N-methyl-14C]	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Normorphine (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Oripavine (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Oxycodone [N-methyl-14C] hydrochloride	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Oxycodone hydrochloride (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Oxymorphone (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Phenazocine (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Phencyclidine hydrochloride (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Phenylacetone (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Tetrahydrocannabinol (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Thebaine (1 mg/mL)	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Thebaine [N-methyl-14C] hydrochloride	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Thebaine [N-methyl-3H] hydrochloride	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Thebaine [O-methyl-14C] hydrochloride	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	Thebaine [O-methyl-3H] hydrochloride	Vial: 1 mL	12/22/2011
American Inc.	Radiolabeled	Chemicals,	γ-Hydroxybutyric acid sodium salt (1 mg/mL)	Vial: 1 mL	12/22/2011
Biochemical Diagnostics, Inc			Detectabuse Custom Liquid Control Oral Fluid, OF10.	Glass vials: 1 ml–200 mL	7/5/2012
Biochemical Diagnostics, Inc			Detectabuse Custom Liquid Control Oral Fluid, OF11.	Glass vials: 1 ml–200 mL	7/5/2012
Biochemical Diagnostics, Inc			Detectabuse Custom Liquid Control Oral Fluid, OF12.	Glass vials: 1 ml–200 mL	7/5/2012
Biochemical Diagnostics, Inc			Detectabuse Custom Liquid Control Oral Fluid, OF13.	Glass vials: 1 ml–200 mL	7/5/2012
Biochemical Diagnostics, Inc			Detectabuse Custom Liquid Control Oral Fluid, OF14.	Glass vials: 1 ml–200 mL	7/5/2012

CHART I—Continued

Supplier	Product name	Form	Exemption date
Bio-Rad Laboratories	Liquichek Immunoassay Plus Control Levels 1, 2, and 3.	Amber Vial: 10 mL; Box: 12 vials	12/22/2011
Bio-Rad Laboratories	Liquichek Immunoassay Plus Control Trilevel	Amber Vial: 10 mL; Box: 12 vials	12/22/2011
Bio-Rad Laboratories	Liquichek Immunoassay Plus Control Trilevel Minipak.	Amber Vial: 5 mL; Box: 3 vials	12/22/2011
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S10	Box: 10 vials, 10 mL each	5/31/2012
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S10 Low Opiate.	Box: 10 vials, 10 mL each	5/31/2012
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S10 Low Opiate Minipak.	Amber vial: 10 mL	5/31/2012
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S10 Minipak	Amber vial: 10 mL	5/31/2012
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S20	Box: 10 vials, 10 mL each	5/31/2012
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S20 Low Opiate.	Box: 10 vials, 10 mL each	5/31/2012
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S20 Low Opiate Minipak.	Amber vial: 10 mL	5/31/2012
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S20 Minipak	Amber vial: 10 mL	5/31/2012
Bio-Rad Laboratories	Liquid Assayed Multiquel Levels 1–3	Amber Vial: 2.5 mL; Box: 12 vials	12/22/2011
Bio-Rad Laboratories	Liquid Assayed Multiquel Trilevel MiniPak	Amber Vial: 2.5 mL; Box: 3 vials	12/22/2011
Bio-Rad Laboratories	Liquid Unassayed Multiquel Levels 1–3	Amber Vial: 2.5 mL; Box: 12 vials	12/22/2011
Bio-Rad Laboratories	Liquid Unassayed Multiquel Trilevel MiniPak	Amber Vial: 2.5 mL; Box: 3 vials	12/22/2011
Bio-Rad Laboratories	Lyphocheck Assayed Chemistry Control Bilevel MiniPak.	Box 2 vials; 5 mL each	12/22/2011
Bio-Rad Laboratories	Lyphocheck Assayed Chemistry Control Levels 1–2.	Amber Vial: 5 mL; Box: 12 vials	12/22/2011
Bio-Rad Laboratories	Lyphocheck Immunoassay Plus Control Levels 1, 2, and 3.	Amber Vial: 10 mL; Box: 12 vials	12/22/2011
Bio-Rad Laboratories	Lyphocheck Immunoassay Plus Control Trilevel	Amber Vial: 10 mL; Box: 12 vials	12/22/2011
Bio-Rad Laboratories	Lyphocheck Immunoassay Plus Control Trilevel Minipak.	Amber Vial: 5 mL; Box: 3 vials	12/22/2011
Bio-Rad Laboratories	Lyphocheck Unassayed Chemistry Control (Human) Bilevel MiniPak.	Box 2 vials; 5 mL each	12/22/2011
Bio-Rad Laboratories	Lyphocheck Unassayed Chemistry Control (Human) Levels 1–2.	Amber Vial: 5 mL; Box: 25 vials	12/22/2011
Cerilliant Corporation	(±) Pentazocine-13C3 (0.1 mg/mL)	Glass Ampule: 2 mL	12/22/2011
Cerilliant Corporation	(±)-cis-11-Nor-9-carboxy-delta9-THC-D3 glucuronide (0.1 mg/mL).	Glass Ampule: 2 mL	12/22/2011
Cerilliant Corporation	3,4-Methylenedioxypyrovalerone HCl (1 mg/mL)	Glass Ampule: 2 mL	12/22/2011
Cerilliant Corporation	3,4-Methylenedioxypyrovalerone-D8 HCl (0.1 mg/mL).	Glass Ampule: 2 mL	12/22/2011
Cerilliant Corporation	3-Desmethylprodine (1 mg/mL)	Glass Ampule: 1 mL	7/31/2012
Cerilliant Corporation	3-Desmethylprodine HCl (1 mg/mL)	Glass Ampule: 1 mL	7/31/2012
Cerilliant Corporation	6-alpha/beta-Hydroxyoxymorphone (1 mg/mL)	Glass Ampule: 2 mL	12/22/2011
Cerilliant Corporation	6-alpha/beta-Hydroxyoxymorphone-D3 (0.1 mg/mL).	Glass Ampule: 2 mL	12/22/2011
Cerilliant Corporation	Buprenorphine N-oxide (1 mg/mL)	Glass Ampule: 1 mL	12/22/2011
Cerilliant Corporation	Cannabinol-D3 (0.1 mg/mL)	Glass Ampule: 2 mL	12/22/2011
Cerilliant Corporation	Carisoprodol (1 mg/mL)	Glass Ampule: 2 mL	12/22/2012
Cerilliant Corporation	Carisoprodol-D7 (0.1 mg/mL)	Glass Ampule: 2 mL	12/22/2012
Cerilliant Corporation	Carisoprodol-D7 (1 mg/mL)	Glass Ampule: 2 mL	7/31/2012
Cerilliant Corporation	Cocaine N-oxide HCl (1 mg/mL)	Glass Ampule: 2 mL	12/22/2011
Cerilliant Corporation	Cocaine N-oxide HCl (1 mg/mL)	Glass Ampule: 2 mL	3/8/2012
Cerilliant Corporation	Cocaine N-oxide-D3 HCl (0.1 mg/mL)	Glass Ampule: 2 mL	12/22/2011
Cerilliant Corporation	Cocaine N-oxide-D3 HCl (0.1 mg/mL)	Glass Ampule: 2 mL	3/8/2012
Cerilliant Corporation	Drug Solution # 15	Screw-cap Vial: 50 mL	6/5/2012
Cerilliant Corporation	Lacosamide (1 mg/mL)	Glass Ampule: 2 mL	5/31/2012
Cerilliant Corporation	Lacosamide-13C, D3 (0.1 mg/mL)	Glass Ampule: 2 mL	12/22/2011
Cerilliant Corporation	Lacosamide-13C, D3 (1 mg/mL)	Glass Ampule: 1 mL	7/31/2012
Cerilliant Corporation	Lisdexamfetamine dimesylate (1 mg/mL)	Glass Ampule: 2 mL	12/22/2011
Cerilliant Corporation	Lisdexamfetamine-D4 dimesylate (0.1 mg/mL)	Glass Ampule: 2 mL	12/22/2011
Cerilliant Corporation	Mephedrone HCl (1 mg/mL)	Glass Ampule: 2 mL	12/22/2011
Cerilliant Corporation	Mephedrone-D3 HCl (0.1 mg/mL)	Glass Ampule: 2 mL	12/22/2011
Cerilliant Corporation	Methylone HCl (1 mg/mL)	Glass Ampule: 2 mL	12/22/2011
Cerilliant Corporation	Methylone-D3 HCl (0.1 mg/mL)	Glass Ampule: 2 mL	12/22/2011
Cerilliant Corporation	Morphine (8 µg/mL)	Glass Ampule: 2 mL	12/22/2011
Cerilliant Corporation	Naloxone N-oxide (0.1 mg/mL)	Glass Ampule: 2 mL	6/5/2012
Cerilliant Corporation	Norcodeine-D3 (1 mg/mL)	Glass Ampule: 1 mL	7/31/2012
Cerilliant Corporation	Normeperidine-D4 (1 mg/mL)	Glass Ampule: 1 mL	7/31/2012
Cerilliant Corporation	Noroxycodone and Norhydrocodone Mix (0.5 mg/mL).	Glass Ampule: 2 mL	12/22/2011
Cerilliant Corporation	Opiate Internal Standard Mix-15	Glass Ampule: 2 mL	12/22/2011

CHART I—Continued

Supplier	Product name	Form	Exemption date
Cerilliant Corporation	Pseudobuprenorphine dihydrochloride (1.0mg/mL)	Glass Ampule: 1 mL	2/1/2012
Cerilliant Corporation	Pyrovalerone HCl (1 mg/mL)	Glass Ampule: 2 mL	12/22/2011
Cerilliant Corporation	Secobarbital-D5 (1 mg/mL)	Glass Ampule: 1 mL	7/31/2012
Cerilliant Corporation	Zolpidem-D7 (0.1 mg/mL)	Glass Ampule: 2 mL	12/22/2011
EISohly Laboratories, Inc	ELI Drug Standards Δ 9-Tetrahydrocannabinol-glucuronide (10 μ g/mL in MeOH).	Glass vial: 1 ml	5/31/2012
EISohly Laboratories, Inc	ELI Drug Standards Δ 9-Tetrahydrocannabinol-glucuronide (100 μ g/mL in MeOH).	Glass vial: 1 ml	5/31/2012
Environmental Resource Associates (ERA).	Chloral Hydrate, Proficiency Testing Material, Catalog No. 853.	Glass Ampule: 2 mL	3/8/2012
Environmental Resource Associates (ERA).	Chloral Hydrate, Reference Material, Catalog No. 676.	Glass Ampule: 2 mL	3/8/2012
Environmental Resource Associates (ERA).	Waters Steroid Test Mix, Part No. 07364	Glass Ampule: 2 mL	3/8/2012
Immunoanalysis Corporation	Methadone Calibrator Levels 1–4	Glass vial: 10 mL	6/19/2012
Immunoanalysis Corporation	Methadone High Control	Glass vial: 10 mL	6/19/2012
Immunoanalysis Corporation	Methadone Low Control	Glass vial: 10 mL	6/19/2012
Immunoanalysis Corporation	Oral Fluid Cutoff Calibrator Pain Management Prediluted in Extraction Buffer.	Glass vial: 10 mL	6/19/2012
Immunoanalysis Corporation	Oral Fluid High Positive Control Pain Management Prediluted in Extraction Buffer.	Glass vial: 10 mL	6/19/2012
Immunoanalysis Corporation	Oral Fluid Low Positive Control Pain Management Prediluted in Extraction Buffer.	Glass vial: 10 mL	6/19/2012
Immunoanalysis Corporation	Zolpidem Calibrator	Glass vial: 10 mL	6/19/2012
Immunoanalysis Corporation	Zolpidem High Control	Glass vial: 10 mL	6/19/2012
Immunoanalysis Corporation	Zolpidem Low Control	Glass vial: 10 mL	6/19/2012
Insys Therapeutics, Inc.	(-)-delta9-Tetrahydrocannabinol (1.0 mg/mL)	Glass Ampule: 1 mL	5/9/2012
Microgenics Corporation	CEDIA Amphetamine OFT Assay, Catalog Number: 10014947.	Box: 4 bottles; 65 mL each	12/22/2011
Microgenics Corporation	CEDIA Cannabinoids OFT Assay, Catalog Number: 10014910.	Box: 4 bottles; 65 mL each	12/22/2011
Microgenics Corporation	CEDIA Cocaine OFT Assay, Catalog Number: 10014764.	Box: 4 bottles; 65 mL each	12/22/2011
Microgenics Corporation	CEDIA Methamphetamine OFT Assay, Catalog Number: 10014949.	Box: 4 bottles; 65 mL each	12/22/2011
Microgenics Corporation	CEDIA Methamphetamine OFT Control Set (Low and High) , Catalog #10014953.	Vial: 10 mL Box: 2 vials	12/22/2011
Microgenics Corporation	CEDIA Methamphetamine OFT Cutoff Calibrator, Catalog #10014951.	Vial: 5 mL Box: 1 vial	12/22/2011
Microgenics Corporation	CEDIA Methamphetamine OFT High Calibrator, Catalog #10014952.	Vial: 5 mL Box: 1 vial	12/22/2011
Microgenics Corporation	CEDIA Multi-Drug OFT Control Set (Low and High), Catalog #10014957.	Vial: 15 mL Box: 2 vials	12/22/2011
Microgenics Corporation	CEDIA Multi-Drug OFT Cutoff Calibrator, Catalog #10014955.	Vial: 10 mL Box: 1 vial	12/22/2011
Microgenics Corporation	CEDIA Multi-Drug OFT High Calibrator, Catalog #10014956.	Vial: 10 mL Box: 1 vial	12/22/2011
Microgenics Corporation	CEDIA Opiate OFT Assay, Catalog Number: 10014873.	Box: 4 bottles; 65 mL each	12/22/2011
Microgenics Corporation	CEDIA PCP OFT Assay, Catalog Number: 10014888.	Box: 4 bottles; 65 mL each	12/22/2011
Microgenics Corporation	CEDIA THC OFT Control Set (Low and High), Catalog #10014925.	Vial: 10 mL Box: 2 vials	12/22/2011
Microgenics Corporation	CEDIA THC OFT Cutoff Calibrator, Catalog #10014923.	Vial: 5 mL Box: 1 vial	12/22/2011
Microgenics Corporation	CEDIA THC OFT High Calibrator, Catalog #10014924.	Vial: 5 mL Box: 1 vial	12/22/2011
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Calibrator 1, Catalog Number: 10016345.	Vial: 5 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Calibrator 1, Catalog Number: 10016362.	Vial: 5 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Calibrator 2, Catalog Number: 10016346.	Vial: 5 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Calibrator 2, Catalog Number: 10016363.	Vial: 5 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Calibrator 3, Catalog Number: 10016347.	Vial: 5 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Calibrator 3, Catalog Number: 10016364.	Vial: 5 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Calibrator 4, Catalog Number: 10016348.	Vial: 5 mL Box: 1 vial	7/5/2012

CHART I—Continued

Supplier	Product name	Form	Exemption date
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Control Set (Low and High), Catalog Number: 10016349.	Vial: 10 mL Box: 2 vials	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Control Set (Low and High), Catalog Number: 10016365.	Vial: 10 mL Box: 2 vials	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Control Set (Low and High), Catalog Number: 10016808.	Vial: 10 mL Box: 2 vials	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA Methamphetamine OFT Cutoff Calibrator, Catalog Number: 10016807.	Vial: 5 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Calibrator 1, Catalog Number: 10016865.	Vial: 10 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Calibrator 1, Catalog Number: 10016882.	Vial: 10 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Calibrator 2, Catalog Number: 10016866.	Vial: 10 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Calibrator 2, Catalog Number: 10016883.	Vial: 10 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Calibrator 3, Catalog Number: 10016867.	Vial: 10 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Calibrator 3, Catalog Number: 10016884.	Vial: 10 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Calibrator 4, Catalog Number: 10016868.	Vial: 10 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Control Set (Low and High), Catalog Number: 10016869.	Vial: 15 mL Box: 2 vials	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Control Set (Low and High), Catalog Number: 10016885.	Vial: 15 mL Box: 2 vials	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Control Set (Low and High), Catalog Number: 10016895.	Vial: 15 mL Box: 2 vials	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA Multi-Drug OFT Cutoff Calibrator, Catalog Number: 10016894.	Vial: 10 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Calibrator 1 Catalog Number: 10016644.	Vial: 5 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Calibrator 1 Catalog Number: 10016700.	Vial: 5 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Calibrator 2 Catalog Number: 10016646.	Vial: 5 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Calibrator 2 Catalog Number: 10016701.	Vial: 5 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Calibrator 3 Catalog Number: 10016647.	Vial: 5 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Calibrator 3 Catalog Number: 10016702.	Vial: 5 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Calibrator 4 Catalog Number: 10016648.	Vial: 5 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Control Set (Low and High), Catalog Number: 10016649.	Vial: 10 mL Box: 2 vials	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Control Set (Low and High), Catalog Number: 10016703.	Vial: 10 mL Box: 2 vials	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Control Set (Low and High), Catalog Number: 10016731.	Vial: 10 mL Box: 2 vials	7/5/2012
Microgenics Corporation	Thermo Scientific CEDIA THC OFT Cutoff Calibrator Catalog Number: 10016730.	Vial: 5 mL Box: 1 vial	7/5/2012
Microgenics Corporation	Thermo Scientific DRI Fentanyl Assay Catalog Number: 10016005.	Vials: 500 mL	5/31/2012
Microgenics Corporation	Thermo Scientific DRI Fentanyl Assay Catalog Number: 10016006.	3 vials, 18 mL each	5/31/2012
Microgenics Corporation	Thermo Scientific DRI Fentanyl Assay Catalog Number: 10016437.	3 vials, 18 mL each	5/31/2012
Microgenics Corporation	Thermo Scientific DRI Fentanyl Calibrator 2 ng/mL Catalog Number: 10016023.	Vials: 10 mL	5/31/2012
Microgenics Corporation	Thermo Scientific DRI Fentanyl High Control 1 ng/mL Catalog Number: 10016484.	Box: 1 vial; 25 mL	5/31/2012
Microgenics Corporation	Thermo Scientific DRI Fentanyl High Control 2 ng/mL Catalog Number: 10016485.	Box: 1 vial; 10 mL	5/31/2012

CHART I—Continued

Supplier	Product name	Form	Exemption date
Microgenics Corporation	Thermo Scientific DRI Fentanyl High Control 3 ng/mL Catalog Number: 10016024.	Vials: 25 mL	5/31/2012
Microgenics Corporation	Thermo Scientific DRI Fentanyl High Control 3 ng/mL Catalog Number: 10016486.	Box: 1 vial; 25 mL	5/31/2012
Microgenics Corporation	Thermo Scientific DRI Fentanyl Low Control 1 ng/mL Catalog Number: 10016022.	Vials: 25 mL	5/31/2012
Microgenics Corporation	Thermo Scientific MAS Omni•CORE Liquid Assayed Integrated Chemistry Control Levels 1–3.	Vial 5 mL; Box: 6 vials	12/22/2011
Microgenics Corporation	Thermo Scientific MAS Omni•CORE Liquid Assayed Integrated Chemistry Control Sample Pack.	Box: 6 vials; 5 mL each	12/22/2011
Microgenics Corporation	Thermo Scientific MAS Omni•IMMUNE Liquid Assayed Integrated Chemistry Control Levels 1–3.	Vial 5 mL; Box: 6 vials	12/22/2011
Microgenics Corporation	Thermo Scientific MAS Omni•IMMUNE Liquid Assayed Integrated Chemistry Control Sample Pack.	Box: 6 vials; 5 mL each	12/22/2011
Microgenics Corporation	Thermo Scientific MAS Omni•IMMUNE PRO Liquid Assayed Integrated Chemistry Control Levels 1–3.	Vial 5 mL; Box: 6 vials	12/22/2011
Microgenics Corporation	Thermo Scientific MAS Omni•IMMUNE PRO Liquid Assayed Integrated Chemistry Control Sample Pack.	Box: 6 vials; 5 mL each	12/22/2011
Restek Corporation	Appendix IX Mix #1, Revised	Ampule: 2 mL	12/22/2011
Restek Corporation	Custom a,a-Dimethylphenethylamine Standard	Ampule: 2 mL	12/22/2011
Restek Corporation	Custom Chloral Hydrate Standard	Ampule: 2 mL	12/22/2011
Restek Corporation	Custom LS4434 Standard 1	Ampule: 2 mL	7/5/2012
Restek Corporation	Metabolomic Standard Mix #1	Ampule: 2 mL	2/1/2012
Restek Corporation	UCMR3 Method 539 Calibration Standard	Ampule: 2 mL	12/22/2011
Restek Corporation	UCMR3 Method Calibration Standard	Ampule: 2 mL	5/31/2012
Roche Diagnostics Operations, Inc	Oral Fluid DAT Cal A Levels 1–5	Glass vial: 5 mL	7/31/2012
Roche Diagnostics Operations, Inc	Oral Fluid DAT Cal B Levels 1–5	Glass vial: 5 mL	7/31/2012
Roche Diagnostics Operations, Inc	Oral Fluid DAT Control Set A Material No. 05473390190.	Box of 6 vials, 10 mL each	7/31/2012
Roche Diagnostics Operations, Inc	Oral Fluid DAT Control Set B Material No. 05473411190.	Box of 6 vials, 10 mL each	7/31/2012
Roche Diagnostics Operations, Inc	Oral Fluid DAT Qual Cal Material No. 05475929190.	Box of 4 vials, 5 mL each	7/31/2012
Roche Diagnostics Operations, Inc	Oral Fluid DAT SQ Cal A Material No. 05475872190.	Box of 6 vials, 5 mL each	7/31/2012
Roche Diagnostics Operations, Inc	Oral Fluid DAT SQ Cal B Material No. 05475899190.	Box of 6 vials, 5 mL each	7/31/2012
SAFC Biosciences	HH–4 Cell Culture Medium	Bag: 1L, 200L, 500L; Bottle: 1L, 2L	2/3/2012
SAFC Biosciences	HH–4 Cell Culture Medium	Bag: 20 L, 100L, 1,000 L	3/22/2012
Siemens Healthcare Diagnostics Inc	ADVIA Chemistry Drug CAL 1	Carton: 10 vials; 3 ml each	11/5/2012
Siemens Healthcare Diagnostics Inc	ADVIA Chemistry Drug CAL 1, Level 2	Vial: 3 mL	11/5/2012
Siemens Healthcare Diagnostics Inc	ADVIA Chemistry Drug CAL 1, Level 3	Vial: 3 mL	11/5/2012
Siemens Healthcare Diagnostics Inc	ADVIA Chemistry Drug CAL 1, Level 4	Vial: 3 mL	11/5/2012
Siemens Healthcare Diagnostics Inc	ADVIA Chemistry Drug CAL 1, Level 5	Vial: 3 mL	11/5/2012
Siemens Healthcare Diagnostics Inc	Bulk EII Plus THC CAL 2 ML	Bulk Container: 4 mL–100 L	12/22/2011
Siemens Healthcare Diagnostics Inc	Bulk EII Plus THC CAL 3 ML	Bulk Container: 4 mL–100 L	12/22/2011
Siemens Healthcare Diagnostics Inc	Bulk EII Plus THC CAL 4 ML	Bulk Container: 4 mL–100 L	12/22/2011
Siemens Healthcare Diagnostics Inc	Bulk EII Plus THC CAL 5 ML	Bulk Container: 4 mL–100 L	12/22/2011
Siemens Healthcare Diagnostics Inc	Bulk EII Plus THC Control 1 ML	Bulk Container: 4 mL–100 L	12/22/2011
Siemens Healthcare Diagnostics Inc	Bulk EII Plus THC Control 2 ML	Bulk Container: 4 mL–100 L	12/22/2011
Siemens Healthcare Diagnostics Inc	Bulk EII Plus THC Control 3 ML	Bulk Container: 4 mL–100 L	12/22/2011
Siemens Healthcare Diagnostics Inc	Bulk EII Plus THC Control 4 ML	Bulk Container: 4 mL–100 L	12/22/2011
Siemens Healthcare Diagnostics Inc	Bulk EII Plus THC Control 5 ML	Bulk Container: 4 mL–100 L	12/22/2011
Siemens Healthcare Diagnostics Inc	Bulk EII Plus THC Control 6 ML	Bulk Container: 4 mL–100 L	12/22/2011
Siemens Healthcare Diagnostics Inc	Dimension Drug Calibrator, Level 2	Vial: 2.5 mL	11/5/2012
Siemens Healthcare Diagnostics Inc	Dimension Drug Calibrator, Level 3	Vial: 2.5 mL	11/5/2012
Siemens Healthcare Diagnostics Inc	Dimension Drug Calibrator, Level 4	Vial: 2.5 mL	11/5/2012
Siemens Healthcare Diagnostics Inc	Dimension Drug Calibrator, Level 5	Vial: 2.5 mL	11/5/2012
Siemens Healthcare Diagnostics Inc	Dimension Clinical Chemistry System DRUG Calibrator.	Carton: 10 vials; 2.5 ml each	11/5/2012
Siemens Healthcare Diagnostics Inc	Dimension Vista DRUG 1 CAL, B	Vial: 2.5 mL	7/31/2012
Siemens Healthcare Diagnostics Inc	Dimension Vista Drug 4 CAL, Level B	Vial: 3 mL	11/5/2012
Siemens Healthcare Diagnostics Inc	Dimension Vista Drug 4 CAL, Level C	Vial: 3 mL	11/5/2012
Siemens Healthcare Diagnostics Inc	Dimension Vista Drug 4 CAL, Level D	Vial: 3 mL	11/5/2012
Siemens Healthcare Diagnostics Inc	Dimension Vista Drug 4 CAL, Level E	Vial: 3 mL	11/5/2012
Siemens Healthcare Diagnostics Inc	Dimension Vista LOCI 8 CAL	Box of 10 vials; Vial: 2.5 mL	3/22/2012
Siemens Healthcare Diagnostics Inc	Dimension Vista LOCI 9 CAL Levels A–E	Vial: 1.5 mL	12/22/2011

CHART I—Continued

Supplier	Product name	Form	Exemption date
Siemens Healthcare Diagnostics Inc	Dimension Vista System DRUG 1 CAL	Carton: 6 vials; 2.5 mL each	7/31/2012
Siemens Healthcare Diagnostics Inc	Dimension Vista System Drug 4 CAL	Carton: 10 vials; 3 ml each	11/5/2012
Siemens Healthcare Diagnostics Inc	Dimension Vista System LOCI 9 Calibrator	Box of 10 vials; Vial: 1.5 mL	12/22/2011
Siemens Healthcare Diagnostics Inc	Dimension Vista UDAT CAL	Glass vial: 3 mL; Carton: 6 vials	12/22/2011
Siemens Healthcare Diagnostics Inc	Dimension Vista UDAT CAL Bulk, Level B	Bulk Container: 20 L–25 L	5/31/2012
Siemens Healthcare Diagnostics Inc	Dimension Vista UDAT CAL Pilot, Level B	Pilot Container: 2 mL–125 mL	5/31/2012
Siemens Healthcare Diagnostics Inc	Dimension Vista UDAT CAL, Level B	Glass vial: 3 mL	12/22/2011
Siemens Healthcare Diagnostics Inc	FC EII Plus THC CAL 2 ML	Plastic vial: 15 mL	12/22/2011
Siemens Healthcare Diagnostics Inc	FC EII Plus THC CAL 3 ML	Plastic vial: 15 mL	12/22/2011
Siemens Healthcare Diagnostics Inc	FC EII Plus THC CAL 4 ML	Plastic vial: 15 mL	12/22/2011
Siemens Healthcare Diagnostics Inc	FC EII Plus THC CAL 5 ML	Plastic vial: 15 mL	12/22/2011
Siemens Healthcare Diagnostics Inc	FC EII Plus THC Control 1 ML	Plastic vial: 15 mL	12/22/2011
Siemens Healthcare Diagnostics Inc	FC EII Plus THC Control 2 ML	Plastic vial: 15 mL	12/22/2011
Siemens Healthcare Diagnostics Inc	FC EII Plus THC Control 3 ML	Plastic vial: 15 mL	12/22/2011
Siemens Healthcare Diagnostics Inc	FC EII Plus THC Control 4 ML	Plastic vial: 15 mL	12/22/2011
Siemens Healthcare Diagnostics Inc	FC EII Plus THC Control 5 ML	Plastic vial: 15 mL	12/22/2011
Siemens Healthcare Diagnostics Inc	FC EII Plus THC Control 6 ML	Plastic vial: 15 mL	12/22/2011
Siemens Healthcare Diagnostics Inc	MP LOCI 9 TTST Cal Lvl 1–7 FC	Vial: 1–5 mL	12/22/2011
Siemens Healthcare Diagnostics Inc	MP LOCI 9 TTST Lvl 1–7 Bulk	Bulk container: 4 mL–100 L	12/22/2011
Siemens Healthcare Diagnostics Inc	VS Drug 1 Cal Bulk Soln, Level B	Bulk container: 2 mL–1 L	7/31/2012
Siemens Healthcare Diagnostics Inc	VS LOCI 9 CAL BULK SOLN Levels 1–5	Bulk container: 4 mL–100 L	12/22/2011
Siemens Healthcare Diagnostics Inc	VS LOCI CAL 8 BULK SOLN Level 2	Bulk container: 4 mL–100 L	3/22/2012
Siemens Healthcare Diagnostics Inc	VS LOCI CAL 8 BULK SOLN Level 3	Bulk container: 4 mL–100 L	3/22/2012
Siemens Healthcare Diagnostics Inc	VS LOCI CAL 8 BULK SOLN Level 4	Bulk container: 4 mL–100 L	3/22/2012
Siemens Healthcare Diagnostics Inc	VS LOCI CAL 8 BULK SOLN Level 5	Bulk container: 4 mL–100 L	3/22/2012
Siemens Healthcare Diagnostics Inc	VS LOCI CAL 8 Vial Level E	Vial: 2.5 mL	3/22/2012
Siemens Healthcare Diagnostics Inc	VS LOCI CAL 8 Vial Level B	Vial: 2.5 mL	3/22/2012
Siemens Healthcare Diagnostics Inc	VS LOCI CAL 8 Vial Level C	Vial: 2.5 mL	3/22/2012
Siemens Healthcare Diagnostics Inc	VS LOCI CAL 8 Vial Level D	Vial: 2.5 mL	3/22/2012
Supelco, Inc	Custom Mix, 0.2–163.2 µg/mL in methanol	Glass ampule: 1 mL	7/31/2012
Ultra Scientific, Inc	DSA Detection Cocaine HCl Standard	Amber ampule: 1 mL	12/22/2011
Ultra Scientific, Inc	DSA Detection Cocaine HCl StandardPhenobarbital (625 µg/mL)	Amber ampule: 1 mL	12/22/2011
Ultra Scientific, Inc	DSA Detection Cocaine HCl StandardPhenobarbital (6400 µg/mL)	Amber ampule: 1 mL	12/22/2011
Ultra Scientific, Inc	GE-Ion Track 100 ng/µL TNT/Cocaine HCl Standard Rev. 1	Amber ampule: 10 mL	12/22/2011
Ultra Scientific, Inc	GE-Ion Track 100 ng/µL TNT/Cocaine HCl Standard Rev. 1	Glass bottle: 100 mL	12/22/2011
Ultra Scientific, Inc	Phenobarbital (625 µg/mL)	Amber ampule: 1 mL	5/31/2012
Ultra Scientific, Inc	Phenobarbital (6400 µg/mL)	Amber ampule: 1 mL	5/31/2012
Ultra Scientific, Inc	Ultracheck WS Chloral Hydrate Sample	Glass ampule: 2 mL	12/22/2011

The Deputy Assistant Administrator has found that each of the compounds, mixtures, and preparations described in Chart II below is not consistent with the criteria stated in 21 U.S.C. 811(g)(3)(B) and in 21 CFR 1308.23. Accordingly, the Deputy Assistant Administrator has

determined that the chemical preparations or mixtures generally described in Chart II below and specifically described in the application materials received by DEA, are not exempt from application of the CSA or from application of the CFR, with regard

to the requested exemption pursuant to 21 CFR 1308.23, as of the date listed below that was provided in the determination letters to the individual requesters.

CHART II

Supplier	Product name	Form	Denial date
Abbott Laboratories	ARCHITECT Estradiol Assay Diluent, No. 2K25J	Tank: 50–500 L	12/22/2011
Abbott Laboratories	AxSYM Estradiol Buffer	Bulk Tank: 50–500 L; Bag-in-box: 18–200 L	12/22/2011
American Radiolabeled Chemicals, Inc.	Lysergic acid diethylamide	Vial: 1 mL	12/22/2011
Biochemical Diagnostics, Inc.	Benzoylcegonine Bulk Solution (5 mg/mL)	Bottle: 1 ml–1 L	11/15/2011
Biochemical Diagnostics, Inc.	Cocaine Bulk Solution(5 mg/mL)	Bottle: 1 ml–1 L	11/15/2011
Biochemical Diagnostics, Inc.	Codeine Bulk Solution(5 mg/mL)	Bottle: 1 ml–1 L	11/15/2011
Biochemical Diagnostics, Inc.	d-Amphetamine Bulk Solution (5 mg/mL)	Bottle: 1 ml–1 L	11/15/2011
Biochemical Diagnostics, Inc.	Detectabase Custom Liquid Control Urine, MC134	Glass vials: 500 ml–2 L	11/15/2011
Biochemical Diagnostics, Inc.	Detectabase Custom Liquid Control Urine, MC135	Glass vials: 500 ml–2 L	11/15/2011
Biochemical Diagnostics, Inc.	Detectabase Custom Liquid Control Urine, MC136	Glass vials: 200 ml–2 L	11/15/2011
Biochemical Diagnostics, Inc.	Detectabase Custom Liquid Control Urine, MC137	Glass vials: 500 ml–2 L	11/15/2011

CHART II—Continued

Supplier	Product name	Form	Denial date
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC138	Glass vials: 500 ml–2 L	11/15/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC139	Glass vials: 500 ml–2 L	11/15/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC140	Glass vials: 500 ml–2 L	11/15/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC141	Glass vials: 500 ml–2 L	11/15/2011
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC142	Glass vials: 1 ml–200 mL	11/15/2011
Biochemical Diagnostics, Inc.	d-Methamphetamine Bulk Solution(5 mg/mL)	Bottle: 1 ml–1 L	11/15/2011
Biochemical Diagnostics, Inc.	d-Propoxyphene Bulk Solution (5 mg/mL)	Bottle: 1 ml–1 L	11/15/2011
Biochemical Diagnostics, Inc.	Hydrocodone Bulk Solution(5 mg/mL)	Bottle: 1 ml–1 L	11/15/2011
Biochemical Diagnostics, Inc.	Hydromorphone Bulk Solution(5 mg/mL)	Bottle: 1 ml–1 L	11/15/2011
Biochemical Diagnostics, Inc.	MDA Bulk Solution(5 mg/mL)	Bottle: 1 ml–1 L	11/15/2011
Biochemical Diagnostics, Inc.	MDEA Bulk Solution(5 mg/mL)	Bottle: 1 ml–1 L	11/15/2011
Biochemical Diagnostics, Inc.	MDMA Bulk Solution(5 mg/mL)	Bottle: 1 ml–1 L	11/15/2011
Biochemical Diagnostics, Inc.	Methadone Bulk Solution(5 mg/mL)	Bottle: 1 ml–1 L	11/15/2011
Biochemical Diagnostics, Inc.	Methaqualone Bulk Solution(5 mg/mL)	Bottle: 1 ml–1 L	11/15/2011
Biochemical Diagnostics, Inc.	Morphine Bulk Solution (5 mg/mL)	Bottle: 1 ml–1 L	11/15/2011
Biochemical Diagnostics, Inc.	Oxazepam Bulk Solution (5 mg/mL)	Bottle: 1 ml–1 L	11/15/2011
Biochemical Diagnostics, Inc.	Secobarbital Bulk Solution (5 mg/mL)	Bottle: 1 ml–1 L	11/15/2011
Bio-Rad Laboratories	Liquichek Urine Toxicology Control C1 Minipak	Amber Vial: 20mL	12/22/2011
Bio-Rad Laboratories	Liquichek Urine Toxicology Control C2 Minipak	Amber Vial: 20mL	12/22/2011
Bio-Rad Laboratories	Liquichek Urine Toxicology Control C3 Minipak	Amber Vial: 20mL	12/22/2011
Bio-Rad Laboratories	Liquichek Urine Toxicology Control C4 Minipak	Amber Vial: 20mL	12/22/2011
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Low Opiate Level C2 Minipak.	Amber Vial: 20mL	12/22/2011
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Low Opiate Level C3 Minipak.	Amber Vial: 20mL	12/22/2011
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S1 Minipak	Amber Vial: 10mL	12/22/2011
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S1E Low Opi- ate Minipak.	Amber Vial: 10mL	12/22/2011
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S1E Minipak ..	Amber Vial: 10mL	12/22/2011
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S1S Minipak ...	Amber Vial: 10mL	12/22/2011
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S2 Minipak	Amber Vial: 10mL	12/22/2011
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S2E Low Opi- ate Minipak.	Amber Vial: 10mL	12/22/2011
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S2E Minipak ..	Amber Vial: 10mL	12/22/2011
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S2SMinipak ...	Amber Vial: 10mL	12/22/2011
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S3 Minipak	Amber Vial: 10mL	12/22/2011
Cayman Chemical Company	4-Methylmethcathinone (hydrochloride), 10 mg in 1 mL Methanol.	Glass vial: 1 mL	7/31/2012
Cayman Chemical Company	4-Methylmethcathinone (hydrochloride), 25 mg in 2.5 mL Methanol.	Glass vial: 2.5 mL	7/31/2012
Cayman Chemical Company	4-Methylmethcathinone (hydrochloride), 5 mg in 500 µL Methanol.	Glass vial: 500 µL	7/31/2012
Cayman Chemical Company	5-methoxy DMT, 10 mg in 1 mL Methanol	Glass vial: 1 mL	7/31/2012
Cayman Chemical Company	5-methoxy DMT, 25 mg in 2.5 mL Methanol	Glass vial: 2.5 mL	7/31/2012
Cayman Chemical Company	5-methoxy DMT, 5 mg in 500 µL Methanol	Glass vial: 500 µL	7/31/2012
Cayman Chemical Company	Methylenedioxy Pyrovalerone (hydrochloride), 10 mg in 1 mL Methanol.	Glass vial: 1 mL	7/31/2012
Cayman Chemical Company	Methylenedioxy Pyrovalerone (hydrochloride), 25 mg in 2.5 mL Methanol.	Glass vial: 2.5 mL	7/31/2012
Cayman Chemical Company	Methylenedioxy Pyrovalerone (hydrochloride), 5 mg in 500 µL Methanol.	Glass vial: 500 µL	7/31/2012
Cayman Chemical Company	Methylenedioxy Pyrovalerone, 10 mg in 1 mL Methanol.	Glass vial: 1 mL	7/31/2012
Cayman Chemical Company	Methylenedioxy Pyrovalerone, 25 mg in 2.5 mL Methanol.	Glass vial: 2.5 mL	7/31/2012
Cayman Chemical Company	Methylenedioxy Pyrovalerone, 5 mg in 500 µL Methanol.	Glass vial: 500 µL	7/31/2012
Cayman Chemical Company	Methylenedioxy Pyrovalerone-d8 (hydrochloride), 10 mg in 1 mL Methanol.	Glass vial: 1 mL	7/31/2012
Cayman Chemical Company	Methylenedioxy Pyrovalerone-d8 (hydrochloride), 25 mg in 2.5 mL Methanol.	Glass vial: 2.5 mL	7/31/2012
Cayman Chemical Company	Methylenedioxy Pyrovalerone-d8 (hydrochloride), 5 mg in 500 µL Methanol.	Glass vial: 500 µL	7/31/2012
Cayman Chemical Company	Methylone (hydrochloride), 10 mg in 1 mL Meth- anol.	Glass vial: 1 mL	7/31/2012
Cayman Chemical Company	Methylone (hydrochloride), 25 mg in 2.5 mL Meth- anol.	Glass vial: 2.5 mL	7/31/2012
Cayman Chemical Company	Methylone (hydrochloride), 5 mg in 500 µL Meth- anol.	Glass vial: 500 µL	7/31/2012
Cerilliant Corporation	Codeine (1 mg/mL)	Glass ampule: 5 mL	7/31/2012
Cerilliant Corporation	Codeine-D3 (1 mg/mL)	Glass ampule: 5 mL	7/31/2012
Cerilliant Corporation	Drug Solution # 16	Screw-cap Vial: 50 mL	6/5/2012

CHART II—Continued

Supplier	Product name	Form	Denial date
Cerilliant Corporation	Drug Solution # 17	Screw-cap Vial: 50 mL	6/5/2012
Cerilliant Corporation	Drug Solution # 18	Screw-cap Vial: 50 mL	6/5/2012
Cerilliant Corporation	Drug Solution # 19	Screw-cap Vial: 50 mL	6/5/2012
Cerilliant Corporation	Drug Solution # 20	Screw-cap Vial: 50 mL	6/5/2012
Cerilliant Corporation	Hydrocodone (1 mg/mL)	Glass ampule: 5 mL	7/31/2012
Cerilliant Corporation	Hydrocodone-D6 (1 mg/mL)	Glass ampule: 5 mL	7/31/2012
Cerilliant Corporation	Hydromorphone (1 mg/mL)	Glass ampule: 5 mL	7/31/2012
Cerilliant Corporation	Hydromorphone-D3 (1 mg/mL)	Glass ampule: 5 mL	7/31/2012
Cerilliant Corporation	Morphine (1 mg/mL)	Glass ampule: 5 mL	7/31/2012
Cerilliant Corporation	Morphine-D3 (1 mg/mL)	Glass ampule: 5 mL	7/31/2012
Cerilliant Corporation	Noroxycodone HCl (1 mg/mL)	Glass ampule: 5 mL	7/31/2012
Cerilliant Corporation	Noroxycodone-D3 HCl (1 mg/mL)	Glass ampule: 5 mL	7/31/2012
Cerilliant Corporation	Oxycodone (1 mg/mL)	Glass ampule: 5 mL	7/31/2012
Cerilliant Corporation	Oxycodone-D3 (1 mg/mL)	Glass ampule: 5 mL	7/31/2012
Cerilliant Corporation	Oxymorphone (1 mg/mL)	Glass ampule: 5 mL	7/31/2012
Cerilliant Corporation	Oxymorphone-D3 (1 mg/mL)	Glass ampule: 5 mL	7/31/2012
Environmental Resource Associates (ERA)	USGS BQS LS4434 Mix 1	Glass Ampule: 1–2 mL	7/31/2012
Environmental Resource Associates (ERA)	USGS BQS LS4434 Mix 2	Glass Ampule: 1–2 mL	7/31/2012
Immunoanalysis Corporation	Tapentadol Calibrator Levels 1–4	Glass vial: 10 mL	6/19/2012
Immunoanalysis Corporation	Tapentadol High Control	Glass vial: 10 mL	6/19/2012
Immunoanalysis Corporation	Tapentadol Low Control	Glass vial: 10 mL	6/19/2012
Restek Corporation	Custom Cannabinoids Standard	Ampule: 2 mL	5/31/2012
Restek Corporation	Custom Paraldehyde Standard (10 mg/mL)	Ampule: 2 mL	7/5/2012
Siemens Healthcare Diagnostics Inc.	Dimension Vista UDAT CAL Bulk, Level B	Bulk Container: 4mL–100L	12/22/2011
Siemens Healthcare Diagnostics Inc.	Dimension Vista UDAT CAL Bulk, Level B	Bulk Container: 26 L–50L	5/31/2012
Siemens Healthcare Diagnostics Inc.	Drug CAL BULK SOLN, Level 2	Bulk container: 2 L–100 L	11/5/2012
Siemens Healthcare Diagnostics Inc.	Drug CAL BULK SOLN, Level 3	Bulk container: 2 mL–100 L	11/5/2012
Siemens Healthcare Diagnostics Inc.	Drug CAL BULK SOLN, Level 4	Bulk container: 2 mL–100 L	11/5/2012
Siemens Healthcare Diagnostics Inc.	Drug CAL BULK SOLN, Level 5	Bulk container: 2m L–100 L	11/5/2012
Siemens Healthcare Diagnostics Inc.	VS Drug 1 Cal Bulk Soln, Level B	Bulk container: 2 mL–100 L	7/31/2012

Scope of Approval

The exemptions are applicable only to the precise preparation or mixture described in the application submitted to DEA in the form(s) listed in this order. Pursuant to 21 CFR 1308.24(h), any change in the quantitative or qualitative composition of the preparation or mixture or change in the trade name or other designation of the preparation or mixture after the date of application requires a new application. Pursuant to 21 CFR 1308.24(g), DEA may prescribe requirements other than those set forth in 1308.24(b)–(e) on a case-by-case basis for materials exempted in bulk quantities. Accordingly, in order to limit opportunity for diversion from the larger bulk quantities, DEA has determined that each of the exempted bulk products listed in this order may only be used in-house and may not be transported to other facilities.

Additional exempt chemical preparation requests received between June 12, 2011, and June 30, 2012, and not otherwise referenced in this order may remain pending until DEA receives additional information required, pursuant to 21 CFR 1308.23(d), as detailed in separate correspondence to individual requesters. DEA's order on

such requests will be published in a future **Federal Register**.

Chemical Preparations Containing Newly Controlled Substances

The statutory authority for exempt chemical preparations is based on the control status of substances contained within a preparation, the intended administration of a preparation, and the packaged form of a preparation. DEA conducts a case-by-case analysis of each application for exemption to determine whether exemption of a preparation from certain provisions of the CSA is appropriate pursuant to the specified statutory and regulatory requirements.

Most exempt chemical preparations have remained effective indefinitely unless the holder of a specific exempt chemical preparation specifically requested that the exemption be terminated. The CSA allows for modifications to the controlled substances schedules to add, remove, or change the schedule of substances thus resulting in periodic modifications to the control status of various substances. 21 U.S.C. 811(a). Since the CSA was enacted in 1970, DEA has on several occasions added to, removed from, or modified the schedules of controlled substances in accordance with the CSA.

Such changes may result in the non-compliance of exempt chemical preparations with current statutes or regulations if chemical preparations that have already obtained exempt status contain newly controlled substances. For example, although an exempt chemical preparation may continue to be packaged in the same manner as when it was approved, non-controlled substances in the preparation may become controlled, thus prompting the need for a new application for exemption of the chemical preparation to ensure continued compliance. Other preparations that previously contained no controlled substances may contain newly controlled substances and thus would require an application for exemption.

DEA reviews applications for chemical preparation exemptions based on the statutes and regulations that are in place at the time of the application, including the control status of substances included in the preparation. DEA must remain vigilant to ensure that exempt chemical preparations remain consistent with the standards set forth in the CSA and its implementing regulations. As such, DEA reminds the public that any chemical preparation, regardless of whether it was previously

exempt, that contains a newly controlled substance will require a new application for exemption pursuant to 21 U.S.C. 811(g)(3)(B) and 21 CFR 1308.23–1308.24.

Review of Exemptions Pursuant to 21 U.S.C. 811(g)(3)

Based on inquiries received from industry, DEA is conducting a comprehensive review of the exempt chemical preparation regulations. DEA's regulations at 21 CFR 1308.24(a) state that approved chemical preparations are exempt from certain provisions of both Subchapter I and Subchapter II of the CSA: "The chemical preparations and mixtures approved pursuant to 1308.23 are exempt from application of sections 302, 303, 305, 306, 307, 308, 309, 1002, 1003 and 1004 of the Act (21 U.S.C. 822–823, 825–829, 952–954) and 1301.74 of this chapter, to the extent described in paragraphs (b) to (h) of this section." Pursuant to its regulations, DEA has provided exemptions from the application of section 302, 303, 305, 306, 307, 308, 309, 1002, 1003, and 1004 of the Act (21 U.S.C. 822–823, 825–829, 952–954) and 21 CFR 1301.74 since the implementation of the regulations in the early 1970s. Until DEA's analysis of the exemption regulations is complete, DEA will continue to review and provide exemptions to chemical preparations consistent with the implementing regulations, when warranted. DEA will publish a future notice regarding the outcome of DEA's review of its regulations with respect to the exemption of chemical preparations.

Request for Comment

Pursuant to 21 CFR 1308.23, any interested person may submit written comments on or objections to any chemical preparation in this order that has been approved or denied as exempt. If any comments or objections raise significant issues regarding any finding of fact or conclusion of law upon which this order is based, the Deputy Assistant Administrator will immediately suspend the effectiveness of any applicable part of this order until he may reconsider the application in light of the comments and objections filed.

Approved Exempt Chemical Preparations Are Posted on DEA's Web site

A list of all current exemptions, including those listed in this order, is available on DEA's Web site at http://www.deadiversion.usdoj.gov/schedules/exempt/exempt_chemlist.pdf. The dates of applications of all current exemptions are posted for easy reference.

Dated: January 14, 2013.

Joseph T. Rannazzisi,

Deputy Assistant Administrator.

[FR Doc. 2013–01133 Filed 1–18–13; 8:45 am]

BILLING CODE 4410–09–P

DEPARTMENT OF LABOR

Employee Benefits Security Administration

Proposed Information Collection Request Submitted for Public Comment; Survey Regarding Pension Benefit Statements

AGENCY: Employee Benefits Security Administration, Department of Labor.

ACTION: Notice.

SUMMARY: The Department of Labor (the Department), in accordance with the Paperwork Reduction Act of 1995 (PRA 95) (44 U.S.C. 3506(c)(2)(A)), provides the general public and Federal agencies with an opportunity to comment on proposed and continuing collections of information. This helps the Department assess the impact of its information collection requirements and minimize the public's reporting burden. It also helps the public understand the Department's information collection requirements and provide the requested data in the desired format. The Employee Benefits Security Administration (EBSA) is soliciting comments on the proposed information collection request (ICR) described below. A copy of the ICRs may be obtained by contacting the office listed in the **ADDRESSES** section of this notice. ICRs also are available at [reginfo.gov \(http://www.reginfo.gov/public/do/PRAMain\)](http://www.reginfo.gov/public/do/PRAMain).

DATES: Written comments must be submitted to the office shown in the Addresses section on or before March 25, 2013.

ADDRESSES: G. Christopher Cosby, Department of Labor, Employee Benefits Security Administration, 200 Constitution Avenue NW., N–5718, Washington, DC 20210, (202) 693–8410, FAX (202) 693–4745 (these are not toll-free numbers).

I. Supplementary Information

This notice requests public comment on the Department's proposed collection of information regarding a survey and focus groups that will ask respondents to answer questions related to information presented in benefit statements received from their retirement plans. A summary of the ICR and the current burden estimates follows:

Agency: Employee Benefits Security Administration, Department of Labor.

Title: Household survey questions and experiments related to pension benefit statements.

Type of Review: New collection of information.

OMB Number: 1210–NEW.

Respondents: 2,950.

Number of Annual Responses: 2,950.

Total Burden Hours: 945 hours.

Total Annualized Capital/Startup

Costs: \$0.

Total Annual Costs: \$244,800.

Description: The Department is planning to survey participants in an existing household Internet panel called the American Life Panel (ALP) and conduct four focus groups consisting of non-panel members to explore whether information presented in retirement plan benefit statements can be presented in a manner that is understandable for participants and beneficiaries and makes them better prepared for retirement. Topics probed in the survey include participants' current allocations to their retirement accounts, their expectations for how long they will need to keep working, their financial goals for retirement, the basis for calculating those goals, how frequently they view their current benefits statement, whether they receive benefit statements in paper or electronic format, and what information from the statements do they primarily focus on. Survey participants will then be provided with two different benefits statements that provide slightly different information and will be asked to answer several questions based on those statements to better assess what they understand about the statements.

The study results will be used to support the Department's rulemaking pursuant to section 105(a) of the Employee Retirement Income Security Act of 1974 as amended by the Pension Protection Act of 2006, which requires administrators of ERISA-covered individual account plans to furnish periodic benefit statements to participants and beneficiaries and the Department to develop model benefits statements.

II. Focus of Comments

The Department is particularly interested in comments that:

- Evaluate whether the collections of information are necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;
- Evaluate the accuracy of the agency's estimate of the collections of information, including the validity of the methodology and assumptions used;