

Approved: April 4, 2013.

A.B. Fischer,

Captain, JAGC, U.S. Navy, Deputy Assistant Judge Advocate General (Admiralty and Maritime Law).

Dated: April 8, 2013.

C.K. Chiappetta,

Lieutenant Commander, Office of the Judge Advocate General, U.S. Navy, Federal Register Liaison Officer.

[FR Doc. 2013-08914 Filed 4-15-13; 8:45 am]

BILLING CODE 3810-FF-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 117

[Docket No. USCG-2013-0236]

Drawbridge Operation Regulations; Taunton River, Fall River and Somerset, MA

AGENCY: Coast Guard, DHS.

ACTION: Notice of temporary deviation from regulation.

SUMMARY: The Coast Guard is issuing a temporary deviation from the regulation governing the operation of the Brightman Street Bridge across the Taunton River, mile 1.8, between Fall River and Somerset, Massachusetts. The deviation is necessary to facilitate power equipment upgrades. During this temporary deviation, the bridge may remain in the closed position for five hours.

DATES: This deviation is effective from 4:30 p.m. until 9:30 p.m. on April 16, 2013.

ADDRESSES: The docket for this deviation, [USCG-2013-0236] is available at <http://www.regulations.gov>. Type the docket number in the "SEARCH" box and click "SEARCH." Click on Open Docket Folder on the line associated with this deviation. You may also visit the Docket Management Facility in Room W12-140, on the ground floor of the Department of Transportation West Building, 1200 New Jersey Avenue SE., Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: If you have questions on this temporary deviation, call or email Mr. John McDonald, Project Officer, First Coast Guard District, john.w.mcdonald@uscg.mil, or (617) 223-8364. If you have questions on viewing the docket, call Barbara

Hairston, Program Manager, Docket Operations, telephone 202-366-9826.

SUPPLEMENTARY INFORMATION: The Brightman Street Bridge has a vertical clearance of 27 feet at mean high water and 31 feet at mean low water in the closed position. Currently, in accordance with 33 CFR 117.619, the draw opens on signal between 5 a.m. and 9 p.m. From 9 p.m. until 5 a.m. the draw opens on signal with at least one hour advance notice.

The bridge owner, Massachusetts Department of Transportation, requested a five hour closure to facilitate electrical upgrades by the local power company, National Grid.

Under this temporary deviation the Brightman Street Bridge may remain in the closed position from 4:30 p.m. until 9:30 p.m. on April 16, 2013.

The Taunton River is a recreational waterway. The bridge rarely opens during the time period this temporary deviation will be in effect.

In accordance with 33 CFR 117.35(e), the bridge must return to its regular operating schedule immediately at the end of the designated repair period. This deviation from the operating regulations is authorized under 33 CFR 117.35.

Dated: April 4, 2013.

Gary Kassof,

Bridge Program Manager, First Coast Guard District.

[FR Doc. 2013-08843 Filed 4-15-13; 8:45 am]

BILLING CODE 9110-04-P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 52

[EPA-R03-OAR-2012-0369; FRL-9803-2]

Approval and Promulgation of Air Quality Implementation Plans; West Virginia; The 2002 Base Year Emissions Inventory for the West Virginia Portion of the Steubenville-Weirton, OH-WV Nonattainment Area for the 1997 Fine Particulate Matter National Ambient Air Quality Standard

AGENCY: Environmental Protection Agency (EPA).

ACTION: Final rule.

SUMMARY: EPA is approving the 2002 base year emissions inventory portion of the West Virginia State Implementation Plan (SIP) revision submitted by the State of West Virginia, through the West Virginia Department of Environmental Protection (WVDEP), on June 24, 2009 for the Steubenville-Weirton, OH-WV nonattainment area (the Steubenville-

Weirton Area) for the 1997 annual fine particulate matter (PM_{2.5}) National Ambient Air Quality Standard (NAAQS). The emissions inventory is part of a SIP revision that was submitted to meet West Virginia's nonattainment requirements related to the Steubenville-Weirton Area. EPA is approving the 2002 base year PM_{2.5} emissions inventory in accordance with the requirements of the Clean Air Act (CAA).

DATES: This final rule is effective on May 16, 2013.

ADDRESSES: EPA has established a docket for this action under Docket ID Number EPA-R03-OAR-2012-0369. All documents in the docket are listed in the www.regulations.gov Web site. Although listed in the electronic docket, some information is not publicly available, i.e., confidential business information (CBI) or other information whose disclosure is restricted by statute. Certain other material, such as copyrighted material, is not placed on the Internet and will be publicly available only in hard copy form. Publicly available docket materials are available either electronically through www.regulations.gov or in hard copy for public inspection during normal business hours at the Air Protection Division, U.S. Environmental Protection Agency, Region III, 1650 Arch Street, Philadelphia, Pennsylvania 19103. Copies of the State submittal are available at the West Virginia Department of Environmental Protection, Division of Air Quality, 601 57th Street SE., Charleston, West Virginia 25304.

FOR FURTHER INFORMATION CONTACT: Emlyn Vélez-Rosa, (215) 814-2038, or by email at velez-rosa.emlyn@epa.gov.

SUPPLEMENTARY INFORMATION: This supplementary information section is arranged as follows:

- I. Background
- II. Summary of SIP Revision
- III. Final Action
- IV. Statutory and Executive Order Reviews

I. Background

On December 26, 2012 (77 FR 75933), EPA published a notice of proposed rulemaking (NPR) for the State of West Virginia. The NPR proposed approval of the PM_{2.5} 2002 base year emissions inventory for the West Virginia portion of the Steubenville-Weirton Area. The formal SIP revision was submitted by the State of West Virginia on June 24, 2009.

II. Summary of SIP Revision

The PM_{2.5} 2002 base year emission inventory submitted by WVDEP on June