

and E100E, 8800 Greenbelt Road, Greenbelt, Maryland 20771.

FOR FURTHER INFORMATION CONTACT: Ms. Marian Norris, Science Mission Directorate, NASA Headquarters, Washington, DC 20546, (202) 358-4452 or mnorris@nasa.gov.

SUPPLEMENTARY INFORMATION: The meeting will be open to the public up to the capacity of the room. This meeting is also available telephonically and by WebEx. Any interested person may call the USA toll free conference call number (800) 857-7040, pass code APS, to participate in this meeting by telephone. The WebEx link is <https://nasa.webex.com/>, the meeting number on July 16 is 994 082 104, and the password is APS@July16; the meeting number on July 17 is 990 483 015, and the password is APS@July17. The agenda for the meeting includes the following topics:

- Astrophysics Division Update
- Astrophysics Roadmap
- James Webb Space Telescope Briefing

It is imperative that the meeting be held on these dates to accommodate the scheduling priorities of the key participants. All attendees will be requested to sign a register and to comply with NASA security requirements. U.S. attendees must show a valid State or Federal issued photo ID, passport, or Permanent Resident green card, before receiving an access badge to enter into the NASA Goddard Space Flight Center and must state that they are attending the NASA Advisory Council's Astrophysics Subcommittee meeting in Building 1. All U.S. citizens and green card holders desiring to attend must provide their full name, company affiliation (if applicable), and citizenship to Marian Norris via email at mnorris@nasa.gov or by telephone at (202) 358-4452 no later than the close of business July 9, 2013. Foreign Nationals must provide following information: full name, gender, date/place of birth, citizenship, home address, visa information (number, type, expiration date), passport information (number, country of issue, expiration date), employer/affiliation information (name of institution, title/position, address, country of employer, telephone, email address), and an electronically scanned copy of their passport and visa to Marian Norris via email at mnorris@nasa.gov no later than close of business July 1, 2013. If the above information is not received by the noted dates, U.S. attendees should expect a minimum delay of two (2) hours, and Foreign Nationals may not be granted entrance. All visitors to this meeting will report to the Goddard

Space Flight Center (GSFC) Main Gate where they will be processed through security prior to entering GSFC. For security questions on the day of the meeting, please call Mary Holland at (301) 286-5412 or email mary.holland@nasa.gov.

Patricia D. Rausch,

*Advisory Committee Management Officer,
National Aeronautics and Space
Administration.*

[FR Doc. 2013-14324 Filed 6-14-13; 8:45 am]

BILLING CODE 7510-13-P

NATIONAL CREDIT UNION ADMINISTRATION

Sunshine Act Meeting

TIME AND DATE: 10:00 a.m., Thursday, June 20, 2013

PLACE: Board Room, 7th Floor, Room 7047, 1775 Duke Street (All visitors must use Diagonal Road Entrance), Alexandria, VA 22314-3428.

STATUS: Open.

MATTERS TO BE CONSIDERED: 1. Illinois Member Business Loan Rule.

RECESS: 10:45 a.m.

TIME AND DATE: 11:00 a.m., Thursday, June 20, 2013.

PLACE: Board Room, 7th Floor, Room 7047, 1775 Duke Street, Alexandria, VA 22314-3428.

STATUS: Closed.

MATTERS TO BE CONSIDERED: 1.

Consideration of Supervisory Activities. Closed pursuant to the following exemptions: (8), (9)(i)(B) and (9)(ii).

FOR FURTHER INFORMATION CONTACT: Mary Rupp, Secretary of the Board, Telephone: 703-518-6304.

Mary Rupp,

Board Secretary.

[FR Doc. 2013-14508 Filed 6-13-13; 4:15 pm]

BILLING CODE 7535-01-P

NUCLEAR REGULATORY COMMISSION

[Docket No. 52-025; NRC-2008-0252]

Vogtle Electric Generating Plant, Unit 3

AGENCY: Nuclear Regulatory Commission.

ACTION: Determination of inspections, tests, analyses, and acceptance criteria completion.

SUMMARY: The U.S. Nuclear Regulatory Commission (NRC) staff has determined that the inspections, tests, and analyses have been successfully completed, and

that the specified acceptance criteria are met for Inspections, Tests, Analyses, and Acceptance Criteria (ITAAC) E.2.5.04.05.05.01, for the Vogtle Electric Generating Plant, Unit 3.

ADDRESSES: Please refer to Docket ID NRC-2008-0252 when contacting the NRC about the availability of information regarding this document. You may access information related to this document, which the NRC possesses and is publicly available, using any of the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2008-0252. Address questions about NRC dockets to Carol Gallagher; telephone: 301-492-3668; email: Carol.Gallagher@nrc.gov. For technical questions, contact the individuals listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may access publicly available documents online in the NRC Library at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "ADAMS Public Documents" and then select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to pdr.resource@nrc.gov. The ADAMS accession number for each document referenced in this document (if that document is available in ADAMS) is provided the first time that a document is referenced.

- *NRC's PDR:* You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

FOR FURTHER INFORMATION CONTACT: Brian Anderson, Office of New Reactors, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-415-9967, email: Brian.Anderson@nrc.gov.

SUPPLEMENTARY INFORMATION:

Licensee Notification of Completion of ITAAC

On February 1, 2013, Southern Nuclear Operating Company, Inc. (the licensee) submitted an ITAAC closure notification (ICN) under section 52.99(c)(1) of Title 10 of the *Code of Federal Regulations* (10 CFR), informing the NRC that the licensee has successfully performed the required inspections, tests, and analyses for ITAAC E.2.5.04.05.05.01, and that the specified acceptance criteria are met for Vogtle Electric Generating Plant, Unit 3

(ADAMS Accession No. ML13032A592). This ITAAC was approved as part of the issuance of the combined license, NPF-91, for this facility.

NRC Staff Determination of Completion of ITAAC

The NRC staff has determined that the inspections, tests, and analyses have been successfully completed, and that the specified acceptance criteria are met for Vogtle Electric Generating Plant, Unit 3, ITAAC E.2.5.04.05.05.01. This notice fulfills the staff's obligations under 10 CFR 52.99(e)(1) to publish a notice in the *Federal Register* of the NRC staff's determination of the successful completion of inspections, tests and analyses.

The documentation of the NRC staff's determination is in the ITAAC Closure Verification Evaluation Form (VEF), dated March 19, 2013 (ADAMS Accession No. ML13109A243). The VEF is a form that represents the NRC staff's structured process for reviewing ICNs. The ICN presents a narrative description of how the ITAAC was completed, and the NRC's ICN review process involves a determination on whether, among other things, (1) the ICN provides sufficient information, including a summary of the methodology used to perform the ITAAC, to demonstrate that the inspections, tests, and analyses have been successfully completed; (2) the ICN provides sufficient information to demonstrate that the acceptance criteria are met; and (3) any required inspections for the ITAAC have been completed and any ITAAC findings associated with the ITAAC have been closed.

The NRC staff's determination of the successful completion of this ITAAC is based on information available at this time and is subject to the licensee's ability to maintain the condition that the acceptance criteria are met. If new information disputes the NRC staff's determination, this ITAAC will be reopened as necessary. The NRC staff's determination will be used to support a subsequent finding, pursuant to 10 CFR 52.103(g), at the end of construction that all acceptance criteria in the combined license are met. The ITAAC closure process is not finalized for this ITAAC until the NRC makes an affirmative finding under 10 CFR 52.103(g). Any future updates to the status of this ITAAC will be reflected on the NRC's Web site at <http://www.nrc.gov/reactors/new-reactors/oversight/itaac.html>.

Dated at Rockville, Maryland, this 10th day of June 2013.

For the Nuclear Regulatory Commission.

Brian Anderson,

Senior Project Manager, Licensing Branch 4, Division of New Reactor Licensing, Office of New Reactors.

[FR Doc. 2013-14307 Filed 6-14-13; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

[NRC-2012-0159]

Fuel Oil Systems for Emergency Power Supplies

AGENCY: Nuclear Regulatory Commission.

ACTION: Regulatory guide; issuance.

SUMMARY: The U.S. Nuclear Regulatory Commission (NRC) is issuing revision 2 of Regulatory Guide (RG) 1.137, "Fuel Oil Systems for Emergency Power Supplies." Revision 2 of RG 1.137 endorses ANSI/ANS-59.51-1997, "Fuel Oil Systems for Safety-Related Emergency Diesel Generators," (reaffirmed in October 2007) with the exceptions and clarification stated in the RG. ANSI/ANS-59.51-1997 describes methods that the NRC considers acceptable for use in complying with NRC regulations for assuring the quality of fuel oil for emergency diesel generators used in nuclear power plants.

ADDRESSES: Please refer to Docket ID NRC-2012-0159 when contacting the NRC about the availability of information regarding this document. You may access information related to this document, which the NRC possesses and is publicly available, using the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2012-0159. Address questions about NRC dockets to Carol Gallagher; telephone: 301-492-3668; email: Carol.Gallagher@nrc.gov. For technical questions, contact the individual(s) listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may access publicly available documents online in the NRC Library at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "ADAMS Public Documents" and then select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to pdr.resource@nrc.gov. The ADAMS accession number for each

document referenced in this notice (if that document is available in ADAMS) is provided the first time that a document is referenced. Revision 2 of Regulatory Guide 1.137, is available in ADAMS under Accession No. ML12300A122. The regulatory analysis may be found in ADAMS under Accession No. ML121090459.

- *NRC's PDR:* You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

Regulatory guides are not copyrighted, and NRC approval is not required to reproduce them.

FOR FURTHER TECHNICAL INFORMATION

CONTACT: Mark Orr, Division of Engineering, Office of Nuclear Regulatory Research, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-251-7495; email: Mark.Orr@nrc.gov.

SUPPLEMENTARY INFORMATION:

I. Introduction

The NRC is issuing a revision to an existing guide in the NRC's "Regulatory Guide" series. This series was developed to describe and make available to the public information such as methods that are acceptable to the NRC staff for implementing specific parts of the NRC's regulations, techniques that the staff uses in evaluating specific problems or postulated accidents, and data that the staff needs in its review of applications for permits and licenses.

II. Further Information

Revision 2 of RG 1.137 endorses American National Standards Institute (ANSI), American Nuclear Society (ANS) (ANSI/ANS) Standard 59.51-1997, "Fuel Oil Systems for Safety-Related Emergency Diesel Generators," (reaffirmed in October 2007), and American Society for Testing and Materials (ASTM) standard D975-13, "Standard Specification for Diesel Fuel Oils," with the exceptions stated in the regulatory positions. Both ANSI/ANS-59.51-1997 and ASTM D975-13 describe methods the NRC considers acceptable for use in complying with NRC requirements for assuring the quality of fuel oil and fuel oil systems for emergency diesel generators used in nuclear power plants. The methods described in ANSI/ANS 59.51-1997 and ASTM D975-13 are consistent with NRC requirements derived from "General Design Criteria (GDC) 17, Electric Power Systems" in Appendix A to Part 50 of Title 10, of the *Code of Federal Regulations* (10 CFR),