A copy of the petition, as well as any written communications concerning the petition, is available for review online at *www.regulations.gov* and in person at the U.S. Department of Transportation's (DOT) Docket Operations Facility, 1200 New Jersey Avenue SE., W12–140, Washington, DC 20590. The Docket Operations Facility is open from 9 a.m. to 5 p.m., Monday through Friday, except Federal Holidays.

Interested parties are invited to participate in these proceedings by submitting written views, data, or comments. FRA does not anticipate scheduling a public hearing in connection with these proceedings since the facts do not appear to warrant a hearing. If any interested party desires an opportunity for oral comment, they should notify FRA, in writing, before the end of the comment period and specify the basis for their request.

All communications concerning these proceedings should identify the appropriate docket number and may be submitted by any of the following methods:

• Web site: *http:// www.regulations.gov.* Follow the online instructions for submitting comments.

• Fax: 202–493–2251.

• Mail: Docket Operations Facility, U.S. Department of Transportation, 1200 New Jersey Avenue SE., W12–140, Washington, DC 20590.

• Hand Delivery: 1200 New Jersey Avenue SE., Room W12–140, Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal Holidays.

Communications received by February 7, 2014 will be considered by FRA before final action is taken. Comments received after that date will be considered as far as practicable.

Anyone is able to search the electronic form of any written communications and comments received into any of our dockets by the name of the individual submitting the comment (or signing the document, if submitted on behalf of an association, business, labor union, etc.). See *http:// www.regulations.gov/#!privacyNotice* for the privacy notice of regulations.gov or interested parties may review DOT's complete Privacy Act Statement in the **Federal Register** published on April 11, 2000 (65 FR 19477).

Issued in Washington, DC.

#### Robert C. Lauby,

Associate Administrator for Railroad Safety, Chief Safety Officer.

[FR Doc. 2013–30534 Filed 12–23–13; 8:45 am] BILLING CODE 4910–06–P

## DEPARTMENT OF TRANSPORTATION

### Federal Railroad Administration

[Docket Number FRA-2013-0129]

#### Petition for Waiver of Compliance

In accordance with Part 211 of Title 49 Code of Federal Regulations (CFR), this document provides the public notice that by a document dated September 13, 2013, the Union Pacific Railroad (UP) petitioned the Federal Railroad Administration (FRA) for a waiver of compliance from certain provisions of the Federal railroad safety regulations contained at 49 CFR part 236, Rules, Standards, and Instructions Governing the Installation, Inspection, Maintenance, and Repair of Signal and Train Control Systems, Devices, and Appliances. FRA assigned the petition Docket Number FRA-2013-0129.

UP seeks a waiver from compliance with the cab signal system requirements found in 49 CFR 236.566, *Locomotive of each train operating in train stop, train control, or cab signal territory; equipped.* Specifically, UP seeks relief to operate: Non-equipped engines used in switching and transfer service, with or without cars; work trains; wreck trains; ballast cleaners to and from work; and engines and rail diesel cars moving to and from shops at the following locations:

1. Operations on the Chicago Service Unit, Geneva Subdivision, from Control Point (CP) Y901 and Kedzie may be made in accordance with signal indication and at restricted speed:

• With engines not equipped with automatic train control (ATC) with or without cars; or,

• To and from the CP Y901 with the ATC cut out and back-up moves; or,

• With the ATC cut out due to failure.

2. Operations on the Chicago Service Unit, Geneva Subdivision, from Kedzie and Park CP Y015, engines not equipped with ATC and foreign crews operating UP trains may be operated at a speed not exceeding 40 mph when a block signal displays an indication more favorable than Approach. An Approach or more favorable indication establishes an absolute block to the next block signal. If block signal displays a Stop, Restricted Proceed, or Restricting indication, the train must stop and not proceed until authorized by the train dispatcher. However, the train may pass a signal indicating Restricting to leave the main track immediately past the signal.

3. Operations on the Chicago Service Unit, Geneva Subdivision, nonequipped engines in switching service may be operated on the main track between CP Y901 and Elmhurst; between Dixon and Nelson; between Nelson and Sterling; between East Clinton and Clinton; and at West Chicago, De Kalb, Dixon, Nelson, Sterling, and Clinton within switching limits, in accordance with signal indication, not exceeding restricted speed.

A copy of the petition, as well as any written communications concerning the petition, is available for review online at *www.regulations.gov* and in person at the U.S. Department of Transportation's Docket Operations Facility, 1200 New Jersey Avenue SE., W12–140, Washington, DC 20590. The Docket Operations Facility is open from 9 a.m. to 5 p.m., Monday through Friday, except Federal Holidays.

Interested parties are invited to participate in these proceedings by submitting written views, data, or comments. FRA does not anticipate scheduling a public hearing in connection with these proceedings since the facts do not appear to warrant a hearing. If any interested party desires an opportunity for oral comment, they should notify FRA, in writing, before the end of the comment period and specify the basis for their request.

All communications concerning these proceedings should identify the appropriate docket number and may be submitted by any of the following methods:

Web site: http://

*www.regulations.gov*. Follow the online instructions for submitting comments.

• Fax: 202–493–2251.

• *Mail:* Docket Operations Facility, U.S. Department of Transportation, 1200 New Jersey Avenue SE., W12–140, Washington, DC 20590.

• *Hand Delivery:* 1200 New Jersey Avenue SE., Room W12–140, Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal Holidays.

Communications received by February 7, 2014 will be considered by FRA before final action is taken. Comments received after that date will be considered as far as practicable.

Anyone is able to search the electronic form of any written communications and comments received into any of our dockets by the name of the individual submitting the comment (or signing the comment, if submitted on behalf of an association, business, labor union, etc.). You may review DOT's complete Privacy Act Statement in the **Federal Register** published on April 11, 2000 (Volume 65, Number 70; Pages 19477–78), or online at *http://www.dot.gov/ #!privacy.html.*  Issued in Washington, DC. **Robert C. Lauby**, *Associate Administrator for Railroad Safety, Chief Safety Officer.* [FR Doc. 2013–30536 Filed 12–23–13; 8:45 am] **BILLING CODE 4910–06–P** 

### DEPARTMENT OF TRANSPORTATION

### National Highway Traffic Safety Administration

### Petition for Exemption From the Federal Motor Vehicle Theft Prevention Standard; General Motors Corporation

**AGENCY:** National Highway Traffic Safety Administration, Department of Transportation (DOT).

# **ACTION:** Grant of petition for exemption.

**SUMMARY:** This document grants in full General Motors Corporation's (GM) petition for an exemption of the Cadillac SRX vehicle line in accordance with 49 CFR part 543, Exemption from Vehicle Theft Prevention Standard. This petition is granted because the agency has determined that the antitheft device to be placed on the line as standard equipment is likely to be as effective in reducing and deterring motor vehicle theft as compliance with the partsmarking requirements of 49 CFR Part 541, Federal Motor Vehicle Theft Prevention Standard (Theft Prevention Standard).

**DATES:** The exemption granted by this notice is effective beginning with the 2015 model year (MY).

FOR FURTHER INFORMATION CONTACT: Ms. Deborah Mazyck, Office of International Policy, Fuel Economy, and Consumer Standards, NHTSA, W43–443, 1200 New Jersey Avenue SE., Washington, DC 20590. Ms. Mazyck's phone number is (202) 366–4139. Her fax number is (202) 493–2990.

**SUPPLEMENTARY INFORMATION:** In a petition dated August 16, 2013, GM requested an exemption from the partsmarking requirements of the Theft Prevention Standard for the Cadillac SRX vehicle line beginning with MY 2015. The petition requested an exemption from parts-marking pursuant to 49 CFR 543, *Exemption from Vehicle Theft Prevention Standard*, based on the installation of an antitheft device as standard equipment for the entire vehicle line.

Under 49 CFR Part 543.5(a), a manufacturer may petition NHTSA to grant an exemption for one vehicle line per model year. In its petition, GM provided a detailed description and diagram of the identity, design, and location of the components of the

antitheft device for the Cadillac SRX vehicle line. GM will install the PASS-Key III+ antitheft device as standard equipment on the vehicle line. The PASS-Key III+ is a passive, transponderbased, electronic immobilizer device. The major components of the device consist of the PASS-Key III+ controller module, engine control module, electronically-coded ignition key, radio frequency receiver and passive antenna module. GM stated that the device will provide protection against unauthorized use (i.e., starting and engine fueling), but will not provide any visible or audible indication of unauthorized vehicle entry (i.e., flashing lights or horn alarm). GM's submission is considered a complete petition as required by 49 CFR 543.7 in that it meets the general requirements contained in 543.5 and the specific content requirements of 543.6.

The PASS-Key III+ device is designed to be active at all times without direct intervention by the vehicle operator. The device is fully armed immediately after the ignition has been turned off and the key removed.

GM stated that the PASS-Key III+ uses a special ignition key and decoder module. The ignition key contains electronics molded into the key head, providing billions of possible electronic combinations. The electronics receive energy and data from the antenna module. Upon receipt of the data, the key will calculate a response to the data using an internal encryption algorithm and transmit the response back to the vehicle. The antenna module translates the radio frequency signal received from the key into a digital signal and passes the signal on to the controller module. The controller module compares the received response to an internally calculated value. If the values match, the key is recognized as valid and a password is then transmitted through a serial data link to the engine control module to enable fueling and vehicle starting. A secondary data challenge and response process using another encryption algorithm must be validated by the engine controller to allow continued operation. If an invalid key code is received, the PASS-Key III+ controller module will send a "Disable Password" to the engine control module and starting, ignition, and fuel will be inhibited.

In addressing the specific content requirements of 543.6, GM provided information on the reliability and durability of its proposed device. To ensure reliability and durability of the device, GM conducted tests based on its own specified standards. GM provided information on the specific tests it uses to validate the integrity, durability and reliability of the PASS-Key III+ device and believes that the device is reliable and durable since the components must operate as designed after each test. GM also stated that the design and assembly processes of the PASS-Key III+ subsystem and components are validated for 10 years of vehicle life and 150,000 miles of performance.

GM stated that the PASS-Key III+ device has been designed to enhance the functionality and theft protection provided by its first, second and third generation PASS-Key, PASS-Key II, and PASS-Kev III devices. GM also referenced data provided by the American Automobile Manufacturers Association (AAMA) in support of the effectiveness of GM's PASS-Key devices in reducing and deterring motor vehicle theft. Specifically, GM stated that the AAMA's comments referencing the agency's Preliminary Report on "Auto Theft and Recovery Effects of the Anti-Car Theft Act of 1992 and the Motor Vehicle Theft Law Enforcement Act of 1984", (Docket 97-042; Notice 1), showed that between MYs 1987 and 1993, the Chevrolet Camaro and Pontiac Firebird vehicle lines experienced a significant theft rate reduction after installation of a Pass-Key like antitheft device as standard equipment on the vehicle lines.

GM also noted that theft data have indicated a decline in theft rates for vehicle lines equipped with comparable devices that have received full exemptions from the parts-marking requirements. GM stated that the theft data, as provided by the Federal Bureau of Investigation's National Crime Information Center and compiled by the agency, show that theft rates are lower for exempted GM models equipped with the PASS-Key like systems than the theft rates for earlier models with similar appearance and construction that were parts-marked. Based on the performance of the PASS-Key, PASS-Key II, and PASS-Key III devices on other GM models, and the advanced technology utilized in PASS-Key III+, GM believes that the PASS-Key III+ device will be more effective in deterring theft than the parts-marking requirements of 49 CFR Part 541.

Additionally, GM stated that the PASS-Key III+ is installed as standard equipment on the Cadillac CTS vehicle line. GM informed the agency that its Cadillac CTS vehicle line has been equipped with the device since introduction of its MY 2003 vehicles. GM was granted an exemption from the parts-marking requirements by the agency for the Cadillac CTS vehicle line beginning with the 2011 MY (See 74 FR