

of automated collection techniques, when appropriate, and other forms of information technology.

FDA Rapid Response Surveys (Generic Clearance)—(OMB Control Number 0910-0500)—Extension

Section 505 of the Federal Food, Drug, and Cosmetic Act (the FD&C Act) (21 U.S.C. 355), requires that important safety information relating to all human prescription drug products be made available to FDA so that it can take appropriate action to protect the public health when necessary. Section 702 of the FD&C Act (21 U.S.C. 372) authorizes investigational powers to FDA for enforcement of the FD&C Act. Under section 519 of the FD&C Act (21 U.S.C. 360i), FDA is authorized to require manufacturers to report medical device-related deaths, serious injuries, and malfunctions to FDA; to require user facilities to report device-related deaths directly to FDA and to manufacturers; and to report serious injuries to the manufacturer. Section 522 of the FD&C Act (21 U.S.C. 360j) authorizes FDA to require manufacturers to conduct postmarket surveillance of medical devices. Section 705(b) of the FD&C Act (21 U.S.C. 375(b)) authorizes FDA to collect and disseminate information

regarding medical products or cosmetics in situations involving imminent danger to health or gross deception of the consumer. Section 903(d)(2) of the FD&C Act (21 U.S.C. 393(d)(2)) authorizes the Commissioner of Food and Drugs to implement general powers (including conducting research) to carry out effectively the mission of FDA. These sections of the FD&C Act enable FDA to enhance consumer protection from risks associated with medical products usage that are not foreseen or apparent during the premarket notification and review process. FDA's regulations governing application for Agency approval to market a new drug (21 CFR part 314) and regulations governing biological products (21 CFR part 600) implement these statutory provisions. Currently, FDA monitors medical product related postmarket adverse events via both the mandatory and voluntary MedWatch reporting systems using FDA Forms 3500 and 3500A (OMB control number 0910-0291) and the vaccine adverse event reporting system.

FDA is seeking OMB clearance to collect vital information via a series of rapid response surveys. Participation in these surveys will be voluntary. This request covers rapid response surveys

for community based health care professionals, general type medical facilities, specialized medical facilities (those known for cardiac surgery, obstetrics/gynecology services, pediatric services, etc.), other health care professionals, patients, consumers, and risk managers working in medical facilities. FDA will use the information gathered from these surveys to quickly obtain vital information about medical product risks and interventions to reduce risks so the Agency may take appropriate public health or regulatory action including dissemination of this information as necessary and appropriate.

FDA projects six emergency risk related surveys per year with a sample of between 50 and 10,000 respondents per survey. FDA also projects a response time of 0.5 hours per response. These estimates are based on the maximum sample size per questionnaire that FDA may be able to obtain by working with health care professional organizations. The annual number of surveys was determined by the maximum number of surveys per year FDA has ever conducted under this collection.

FDA estimates the burden of this collection of information as follows:

TABLE 1—ESTIMATED ANNUAL REPORTING BURDEN ¹

Activity	Number of respondents	Number of responses per respondent	Total annual responses	Average burden per response	Total hours
FDA Rapid Response Survey	10,000	6	60,000	0.5	30,000

¹ There are no capital costs or operating and maintenance costs associated with this collection of information.

Dated: December 18, 2013.

Leslie Kux,

Assistant Commissioner for Policy.

[FR Doc. 2013-30630 Filed 12-23-13; 8:45 am]

BILLING CODE 4160-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket No. FDA-2013-N-0001]

Science Advisory Board to the National Center for Toxicological Research; Notice of Meeting

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice.

This notice announces a forthcoming meeting of a public advisory committee of the Food and Drug Administration (FDA). At least one portion of the meeting will be closed to the public.

Name of Committee: Science Advisory Board (SAB) to the National Center for Toxicological Research (NCTR).

General Function of the Committee: To provide advice and recommendations to the Agency on FDA's regulatory issues.

Date and Time: The meeting will be held on January 29, 2014, from 8:45 a.m. to 5:30 p.m. and on January 30, 2014, from 8 a.m. to 2 p.m.

Location: NCTR SAB Conference Room B-12, 3900 NCTR Rd., Jefferson, AR 72079.

Contact Person: Margaret Miller, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 32, rm. 2208, Silver Spring, MD 20993-0002, 301-796-8890, or FDA Advisory Committee Information Line, 1-800-741-8138 (301-443-0572 in the Washington, DC area), to find out further information regarding FDA advisory committee information. A notice in the **Federal**

Register about last minute modifications that impact a previously announced advisory committee meeting cannot always be published quickly enough to provide timely notice. Therefore, you should always check the Agency's Web site at <http://www.fda.gov/AdvisoryCommittees/default.htm> and scroll down to the appropriate advisory committee meeting link, or call the advisory committee information line to learn about possible modifications before coming to the meeting.

Agenda: On January 29, 2014, the NCTR Director will welcome the participants and provide a Center-wide update on scientific initiatives and accomplishments during the past year. The SAB will be presented with an overview of the Division of Microbiology Subcommittee and the Subcommittee Site Visit Report. Following the public session, the SAB will hear an update from each of NCTR's research Division's the Office of

Science Coordination, followed by a report from the National Toxicology Program of the National Institutes of Environmental Health Sciences on current and future collaboration.

On January 30, 2014, the Arkansas Bioinformatics Consortium will present concepts and ideas on defining and meeting NCTR and FDA's scientific computing needs and discuss how it can partner with FDA to foster the development of collaborative efforts in this area. To facilitate the discussion representatives from each of the product centers will discuss their bioinformatic needs, how those needs are being addressed and areas of possible collaboration.

Following an open discussion of all the information presented, the open session of the meeting will close so that SAB members can discuss personnel issues at NCTR.

FDA intends to make background material available to the public no later than 2 business days before the meeting. If FDA is unable to post the background material on its Web site prior to the meeting, the background material will be made publicly available at the location of the advisory committee meeting, and the background material will be posted on FDA's Web site after the meeting. Background material is available at <http://www.fda.gov/AdvisoryCommittees/Calendar/default.htm>. Scroll down to the appropriate advisory committee meeting link.

Procedure: On January 29, 2014, from 8:45 a.m. to 5 p.m., the meeting is open to the public. Interested persons may present data, information, or views, orally or in writing, on issues pending before the committee. Written submissions may be made to the contact person on or before January 21, 2014. Oral presentations from the public will be scheduled between approximately 12 p.m. to 2 p.m. Those individuals interested in making formal oral presentations should notify the contact person and submit a brief statement of the general nature of the evidence or arguments they wish to present, the names and addresses of proposed participants, and an indication of the approximate time requested to make their presentation on or before January 13, 2014. Time allotted for each presentation may be limited. If the number of registrants requesting to speak is greater than can be reasonably accommodated during the scheduled open public hearing session, FDA may conduct a lottery to determine the speakers for the scheduled open public hearing session. The contact person will

notify interested persons regarding their request to speak by January 14, 2014.

Closed Committee Deliberations: On January 30, 2014, from 11 a.m. to 2 p.m., the meeting will be closed to permit discussion where disclosure would constitute a clearly unwarranted invasion of personal privacy (5 U.S.C. 552b(c)(6)). This portion of the meeting will be closed to permit discussion of information concerning individuals associated with the research programs at NCTR.

Persons attending FDA's advisory committee meetings are advised that the Agency is not responsible for providing access to electrical outlets.

FDA welcomes the attendance of the public at its advisory committee meetings and will make every effort to accommodate persons with physical disabilities or special needs. If you require special accommodations due to a disability, please contact Margaret Miller at least 7 days in advance of the meeting.

FDA is committed to the orderly conduct of its advisory committee meetings. Please visit our Web site at <http://www.fda.gov/AdvisoryCommittees/AboutAdvisoryCommittees/ucm111462.htm> for procedures on public conduct during advisory committee meetings.

Notice of this meeting is given under the Federal Advisory Committee Act (5 U.S.C. app. 2).

Dated: December 17, 2013.

Jill Hartzler Warner,

Acting Associate Commissioner for Special Medical Programs.

[FR Doc. 2013-30578 Filed 12-23-13; 8:45 am]

BILLING CODE 4160-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket No. FDA-2013-N-0001]

Ophthalmic Devices Panel of the Medical Devices Advisory Committee; Notice of Meeting

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice.

This notice announces a forthcoming meeting of a public advisory committee of the Food and Drug Administration (FDA). The meeting will be open to the public.

Name of Committee: Ophthalmic Devices Panel of the Medical Devices Advisory Committee.

General Function of the Committee: To provide advice and recommendations to the Agency on FDA's regulatory issues.

Date and Time: The meeting will be held on February 14, 2014, from 8 a.m. to 6 p.m.

Location: Gaithersburg Marriott Washingtonian Center, Salons A, B, C and D, 9751 Washingtonian Blvd., Gaithersburg, MD 20878.

Contact Person: James Swink, Center for Devices and Radiological Health, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 66, Rm.1609, Silver Spring, MD 20993, James.Swink@fda.hhs.gov, 301-796-6313, or FDA Advisory Committee Information Line, 1-800-741-8138 (301-443-0572 in the Washington, DC area). A notice in the **Federal Register** about last minute modifications that impact a previously announced advisory committee meeting cannot always be published quickly enough to provide timely notice. Therefore, you should always check the Agency's Web site at <http://www.fda.gov/AdvisoryCommittees/default.htm> and scroll down to the appropriate advisory committee meeting link, or call the advisory committee information line to learn about possible modifications before coming to the meeting.

Agenda: On February 14, 2014, the committee will discuss, make recommendations, and vote on information regarding the premarket approval application for the Visian Toric Implantable Collamer Lens (TICL) sponsored by STAAR Surgical Company. "Visian TICL proposed indications for use:

- For adults 21–45 years of age;
- For correction of myopic astigmatism in adults with spherical equivalent ranging from $-3.0D$ to $\leq -15.0D$ with cylinder of $1.0D$ to $4.0D$;
- For the reduction of myopic astigmatism in adults with spherical equivalent ranging from greater than $-15.0D$ to $-20.0D$ with cylinder $1.0D$ to $4.0D$;
- With an anterior chamber depth (ACD) of 3.0 mm or greater, when measured from the corneal endothelium to the anterior surface of the crystalline lens and a stable refractive history (within 0.5 Diopter for 1 year prior to implantation); and

• The Visian TICL is intended for placement in the posterior chamber (ciliary sulcus) of the phakic eye."

FDA intends to make background material available to the public no later than 2 business days before the meeting. If FDA is unable to post the background material on its Web site prior to the meeting, the background material will