

SUPPLEMENTARY INFORMATION: Notice is hereby given pursuant to 19 CFR 151.12 and 19 CFR 151.13, that Inspectorate America Corporation, 1350 Slater Road, Suite 7, Ferndale, WA 98248, has been approved to gauge petroleum and certain petroleum products and accredited to test petroleum and certain petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.12 and 19 CFR 151.13. Inspectorate America Corporation is approved for the

following gauging procedures for petroleum and certain petroleum products per the American Petroleum Institute (API) Measurement Standards:

API Chapters	Title
2	Tank calibration.
3	Tank gauging.
7	Temperature determination.
8	Sampling.
11	Physical property.
12	Calculations.

API Chapters	Title
17	Marine measurement.

Inspectorate America Corporation is accredited for the following laboratory analysis procedures and methods for petroleum and certain petroleum products set forth by the U.S. Customs and Border Protection Laboratory Methods (CBPL) and American Society for Testing and Materials (ASTM):

CBPL No.	ASTM	Title
27-01	ASTM D 287	Standard Test Method for API Gravity of Crude Petroleum and Petroleum Products (Hydrometer Method).
27-02	ASTM D 1298	Standard Test Method for Density, Relative Density, or API Gravity of Crude Petroleum and Liquid Petroleum Products by Hydrometer Method.
27-03	ASTM D 4006	Standard Test Method for Water in Crude Oil by Distillation.
27-05	ASTM D 4928	Standard Test Method for Water in Crude Oils by Coulometric Karl Fischer Titration.
27-06	ASTM D 473	Standard Test Method for Sediment in Crude Oils and Fuel Oils by the Extraction Method.
27-08	ASTM D 86	Standard Test Method for Distillation of Petroleum Products at Atmospheric Pressure.
27-13	ASTM D 4294	Standard Test Method for Sulfur in Petroleum and Petroleum Products by Energy-Dispersive X-ray Fluorescence Spectrometry.
27-54	ASTM D 1796	Standard Test Method for Water and Sediment in Fuel Oils by the Centrifuge Method (Laboratory Procedure).
27-58	ASTM D 5191	Standard Test Method For Vapor Pressure of Petroleum Products (Mini Method).

Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquiries regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to cbp.labhq@dhs.gov. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories. http://cbp.gov/linkhandler/cgov/trade/basic_trade/labs_scientific_svcs/commercial_gaugers/gaulist.ctt/gaulist.pdf.

Dated: December 16, 2013.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services.

[FR Doc. 2014-00133 Filed 1-8-14; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOMELAND SECURITY

U.S. Customs and Border Protection

Accreditation and Approval of Inspectorate America Corporation, as a Commercial Gauger and Laboratory

AGENCY: U.S. Customs and Border Protection, Department of Homeland Security.

ACTION: Notice of accreditation and approval of Inspectorate America Corporation, as a commercial gauger and laboratory.

SUMMARY: Notice is hereby given, pursuant to CBP regulations, that Inspectorate America Corporation, has been approved to gauge petroleum and certain petroleum products and accredited to test petroleum and certain petroleum products for customs purposes for the next three years as of September 10, 2013.

DATES: *Effective Dates:* The accreditation and approval of Inspectorate America Corporation, as commercial gauger and laboratory became effective on September 10, 2013. The next triennial inspection date will be scheduled for September 2016.

FOR FURTHER INFORMATION CONTACT: Approved Gauger and Accredited Laboratories Manager, Laboratories and Scientific Services, U.S. Customs and Border Protection, 1331 Pennsylvania

Avenue NW., Suite 1500N, Washington, DC 20229, tel. 202-344-1060.

SUPPLEMENTARY INFORMATION: Notice is hereby given pursuant to 19 CFR 151.12 and 19 CFR 151.13, that Inspectorate America Corporation, 3904 Corporex Park Drive, Suite 145, Tampa, FL 33619, has been approved to gauge petroleum and certain petroleum products and accredited to test petroleum and certain petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.12 and 19 CFR 151.13. Inspectorate America Corporation is approved for the following gauging procedures for petroleum and certain petroleum products per the American Petroleum Institute (API) Measurement Standards:

API Chapters	Title
3	Gauging.
7	Temperature determination.
8	Sampling.
9	Density determination.
12	Calculations.
17	Maritime measurement.

Inspectorate America Corporation is accredited for the following laboratory analysis procedures and methods for petroleum and certain petroleum products set forth by the U.S. Customs and Border Protection Laboratory Methods (CBPL) and American Society for Testing and Materials (ASTM):

CBPL No.	ASTM	Title
27-01	ASTM D-287	Standard test method for API gravity of crude petroleum and petroleum products (hydrometer method).
27-06	ASTM D-473	Standard test method for sediment in crude oils and fuel oils by the extraction method.
27-08	ASTM D-86	Standard test method for distillation of petroleum products at atmospheric pressure.
27-11	ASTM D-445	Standard test method for kinematic viscosity of transparent and opaque liquids (and calculations of dynamic viscosity).
27-13	ASTM D-4294	Standard test method for sulfur in petroleum and petroleum products by energy-dispersive x-ray fluorescence spectrometry.
27-48	ASTM D-4052	Standard test method for density and relative density of liquids by digital density meter.
27-57	ASTM D-7039	Standard Test Method for Sulfur in Gasoline and Diesel Fuel by Monochromatic Wavelength Dispersive X-Ray Fluorescence Spectrometry.
27-58	ASTM D-5191	Standard test method for vapor pressure of petroleum products (mini-method).

Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquiries regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to cbp.labhq@dhs.gov. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories. http://cbp.gov/linkhandler/cgov/trade/basic_trade/labs_scientific_svcs/commercial_gaugers/gaulist.ctt/gaulist.pdf.

Dated: December 16, 2013.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services.

[FR Doc. 2014-00132 Filed 1-8-14; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOMELAND SECURITY

U.S. Customs and Border Protection

Approval of Inspectorate America Corporation, as a Commercial Gauger

AGENCY: U.S. Customs and Border Protection, Department of Homeland Security.

ACTION: Notice of approval of Inspectorate America Corporation, as a commercial gauger.

SUMMARY: Notice is hereby given, pursuant to CBP regulations, that Inspectorate America Corporation, has been approved to gauge petroleum and certain petroleum products for customs purposes for the next three years as of September 19, 2013.

DATES: *Effective Dates:* The approval of Inspectorate America Corporation, as commercial gauger became effective on

September 19, 2013. The next triennial inspection date will be scheduled for September 2016.

FOR FURTHER INFORMATION CONTACT:

Approved Gauger and Accredited Laboratories Manager, Laboratories and Scientific Services, U.S. Customs and Border Protection, 1331 Pennsylvania Avenue NW., Suite 1500N, Washington, DC 20229, tel. 202-344-1060.

SUPPLEMENTARY INFORMATION: Notice is hereby given pursuant to 19 CFR 151.13, that Inspectorate America Corporation, 3000 North Main Street, Suite 1B, Baytown, TX 77521, has been approved to gauge petroleum and certain petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.13. Inspectorate America Corporation is approved for the following gauging procedures for petroleum and certain petroleum products per the American Petroleum Institute (API) Measurement Standards:

API Chapters	Title
3	Tank gauging.
7	Temperature determination.
8	Sampling.
12	Calculations.
17	Maritime measurement.

Anyone wishing to employ this entity to conduct gauger services should request and receive written assurances from the entity that it is approved by the U.S. Customs and Border Protection to conduct the specific gauger service requested. Alternatively, inquiries regarding the specific gauger service this entity is approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to cbp.labhq@dhs.gov. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories. http://cbp.gov/linkhandler/cgov/trade/basic_trade/labs_scientific_svcs/commercial_gaugers/gaulist.ctt/gaulist.pdf.

Dated: December 16, 2013.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services.

[FR Doc. 2014-00129 Filed 1-8-14; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT

[Docket No. FR-5687-N-51]

10-Day Notice of Proposed Information Collection: Section 242 Hospital Mortgage Insurance Program

AGENCY: Office of the Assistant Secretary for Housing—Federal Housing Commissioner, HUD.

ACTION: Announcement Notice.

SUMMARY: HUD is seeking approval from the Office of Management and Budget (OMB) for the information collection described below. In accordance with the Paperwork Reduction Act, HUD is requesting comment from all interested parties on the proposed collection of information. The purpose of this notice is to allow for 10 days of public comment.

DATES: *Comments Due Date:* January 21, 2014.

ADDRESSES: Interested persons are invited to submit comments regarding this proposal. Comments should refer to the proposal by name and/or OMB Control Number and should be sent to: Paul Giaudrone, Underwriting Director, Office of Hospital Facilities, Department of Housing and Urban Development, 451 7th Street SW., Room 4176, Washington, DC 20410-5000; telephone 202-402-5684 (this is not a toll-free number) or email at Paul.A.Giaudrone@hud.gov for a copy of the proposed forms or other available information. Persons with hearing or speech impairments may access this number through TTY by calling the toll-free Federal Relay Service at (800) 877-8339.