

Dated: January 27, 2015.

**Joel Beauvais,**

*Associate Administrator, Office of Policy.*

[FR Doc. 2015-02200 Filed 2-3-15; 8:45 am]

BILLING CODE 6560-50-P

## ENVIRONMENTAL PROTECTION AGENCY

[EPA-HQ-OW-2012-0217; FRL-9922-38-OW]

RIN 2040-A537

### Drinking Water Contaminant Candidate List 4—Draft

**AGENCY:** Environmental Protection Agency (EPA).

**ACTION:** Notice.

**SUMMARY:** EPA is publishing for public review and comment a draft list of contaminants that are currently not subject to any proposed or promulgated national primary drinking water regulations. These contaminants are known or anticipated to occur in public water systems and may require regulation under the Safe Drinking Water Act (SDWA). This draft list is the fourth Contaminant Candidate List (CCL 4) published by the agency since the SDWA amendments of 1996. This Draft CCL 4 includes 100 chemicals or chemical groups and 12 microbial contaminants. The EPA seeks comment on the Draft CCL 4 and on improvements to the selection process for future CCLs for the agency to consider.

**DATES:** Comments must be received on or before April 6, 2015.

**ADDRESSES:** Submit your comments, identified by Docket ID No. EPA-HQ-OW-2012-0217, by one of the following methods:

- <http://www.regulations.gov>: Follow the on-line instructions for submitting comments.
- Mail: Water Docket, Environmental Protection Agency, Mail code: 28221T, 1200 Pennsylvania Ave. NW., Washington, DC 20460.
- *Hand Delivery*: Water Docket, EPA Docket Center (EPA/DC) EPA West, Room 3334, 1301 Constitution Ave. NW., Washington, DC 20004. Such deliveries are only accepted during the Docket's normal hours of operation, and special arrangements should be made for deliveries of boxed information.

**Instructions:** Direct your comments to Docket ID No. EPA-HQ-OW-2012-0217. EPA's policy is that all comments received will be included in the public docket without change and may be made available online at <http://www.regulations.gov>, including any

personal information provided, unless the comment includes information claimed to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute. Do not submit information that you consider to be CBI or otherwise protected through <http://www.regulations.gov> or email. The <http://www.regulations.gov> Web site is an "anonymous access" system, which means EPA will not know your identity or contact information unless you provide it in the body of your comment. If you send an email comment directly to EPA without going through <http://www.regulations.gov>, your email address will be automatically captured and included as part of the comment that is placed in the public docket and made available on the Internet. If you submit an electronic comment, EPA recommends that you include your name and other contact information in the body of your comment and with any disk or CD-ROM you submit. If EPA cannot read your comment due to technical difficulties and cannot contact you for clarification, EPA may not be able to consider your comment. Electronic files should avoid the use of special characters, any form of encryption, and be free of any defects or viruses. For additional instructions on submitting comments, go to Section I.B of the **GENERAL INFORMATION** section of this document.

**Docket:** All documents in the docket are listed in the <http://www.regulations.gov> index. Although listed in the index, some information is not publicly available, e.g., CBI or other information whose disclosure is restricted by statute. Certain other material, such as copyrighted material, will be publicly available only in hard copy. Publicly available docket materials are available either electronically in <http://www.regulations.gov> or in hard copy at the Water Docket, EPA/DC, EPA West, Room 3334, 1301 Constitution Ave. NW., Washington, DC 20004. The Public Reading Room is open from 8:30 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Public Reading Room is (202) 566-1744, and the telephone number for the EPA Docket Center is (202) 566-2426.

**FOR FURTHER INFORMATION CONTACT:** For information on chemical contaminants contact Meredith Russell, Office of Ground Water and Drinking Water, Standards and Risk Management Division, at (202) 564-0814 or email [russell.meredith@epa.gov](mailto:russell.meredith@epa.gov). For information on microbial contaminants

contact Hannah Holsinger, Office of Ground Water and Drinking Water, Standards and Risk Management Division, at (202) 564-0403 or email [holsinger.hannah@epa.gov](mailto:holsinger.hannah@epa.gov). For general information contact the EPA Safe Drinking Water Hotline at (800) 426-4791 or email: [hotline-sdwa@epa.gov](mailto:hotline-sdwa@epa.gov).

### Abbreviations and Acronyms

ATSDR—Agency for Toxic Substances and Disease Registry  
 CA—California  
 CASRN—Chemical Abstract Services Registry Number  
 CDC—Centers for Disease Control and Prevention  
 CCL—Contaminant Candidate List  
 CCL 1—EPA's First Contaminant Candidate List  
 CCL 2—EPA's Second Contaminant Candidate List  
 CCL 3—EPA's Third Contaminant Candidate List  
 CCL 4—EPA's Fourth Contaminant Candidate List  
 CFR—Code of Federal Regulations  
 EPA—United States Environmental Protection Agency  
 ESA—Ethanesulfonic acid  
 FL—Florida  
 FR—Federal Register  
 HPC—Heterotrophic Plate Count  
 IL—Illinois  
 MCL—Maximum Contaminant Level  
 MCLG—Maximum Contaminant Level Goal  
 MMWR—Morbidity and Mortality Weekly Report  
 NC—North Carolina  
 NCOD—National Contaminant Occurrence Database  
 NDWAC—National Drinking Water Advisory Council  
 NRC—National Academy of Science's National Research Council  
 NPDWR—National Primary Drinking Water Regulation  
 OH—Ohio  
 PCCL 3—Preliminary Contaminant Candidate List 3  
 PCCL 4—Preliminary Contaminant Candidate List 4  
 PFOA—Perfluorooctanoic Acid  
 PFOS—Perfluorooctane Sulfonic Acid  
 PWS—Public Water System  
 SAB—Science Advisory Board  
 SDWA—Safe Drinking Water Act  
 SD—South Dakota  
 STORET—EPA's Storage and Retrieval database of water quality monitoring data collected by water resource management groups across the U.S.  
 TX—Texas  
 UCM—Unregulated Contaminant Monitoring Rule  
 UCMR 1—First Unregulated Contaminant Monitoring Rule  
 UCMR 2—Second Unregulated Contaminant Monitoring Rule  
 USDA—United States Department of Agriculture  
 USEPA—United States Environmental Protection Agency  
 USGS—United States Geological Survey  
 WHO—World Health Organization  
 WI—Wisconsin

**SUPPLEMENTARY INFORMATION:****Table of Contents**

- I. General Information
  - A. Does this action impose any requirements on my public water system?
  - B. What should I consider as I prepare my comments for EPA?
- II. Purpose, Background and Summary of This Action
  - A. What is the purpose of this action?
  - B. Statutory Requirements for CCL, Regulatory Determinations and Unregulated Contaminant Monitoring
    - 1. Contaminant Candidate List
    - 2. Regulatory Determinations
    - 3. Unregulated Contaminant Monitoring
  - C. Interrelationship of the CCL, Regulatory Determinations and Unregulated Contaminant Monitoring
  - D. Summary of Previous CCLs and Regulatory Determinations
    - 1. The First Contaminant Candidate List
    - 2. The Regulatory Determinations for CCL 1 Contaminants
    - 3. The Second Contaminant Candidate List
    - 4. The Regulatory Determinations for CCL 2 Contaminants
    - 5. The Third Contaminant Candidate List
    - 6. The Regulatory Determinations for CCL 3 Contaminants
  - E. Summary of the Approach Used To Identify and Evaluate Candidates for CCL 4
    - 1. Carry Forward of CCL 3 Contaminants
    - 2. Summary and Evaluation of CCL 4 Nominated Contaminants
    - 3. Evaluation of Previous Negative Regulatory Determinations
  - F. What is included on EPA's Draft CCL 4?
- III. Request for Comment
- IV. EPA's Next Steps
- V. References

**I. General Information**

*A. Does this action impose any requirements on my public water system?*

The Draft Contaminant Candidate List 4 (CCL 4) and the Final CCL 4, when published, will not impose any requirements on regulated entities.

*B. What should I consider as I prepare my comments for EPA?*

You may find the following suggestions helpful for preparing your comments:

- Explain your views as clearly as possible.
- Describe any assumptions that you used.
- Provide any technical information and/or data you used that support your views.
- Provide full references for any peer reviewed publication you used that support your views.
- Provide specific examples to illustrate your concerns.
- Offer alternatives.

Make sure to submit your comments by the comment period deadline. To ensure proper receipt by EPA, identify the appropriate docket identification number in the subject line on the first page of your response. It would also be helpful if you provided the name, date, and **Federal Register** citation related to your comments.

**II. Purpose, Background and Summary of This Action**

This section briefly summarizes the purpose of this action, the statutory requirements, previous activities related to the Contaminant Candidate List (CCL) and the approach used to develop the Draft CCL 4.

*A. What is the purpose of this action?*

The Safe Drinking Water Act (SDWA), as amended in 1996, requires EPA to publish a list every five years of currently unregulated contaminants that may pose risks for drinking water (referred to as the Contaminant Candidate List, or CCL). This list is subsequently used to make regulatory determinations on whether to regulate at least five contaminants from the CCL with national primary drinking water regulations (NPDWRs) (SDWA section 1412(b)(1)). The purpose of today's action is to present EPA's draft list of contaminants on the CCL 4 and the rationale for the selection process used to make the list. Today's action only addresses the CCL 4. Regulatory determinations for contaminants on the CCL are a separate agency action.

EPA requests comment on the Draft CCL 4 and suggestions for further improvements to the selection process for future CCLs for the agency to consider.

*B. Statutory Requirements for CCL, Regulatory Determinations and Unregulated Contaminant Monitoring***1. Contaminant Candidate List**

Section 1412(b)(1) of the SDWA, as amended in 1996, requires EPA to publish the CCL every five years. The SDWA specifies that the list must include contaminants that are not subject to any proposed or promulgated NPDWRs, are known or anticipated to occur in public water systems (PWSs), and may require regulation under the SDWA. The unregulated contaminants considered for listing shall include, but not be limited to, hazardous substances identified in section 101(14) of the Comprehensive Environmental Response, Compensation, and Liability Act of 1980, and substances registered as pesticides under the Federal Insecticide, Fungicide, and Rodenticide

Act. The SDWA directs the agency to consider the health effects and occurrence information for unregulated contaminants to identify those contaminants that present the greatest public health concern related to exposure from drinking water. The statute further directs the agency to take into consideration the effect of contaminants upon subgroups that comprise a meaningful portion of the general population (such as infants, children, pregnant women, the elderly and individuals with a history of serious illness or other subpopulations) that are identifiable as being at greater risk of adverse health effects due to exposure to contaminants in drinking water than the general population. EPA considers age-related subgroups as "lifestages" in reference to a distinguishable time frame in an individual's life characterized by unique and relatively stable behavioral and/or physiological characteristics that are associated with development and growth. Thus, childhood is viewed as a sequence of lifestages, from conception through fetal development, infancy and adolescence (see <http://www2.epa.gov/children/early-life-stages>).

**2. Regulatory Determinations**

Section 1412(b)(1)(B)(ii) of the SDWA, as amended in 1996, requires EPA at five year intervals, to make determinations of whether or not to regulate no fewer than five contaminants from the CCL. The 1996 SDWA Amendments specify three criteria to determine whether a contaminant may require regulation:

- The contaminant may have an adverse effect on the health of persons;
- The contaminant is known to occur or there is a substantial likelihood that the contaminant will occur in public water systems with a frequency and at levels of public health concern; and
- In the sole judgment of the Administrator, regulation of such contaminant presents a meaningful opportunity for health risk reduction for persons served by public water systems.

If EPA determines that these three statutory criteria are met and makes a final determination to regulate a contaminant, the agency has 24 months to publish a proposed Maximum Contaminant Level Goal<sup>1</sup> (MCLG) and

<sup>1</sup> The MCLG is the "maximum level of a contaminant in drinking water at which no known or anticipated adverse effect on the health of persons would occur, and which allows an adequate margin of safety. Maximum contaminant level goals are non-enforceable health goals." (40 CFR 141.2; 42 U.S.C. 300g-1)

NPDWR<sup>2</sup>. After the proposal, the agency has 18 months to publish and promulgate a final MCLG and NPDWR (SDWA section 1412(b)(1)(E))<sup>3</sup>.

### 3. Unregulated Contaminant Monitoring

Section 1445 of the SDWA mandates that EPA promulgate regulations (known as the Unregulated Contaminant Monitoring Rule or UCMR) to establish criteria for a monitoring program for unregulated contaminants. The SDWA requires all large public water systems and a representative sample of smaller public water systems to monitor for unregulated contaminants. The statute requires EPA to issue a list every five years of not more than 30 unregulated contaminants to be monitored. The SDWA also specifies that EPA include the results of such monitoring, along with monitoring data for regulated contaminants and reliable information from other public and private sources, in a national drinking water occurrence database. EPA developed the National Contaminant Occurrence Database (NCOD) to contain the monitoring data from the UCMR program and other data as specified by the SDWA. The current UCMR (UCMR 3) requires monitoring for 30 contaminants (28 chemicals and two viruses) (77 FR 26071, May 2, 2012 (USEPA, 2012a)). Sampling is occurring during 2013–2015. Twenty-one of the contaminants being monitored under UCMR3 are included on the CCL 3 and 20 contaminants being monitored under UCMR3 are included on the Draft CCL 4.

### C. Interrelationship of the CCL, Regulatory Determinations and Unregulated Contaminant Monitoring

The CCL is the first step in evaluating the subset of potential contaminants that may require future NPDWRs. The CCL serves as the initial screening of potential contaminants, and inclusion on the CCL does not mean that any particular contaminant will necessarily be regulated in the future. The UCMR provides a mechanism to obtain nationally representative occurrence data for contaminants. Most unregulated contaminants chosen by EPA for monitoring have been selected from the CCL. When selecting contaminants for

monitoring under the UCMR, EPA considers the availability of health effects data and the need for national occurrence data for contaminants, as well as analytical method availability and cost, availability of analytical standards and laboratory capacity to support a nationwide monitoring program. The contaminant occurrence data collected under the UCMR serves to better inform future CCLs and regulatory determinations. Contaminants on the CCL are evaluated to see which ones have sufficient information to allow the agency to make a regulatory determination. Those contaminants with sufficient information to make a regulatory determination are then evaluated based on the three statutory criteria in SDWA section 1412(b)(1), to determine whether a regulation is required (called a positive determination) or not required (called a negative determination). EPA must make regulatory determinations for at least five contaminants listed on the CCL every five years. For those contaminants without sufficient information to allow the agency to make a regulatory determination, EPA encourages research to provide the information needed to determine whether to regulate the contaminant. Today's action addresses only the CCL 4 and not the UCMR or regulatory determinations.

### D. Summary of Previous CCLs and Regulatory Determinations

#### 1. The First Contaminant Candidate List

The first CCL (CCL 1) was published on March 2, 1998 (63 FR 10274 (USEPA, 1998)). CCL 1 was developed based on recommendations by the National Drinking Water Advisory Council (NDWAC) and review by technical experts. It contained 50 chemicals and 10 microbial contaminants/groups. EPA consulted with the scientific community, including the Science Advisory Board, on a process for developing the first CCL.

#### 2. The Regulatory Determinations for CCL 1 Contaminants

EPA published its final regulatory determinations for a subset of contaminants listed on CCL 1 on July 18, 2003 (68 FR 42898 (USEPA, 2003)). EPA identified nine contaminants from the 60 contaminants listed on CCL 1 that had sufficient data and information available to make regulatory determinations. The nine contaminants were *Acanthamoeba*, aldrin, dieldrin, hexachlorobutadiene, manganese, metribuzin, naphthalene, sodium and sulfate. The agency determined that an

NPDWR was not necessary for any of these nine contaminants at that time. The agency subsequently issued guidance on *Acanthamoeba* and Health Advisories for manganese, sodium and sulfate.

#### 3. The Second Contaminant Candidate List

The agency published its Final CCL 2 on February 24, 2005 (70 FR 9071 (USEPA, 2005)). The agency carried forward the 51 remaining chemical and microbial contaminants from CCL 1 (that did not have regulatory determinations) to CCL 2.

#### 4. The Regulatory Determinations for CCL 2 Contaminants

EPA published its final regulatory determinations for a subset of contaminants listed on CCL 2 on July 30, 2008 (73 FR 44251 (USEPA, 2008b)). EPA identified 11 contaminants from the 51 contaminants listed on CCL 2 that had sufficient data and information available to make regulatory determinations. The 11 contaminants were boron, the dacthal mono- and di-acid degradates; 1,1-dichloro-2,2-bis (p-chlorophenyl) ethylene (DDE); 1,3-dichloropropene; 2,4-dinitrotoluene; 2,6-dinitrotoluene; s-ethyl propylthiocarbamate (EPTC); fonofos; terbacil; and 1,1,2,2-tetrachloroethane. The agency made a final determination that an NPDWR was not necessary for any of these 11 contaminants. New or updated Health Advisories were subsequently issued for boron, the dacthal degradates, 2,4-dinitrotoluene, 2,6-dinitrotoluene and 1,1,2,2-tetrachloroethane.

#### 5. The Third Contaminant Candidate List

The agency published its Final CCL 3 on October 8, 2009 (74 FR 51850 (USEPA, 2009e)). The CCL 3 contained 104 chemicals or chemical groups and 12 microbial contaminants. In developing CCL 3, EPA improved and built upon the process that was used for CCL 1 and CCL 2. In 1998, the agency requested advice from the National Academy of Sciences' National Research Council (NRC) on how to improve the CCL process. The NRC recommended a more reproducible process whereby a broadly defined "universe" of potential drinking water contaminants is identified, assessed and reduced to a preliminary CCL (PCCL) using simple screening criteria (NRC, 2001). All of the contaminants on the PCCL would then be evaluated in more detail to assess the likelihood that specific contaminants could occur in drinking water at levels that pose a public health concern. In

<sup>2</sup> An NPDWR is a legally enforceable standard that applies to public water systems. An NPDWR sets a legal limit (called a maximum contaminant level or MCL) or specifies a certain treatment technique for public water systems for a specific contaminant or group of contaminants. The MCL is the highest level of a contaminant that is allowed in drinking water and is set as close to the MCLG as feasible, using the best available treatment technology and taking cost into consideration.

<sup>3</sup> The statute authorizes a nine month extension of this promulgation date.

2002, the agency sought input from the NDWAC on how to implement the NRC's recommendations to improve the CCL process. NDWAC agreed that EPA should proceed with the NRC's recommendations and provided additional considerations and recommendations in a 2004 report (NDWAC, 2004).


Based on these consultations, public input and peer review, EPA developed a multi-step process to select contaminants for the CCL 3, which included the following key steps:

- Identification of a broad universe of potential drinking water contaminants (the CCL 3 Universe);
  - Screening the CCL 3 Universe to a PCCL, using criteria based on the potential to occur in public water systems and the potential for public health concern;
  - Evaluation of the PCCL contaminants based on a more detailed evaluation of occurrence and health effects data, using a scoring and classification system; and
  - Incorporating public input and expert review in the CCL 3 process.
- EPA also considered new information on contaminants identified by

surveillance efforts, which included collaboration with internal EPA offices and other federal agencies and the review of scientific publications and data. The agency provided the public with the opportunity to nominate contaminants to be considered for the Draft CCL 3 and sought public comment on the Draft CCL 3 before the list was finalized.

Exhibit 1 illustrates the multi-step CCL 3 approach. This generalized process was applied to both chemical and microbial contaminants, though the specific execution of particular steps differs between them.

Exhibit 1. Schematic of CCL process



A complete description of the CCL 3 process can be found in the Draft and Final CCL 3 **Federal Register** documents (73 FR 9628, February 21, 2008 (USEPA, 2008a) and 74 FR 51850, October 8, 2009 (USEPA, 2009e)). Supporting documents that explain each stage of the CCL 3 process in further detail (*i.e.*, identifying the CCL 3 Universe, screening to the PCCL, and the classification of the PCCL to the CCL) can be found at: [http://water.epa.gov/scitech/drinkingwater/dws/ccl/ccl3\\_processflowdiagram.cfm](http://water.epa.gov/scitech/drinkingwater/dws/ccl/ccl3_processflowdiagram.cfm) and in the CCL 3 docket at [www.regulations.gov](http://www.regulations.gov) (Docket ID: EPA-HQ-OW-2007-1189).

#### 6. The Regulatory Determinations for CCL 3 Contaminants

On February 11, 2011, as a separate action, the agency issued a positive regulatory determination for perchlorate, a chemical listed in CCL 1, CCL 2 and CCL 3 (76 FR 7762; USEPA, 2011). Recently, EPA published preliminary regulatory determinations for five unregulated contaminants (79 FR 62716, October 20, 2014 (USEPA, 2014a)). The five contaminants include: 1,3-dinitrobenzene; dimethoate; strontium; terbufos; and terbufos sulfone. The agency is making preliminary determinations to regulate one contaminant (strontium) and to not regulate four contaminants (1,3-dinitrobenzene, dimethoate, terbufos, and terbufos sulfone). Therefore, the

agency is removing perchlorate and these five contaminants from the Draft CCL 4, pending the result of the final regulatory determinations for CCL 3.

#### E. Summary of the Approach Used To Identify and Evaluate Candidates for CCL 4

EPA proposes an abbreviated three step evaluation and selection process for CCL 4: (1) Carrying forward CCL 3 contaminants (except those with regulatory determinations), (2) seeking and evaluating nominations from the public for additional contaminants to consider, and (3) evaluating any new data for those contaminants with previous negative regulatory determinations from CCL 1 or CCL 2 for potential inclusion on the CCL 4. The

agency also seeks comment on how to further improve upon the process developed for CCL 3 as a tool for future CCLs.

1. Carry Forward of CCL 3 Contaminants

EPA carried forward all contaminants listed on CCL 3 to the Draft CCL 4 with the exception of perchlorate, for which the agency made a positive regulatory determination, and the five CCL 3 contaminants with preliminary regulatory determinations (listed in Section D.6 of this notice), pending their final determinations. This carry forward process is consistent with that previously used in CCL 2. The agency has taken this approach based on the following considerations: (1) In developing the CCL 3, the agency implemented a robust process recommended by the NRC and the NDWAC to screen and score the universe of potential contaminants, (2) EPA used the best available, peer-reviewed data and information to evaluate contaminants for CCL 3; and (3) Carrying forward CCL 3 contaminants allows the agency to focus resources on evaluating contaminants nominated by the public for CCL 4 and review new data for CCL 1 or CCL 2 contaminants with previous negative regulatory determinations.

2. Summary and Evaluation of CCL 4 Nominated Contaminants

a. CCL 4 Nominations Summary

EPA sought public nominations in a **Federal Register** document on May 8, 2012, for contaminants to be considered for possible inclusion in the CCL 4 (77 FR 27057 (USEPA, 2012b)). In the document, the agency also requested supporting information that has been made available since the development of the CCL 3, or existing information that was not considered for CCL 3, which shows that the nominated contaminant may have an adverse effect on people and occurs or is likely to occur in public water systems.

EPA received nominations for 59 unique contaminants for the CCL 4, including 54 chemicals and five microbials. Eight contaminants were nominated by more than one organization or individual. Aldicarb, bisphenol A, carbaryl, chlorpyrifos, *Toxoplasma gondii*, and Microcystin-LR were each nominated by two separate organizations or individuals. Manganese and perfluorooctanoic acid (PFOA) were each nominated by three different organizations or individuals.

Nominations were received from 10 different organizations and/or individuals. The agency did not require

nominators to provide their name or an affiliated organization. Two nominators remained anonymous while providing documentation and rationale for the contaminants. Two other individuals identified themselves but did not provide an organization affiliation. The identified organizations that nominated contaminants were:

- American Water Works Association,
- Natural Resources Defense Council,
- Massachusetts Department of Environmental Protection,
- Minnesota Department of Health,
- New Jersey Department of Environmental Protection, and
- U.S. Department of Agriculture (USDA).

EPA received three general types of nominations:

- Specific individual chemicals,
- Specific individual organisms, and
- Groups of contaminants (e.g.,

Heterotrophic Plate Count was considered as a group).

The American Water Works Association also provided a letter with recommendations for the CCL 4 process. The full text of this letter and all of the nomination submittals in their original form can be found at <http://www.regulations.gov> (docket ID: EPA-HQ-OW-2012-0217). Exhibit 2 contains the specific contaminants identified in public nominations. A more detailed summary of the nominations process is included in the support document "Summary of Nominations for the Fourth Contaminant Candidate List" (USEPA, 2015e).

**EXHIBIT 2. CONTAMINANTS NOMINATED FOR CONSIDERATION ON THE DRAFT CCL 4: NOMINATED MICROBIAL CONTAMINANTS**

- Adenovirus
- Heterotrophic Plate Count Bacteria (HPC)
- Naegleria fowleri*
- Toxoplasma gondii*
- Vibrio cholerae*

**NOMINATED CHEMICAL CONTAMINANTS**

Common Name – Registry Name	CASRN
3-chloro-4-dichloromethyl-5-hydroxy-2(5H)-furanone alpha-	77439–76–0
Hexachlorocyclohexane	319–84–6
Aldicarb	116–06–3
Alkylphenol mono- to tri-oxyates	68555–24–8
Amoxicillin	26787–78–0
Azinphos-methyl	86–50–0
Bacitracin zinc	1405–89–6
Bentazone	25057–89–0
Benzyl butyl phthalate	85–68–7
Bisphenol A	80–05–7
Bromoxynil	1689–84–5

**NOMINATED CHEMICAL CONTAMINANTS—Continued**

Common Name – Registry Name	CASRN
Carbaryl	63–25–2
Cesium 137	10045–97–3
Chlorothalonil	1897–45–6
Chlorpyrifos	2921–88–2
Dibutyl phthalate	84–74–2
Dicamba	1918–00–9
Dichlorvos	62–73–7
Dicofol	115–32–2
Dicyclohexyl phthalate	84–61–7
Diethyl phthalate	84–66–2
Di-isononyl phthalate	28553–12–0
Dimethyl phthalate	131–11–3
Di-n-octyl phthalate	117–84–0
Endosulfan	115–29–7
Fluometuron	2164–17–2
Linezolid	165800–03–3
Linuron	330–55–2
Malathion	121–75–5
Manganese	7439–96–5
Methicillin	61–32–5
Methyl parathion	298–00–0
Methyl tertiary butyl ether (MTBE)	1634–04–4
Microcystin-LR	101043–37–2
Nonylphenol	25154–52–3
Nonylphenol ethoxylate	9016–45–9
Octylphenol	27193–28–8
Octylphenol ethoxylate	9036–19–5
Oxacillin	66–79–5
Penicillin	(multiple CASRNs)
Perfluorooctanoic acid (PFOA)	335–67–1
Permethrin	52645–53–1
Phosmet	732–11–6
Progesterone	57–83–0
Radon	10043–92–2
Spiramycin	8025–81–8
Strontium 90	121831–99–0
Testosterone	58–22–0
Trichlorfon	52–68–6
Triclocarban	101–20–2
Triclosan	3380–34–5
Tylosin	1401–69–0
Vancomycin	1404–90–6
Virginiamycin	11006–76–1

b. Evaluation of Nominated Contaminants and Data Sources

The SDWA specifies that the CCL only include those contaminants without any proposed or promulgated NPDWRs. Two nominated contaminants are covered under the existing NPDWR for beta photon emitters (40 CFR 141.66(d)(1)) (i.e., strontium 90 and cesium 137), hence, the agency will not consider them for CCL 4. Radon was also nominated, but is not eligible for CCL 4 since the agency developed and proposed a NPDWR (64 FR 59245, November 2, 1999 (USEPA, 1999)). Aldicarb was nominated but is not eligible for CCL 4 since it has an existing NPDWR (40 CFR 141.61(c)); (Note, in response to an administrative petition, the agency issued an

administrative stay of the effective date of the maximum contaminant levels for aldicarbs).

For the remaining 55 nominated contaminants, EPA reviewed the nominations and supporting information to determine if any new data were provided that had not been previously evaluated for CCL 3. Seven of the nominated contaminants were on CCL 3 and were carried forward to the Draft CCL 4, however the agency subsequently excluded those seven from the CCL 4 Universe. The agency also collected additional data for the nominated contaminants, when it was available, from both updated CCL 3 data sources and from new data sources that were not available at the time the agency finalized CCL 3. A complete list of references provided by nominators can be found in the support document "Summary of Nominations for the Fourth Contaminant Candidate List" (USEPA, 2015e). A more detailed description of the CCL data sources collected by EPA may be found in the support document "Data Sources for the Contaminant Candidate List 4" (USEPA, 2015c). If new data were available, EPA screened and scored the nominated contaminants using the same process that was used in CCL 3.

#### Data Sources for Chemical and Microbial Contaminants

For nominated chemicals, occurrence data was collected from updated CCL 3 data sources including:

- 2006 production data collected in the Chemical Update System under the Inventory Update Rule,
- 2010 data from the Toxics Release Inventory,
- 2003–2009 data from the USDA Pesticide Data Program, and
- EPA's Storage and Retrieval (STORET) data as of January 2013.

Additional occurrence data for the nominated chemicals were collected from data sources that are new since the CCL 3 including:

- United States Geological Survey (USGS) studies that focused on contaminant occurrence in source waters for public water systems (Hopple et al., 2009, and Kingsbury et al., 2008) and water quality in public-supply wells (Toccalino et al., 2010);
- Individual State public water supply data provided to EPA during the second Six-Year Review of regulated contaminants (for the time period covering 1998–2005) from States including: CA, EPA Region 9 Tribes, FL, IL, NC, OH, SD, TX and WI;
- Data from The California State Water Resources Control Board's

Groundwater Ambient Monitoring Assessment program; and

- New data from an EPA literature review of published studies on pharmaceuticals, personal care products and other contaminants.

In addition to health effects data provided by the nominators, EPA searched for health effects data for the nominated chemicals from data sources used in CCL 3 that may have been updated including:

- EPA's Integrated Risk Information System program,
- EPA's Office of Pesticide Programs,
- The Agency for Toxic Substances and Disease Registry (ATSDR),
- The California EPA (Office of Environmental Health Hazard Assessment),
- The Institute of Medicine,
- The National Toxicology Program, and
- The World Health Organization (WHO).

EPA also considered new or updated health effects information contained in the agency's Office of Superfund Remediation and Technology Innovation Provisional Peer Reviewed Toxicity Values.

For microbial contaminants, EPA evaluated waterborne disease outbreak data, and occurrence and health effects data, from data sources used in CCL 3, which have been updated (Murray et al., 2011; CDC, 2008; CDC, 2011). EPA also collected and evaluated information for microbial contaminants from data sources that are new since publication of the Final CCL 3.

A more detailed description of the data sources used to evaluate contaminants for CCL 4 can be found in the support document "Data Sources for the Contaminant Candidate List 4" (USEPA, 2015c) available at <http://www.regulations.gov> (Docket ID: EPA-HQ-OW-2012-0217).

#### c. Outcomes for the CCL 4 Nominated Contaminants

Forty-three of the nominated chemicals were included in the CCL 4 Universe. Forty of the nominated chemicals were previously included in the CCL 3 Universe and were carried forward to the CCL 4 Universe. In addition to these 40, EPA added three nominated chemicals (*i.e.*, octylphenol ethoxylate, oxacillin, and virginiamycin) to the CCL 4 Universe based on health effects and/or occurrence data that is newly available since the Final CCL 3. EPA screened all of the nominated chemicals in the CCL 4 Universe according to the screening criteria developed for CCL 3 and based on that evaluation, the agency included

20 of the nominated chemicals on the PCCL 4. Eighteen of those 20 chemicals were also included in the PCCL 3, and EPA added two new chemicals (manganese and nonylphenol) to the PCCL 4. The data used to screen the nominated chemicals from the CCL 4 Universe to the PCCL 4 can be found in the "Screening Document for the Draft PCCL 4 Nominated Contaminants" (USEPA, 2015d). EPA further evaluated the nominated chemicals on the PCCL 4 based on the classification process developed in CCL 3 and determined that manganese and nonylphenol should be added to the Draft CCL 4 based on new health and/or occurrence information (in addition to the chemicals carried forward from the CCL 3). The data that the agency used to further evaluate the nominated contaminants from the PCCL 4, and to select those that were included in the Draft CCL 4, can be found in the "Contaminant Information Sheets (CISs) for the Draft Fourth Preliminary Contaminant Candidate List (PCCL 4) Nominated Contaminants" (USEPA, 2015b).

Manganese is an element that naturally occurs in oxide forms and in combinations with other elements in many minerals. Manganese is an essential nutrient for humans and animals. Manganese ores are used in a variety of applications in the United States. Its principal use is in steel production to improve hardness, stiffness and strength (ATSDR, 2012). In 2003 and as part of the first (CCL 1) Regulatory Determination process, EPA made a negative regulatory determination for manganese based on the health and occurrence data available at that time. However, CCL 4 nominators cited more than 20 recent studies that indicate concern for neurological effects in children and infants exposed to excess manganese, which were not available at the time manganese was considered for the first Regulatory Determination or CCL 3. In addition, new monitoring studies from USGS and drinking water monitoring information from several States support an earlier survey (*i.e.*, the National Inorganics and Radionuclides Survey), which indicates manganese is known to occur in drinking water. EPA has determined that the new health effects information and additional occurrence data merit listing manganese in the Draft CCL 4.

Nonylphenol is used in the preparation of lubricating oil additives, resins, plasticizers and antioxidants for plastics and rubber. Additionally, 60 percent of nonylphenol is used in the production of nonylphenol ethoxylates, which are found in detergents and used

in the treatment of textiles. Nonylphenol was previously considered for CCL 3. It was included in the CCL 3 Universe, but was not included in the PCCL 3 or CCL 3. Updated health and occurrence data are now available for nonylphenol, and these data were considered by the agency in evaluating nonylphenol for the Draft CCL 4. Nonylphenol and some of its degradation products have been found to have estrogenic activity in rats and mice (WHO, 2004), and additional occurrence data are available from a USGS National Reconnaissance monitoring study of ambient water (Kolpin et al., 2002). EPA has determined that this updated health data and additional occurrence data show that nonylphenol is anticipated to occur in PWSs, has potential adverse health effects and, therefore, merits listing on the Draft CCL 4.

EPA considered adding dicofol to the Draft CCL 4, however, both of the most recent manufacturers of the pesticide ceased all production as of May 17, 2011, and agreed to an EPA registration cancellation, which effectively prohibits all labeled uses of existing stocks after October 31, 2016. Use of dicofol has declined significantly in recent years. In addition, the chemical properties of dicofol indicate that it has low mobility in water because it is expected to adsorb to organic matter in soil and sediment and it has moderately low solubility in water. As a result, the agency did not list dicofol on the Draft CCL 4 because it is not known or anticipated to occur in drinking water.

EPA evaluated the microbial contaminants nominated for the CCL 4 (see Exhibit 2) using the same process developed for the CCL 3. Taylor et al. (2001) was used as the basis of the microbial CCL 3 Universe, which includes a list of 1,415 known human pathogens. EPA added 10 additional microbes to the CCL 3 Universe based on CCL 3 public nominations and other available data, thus bringing the total number of microbes in the CCL 3 Universe to 1,425. More detailed information about the selection of the CCL 3 Universe for microbial contaminants can be found in the support document “Final Contaminant Candidate List 3 Microbes: Identifying the Universe” (USEPA, 2009b).

The microbes in the CCL 3 Universe were subsequently screened into the PCCL 3 by applying 12 criteria to narrow the CCL 3 Universe of all human pathogens to just those pathogens that could be transmitted through drinking water. More detailed information on the screening process developed under CCL 3 for the microbial contaminants can be

found in the support document “Final Contaminant Candidate List 3 Microbes: Screening to the PCCL” (USEPA, 2009d).

All the microbes nominated for the CCL 4, with the exception of Heterotrophic Plate Count (HPC) bacteria, were already included in both the CCL 3 Universe and PCCL 3. Thus, the agency carried forward those microbes to the CCL 4 Universe and PCCL 4, respectively.

EPA reviewed new and/or updated sources of information for the nominated microbes on the PCCL 4 (i.e., Adenovirus, *Naegleria fowleri*, *Toxoplasma gondii* and *Vibrio cholerae*), and determined that there were no new data that would change the scores or listing decisions for these contaminants.

*Vibrio cholerae* and *Toxoplasma gondii* will remain on the Draft PCCL 4 because there are no new data that would change the CCL 3 scores or listing decisions for these contaminants. *Naegleria fowleri* and Adenovirus were on the Final CCL 3 and are therefore being carried forward to the Draft CCL 4, along with the other microbes included on the Final CCL 3. A detailed description of the CCL 3 scoring protocol for microbes can be found in the support document “Final Contaminant Candidate List 3 Microbes: PCCL to CCL Process” (USEPA, 2009c). The data used to further evaluate the nominated microbes on the PCCL 4 can be found in the “Contaminant Information Sheets (CISs) for the Draft Fourth Preliminary Contaminant Candidate List (PCCL 4) Nominated Contaminants” (USEPA, 2015b).

The group of HPC bacteria was nominated for CCL 4, but EPA is not including it on the Draft CCL 4. HPC may include both pathogenic and harmless bacteria. However, available epidemiological evidence shows no relationship between gastrointestinal illness and HPC bacteria in drinking water (Calderon, 1988; Calderon and Mood, 1991; Payment et al., 1997; WHO, 2003). Thus, EPA considers the potential health risk of HPC bacteria in drinking water as likely negligible and is not including HPC on the Draft CCL 4. In addition, HPC bacteria are addressed by the treatment technique requirements under the Surface Water Treatment Rule, where they can be monitored in lieu of a disinfectant residual.

3. Evaluation of Previous Negative Regulatory Determinations

EPA evaluated the 20 contaminants from CCL 1 and CCL 2 for which the agency made negative regulatory

determinations. EPA collected and evaluated new or updated data for the previous negative regulatory determinations, if data were available, from the data sources listed in section II.E.2(b), “Evaluation of Nominated Contaminants and Data Sources.” Since regulatory determinations for the CCL 3 contaminants were recently made using the best available data, EPA did not include the CCL 3 regulatory determinations in this evaluation. EPA is adding manganese to the Draft CCL 4, as previously discussed in section 11.E.2, “Summary and Evaluation for CCL 4 Nominated Contaminants.” The agency concluded there was not sufficient new information for any of the other 19 contaminants with previous negative regulatory determinations to justify including them on the Draft CCL 4. A listing of previous negative regulatory determinations is included in sections II.D.2 and II.D.4.

F. What is included on EPA’s Draft CCL 4?

The Draft CCL 4 includes 100 chemicals and 12 microbes.

EXHIBIT 3. DRAFT CONTAMINANT CANDIDATE LIST 4: MICROBIAL CONTAMINANTS

Pathogens	
Adenovirus	
Caliciviruses	
<i>Campylobacter jejuni</i>	
Enterovirus	
<i>Escherichia coli</i> (O157)	
<i>Helicobacter pylori</i>	
Hepatitis A virus	
<i>Legionella pneumophila</i>	
<i>Mycobacterium avium</i>	
<i>Naegleria fowleri</i>	
<i>Salmonella enterica</i>	
<i>Shigella sonnei</i>	
CHEMICAL CONTAMINANTS <sup>4</sup>	
Common name—Registry name	CASRN
1,1,1,2-Tetrachloroethane ....	630–20–6
1,1-Dichloroethane .....	75–34–3
1,2,3-Trichloropropane .....	96–18–4
1,3-Butadiene .....	106–99–0
1,4-Dioxane .....	123–91–1
17 alpha-Estradiol .....	57–91–0
1-Butanol .....	71–36–3
2-Methoxyethanol .....	109–86–4
2-Propen-1-ol .....	107–18–6
3-Hydroxycarbofuran .....	16655–82–6
4,4'-Methylenedianiline .....	101–77–9
Acephate .....	30560–19–1
Acetaldehyde .....	75–07–0
Acetamide .....	60–35–5
Acetochlor .....	34256–82–1
Acetochlor ethanesulfonic acid (ESA) .....	187022–11–3

CHEMICAL CONTAMINANTS<sup>4</sup>—  
Continued

Common name—Registry name	CASRN
Acetochlor oxanilic acid (OA)	194992-44-4
Acrolein	107-02-8
Alachlor ethanesulfonic acid (ESA)	142363-53-9
Alachlor oxanilic acid (OA)	171262-17-2
Alpha-Hexachlorocyclohexane	319-84-6
Aniline	62-53-3
Bensulide	741-58-2
Benzyl chloride	100-44-7
Butylated hydroxyanisole	25013-16-5
Captan	133-06-2
Chlorate	14866-68-3
Chloromethane (Methyl chloride)	74-87-3
Clethodim	110429-62-4
Cobalt	7440-48-4
Cumene hydroperoxide	80-15-9
Cyanotoxins	N/A
Dicrotophos	141-66-2
Dimethipin	55290-64-7
Disulfoton	298-04-4
Diuron	330-54-1
Equilenin	517-09-9
Equilin	474-86-2
Erythromycin	114-07-8
Estradiol (17-beta estradiol)	50-28-2
Estriol	50-27-1
Estrone	53-16-7
Ethinyl Estradiol (17-alpha Ethinyl Estradiol)	57-63-6
Ethoprop	13194-48-4
Ethylene glycol	107-21-1
Ethylene oxide	75-21-8
Ethylene thiourea	96-45-7
Fenamiphos	22224-92-6
Formaldehyde	50-00-0
Germanium	7440-56-4
Halon 1011 (bromochloromethane)	74-97-5
HCFC-22	75-45-6
Hexane	110-54-3
Hydrazine	302-01-2
Manganese	7439-96-5
Mestranol	72-33-3
Methamidophos	10265-92-6
Methanol	67-56-1
Methyl bromide (Bromomethane)	74-83-9
Methyl tertiary butyl ether (MTBE)	1634-04-4
Metolachlor	51218-45-2
Metolachlor ethanesulfonic acid (ESA)	171118-09-5
Metolachlor oxanilic acid (OA)	152019-73-3
Molinate	2212-67-1
Molybdenum	7439-98-7
Nitrobenzene	98-95-3
Nitroglycerin	55-63-0
N-Methyl-2-pyrrolidone	872-50-4
N-nitrosodiethylamine (NDEA)	55-18-5
N-nitrosodimethylamine (NDMA)	62-75-9
N-nitroso-di-n-propylamine (NDPA)	621-64-7
N-Nitrosodiphenylamine	86-30-6
N-nitrosopyrrolidine (NPYR)	930-55-2
Nonylphenol	25154-52-3

CHEMICAL CONTAMINANTS<sup>4</sup>—  
Continued

Common name—Registry name	CASRN
Norethindrone (19-Norethisterone)	68-22-4
n-Propylbenzene	103-65-1
o-Toluidine	95-53-4
Oxirane, methyl-	75-56-9
Oxydemeton-methyl	301-12-2
Oxyfluorfen	42874-03-3
Perfluorooctane sulfonic acid (PFOS)	1763-23-1
Perfluorooctanoic acid (PFOA)	335-67-1
Permethrin	52645-53-1
Profenofos	41198-08-7
Quinoline	91-22-5
RDX (Hexahydro-1,3,5-trinitro-1,3,5-triazine)	121-82-4
sec-Butylbenzene	135-98-8
Tebuconazole	107534-96-3
Tebufluozide	112410-23-8
Tellurium	13494-80-9
Thiodicarb	59669-26-0
Thiophanate-methyl	23564-05-8
Toluene diisocyanate	26471-62-5
Tribufos	78-48-8
Triethylamine	121-44-8
Triphenyltin hydroxide (TPTH)	76-87-9
Urethane	51-79-6
Vanadium	7440-62-2
Vinclozolin	50471-44-8
Ziram	137-30-4

<sup>4</sup>Contaminants on the Final CCL 3 but not on the Draft CCL 4 are: 1,3-dinitrobenzene, dimethoate, perchlorate, strontium, terbufos, and terbufos sulfone.

**III. Request for Comment**

The purpose of this document is to present the Draft CCL 4 and seek comment on the contaminants selected for the Draft CCL 4, including any supporting data that can be used in developing the Final CCL 4. Data that the agency obtained and evaluated for developing the Draft CCL 4 may be found in the CCL 4 support documents located in the docket for this document. Specifically, the agency is asking for public comments on including manganese and nonylphenol on the CCL 4, and any additional data and information on manganese and nonylphenol health effects and concentrations in finished or ambient water. EPA is also seeking comment on ways the agency can improve or refine the selection process developed for CCL 3, and will take these comments into consideration when developing future CCLs. The agency will consider all information and comments received in determining the Final CCL 4, in the development of future CCLs, and in the EPA's efforts to set drinking water priorities in the future.

**IV. EPA's Next Steps**

Between now and the publication of the Final CCL 4, the agency will evaluate comments received during the public comment period for this document, consult with the EPA's Science Advisory Board and revise the CCL 4 as appropriate.

**V. References**

- ATSDR. 2012. ToxFAQs for Manganese. Atlanta, GA. October, 2012. Available on the Internet at: <http://www.atsdr.cdc.gov/toxfaqs/tf.asp?id=101&tid=23>.
- Calderon, R.L. 1988. Bacteria Colonizing Point-of-Entry Granular Activated Carbon filters and their Relationship to Human Health. EPA CR-813978-01-0, U.S. Environmental Protection Agency, Washington, DC.
- Calderon, R.L. and Mood, E.W. 1991. Bacteria Colonizing Point-of-Use Granular Activated Carbon Filters and their Relationship to Human Health. EPA CR 811904-01-0, U.S. Environmental Protection Agency, Washington, DC.
- CDC. 2008. Surveillance for Waterborne Disease and Outbreaks Associated with Drinking Water and Water not Intended for Drinking—United States, 2005–2006. MMWR 57 (SS-9).
- CDC. 2011. Surveillance for Waterborne Disease and Outbreaks Associated with Drinking Water—United States, 2007–2008. MMWR 60 (SS-12).
- Code of Federal Regulations. Revised as of July 1, 2012. Title 40 Protection of the Environment. Subpart G—National Primary Drinking Water Regulations: Maximum Contaminant Levels and Maximum Residual Disinfectant Levels. Section 141.61 (c).
- Code of Federal Regulations. Revised as of July 1, 2012. Title 40 Protection of the Environment. Subpart G—National Primary Drinking Water Regulations: Maximum Contaminant Levels and Maximum Residual Disinfectant Levels. Section 141.66 (d)(1).
- Hopple, J.A., G.C. Delzer, and J.A. Kingsbury. 2009. Anthropogenic Organic Compounds in Source Water of Selected Community Water Systems that Use Groundwater, 2002–05. U.S. Geological Survey Scientific Investigations Report 2009–5200. 74 pp. Available on the Internet at: <http://pubs.usgs.gov/sir/2009/5200/pdf/sir2009-5200.pdf>.
- Kingsbury, J.A., G.C. Delzer, and J.A. Hopple. 2008. *Anthropogenic Organic Compounds in Source Water of Nine Community Water Systems that Withdraw from Streams, 2002–05*. U.S. Geological Survey Scientific Investigations Report 2008–5208. 66 pp. Available on the Internet at: <http://pubs.usgs.gov/sir/2008/5208/pdf/sir2008-5208.pdf>.
- Kolpin, D. W., E. T. Furlong, M. T. Meyer, E. M. Thurman, S. D. Zaugg, L. B. Barber, and H. T. Buxton. 2002. Pharmaceuticals, Hormones, and Other Organic Wastewater Contaminants in U.S. Streams, 1999–2000: A National Reconnaissance. Environmental Science and Technology, v. 36, no. 6.
- Murray, P. R., E. J. Baron, J. H. Jorgensen, M. L. Landry, and M. A. Pfaller (ed.). 2011.



Manual of Clinical Microbiology, 10th Edition, ASM Press, Washington, DC.

National Drinking Water Advisory Council (NDWAC). 2004. National Drinking Water Advisory Council Report on the CCL Classification Process to the U.S. Environmental Protection Agency, May 19, 2004.

National Research Council (NRC). 2001. Classifying Drinking Water Contaminants for Regulatory Consideration. National Academy Press, Washington, DC.

Payment, P., J. Siemiatycki, L. Richardson, G. Renaud, E. Franco, and M. Prevost. 1997. A prospective epidemiological study of gastrointestinal health effects due to the consumption of drinking water. *Int. J. Environ. Health Res.* (7): 5–31.

Taylor, L.H., S.M. Latham, and M.E. Woolhouse. 2001. Risk Factors for Human Disease Emergence (Appendix A). *Phil. Trans. R. Soc. Lond. B.* Vol 256, pp. 983–989.

Toccalino, P.L., J.E. Norman, and K.J. Hitt. 2010. Quality of Source Water from Public-supply Wells in the United States, 1993–2007. U.S. Geological Survey Scientific Investigations Report 2010–5024. 206 pp. Available on the Internet at: <http://pubs.usgs.gov/sir/2010/5024/>.

USEPA, 1998. Announcement of the Drinking Water Contaminant Candidate List; Notice. **Federal Register**. Vol. 63, No. 40. p. 10273, March 2, 1998.

USEPA, 1999. National Primary Drinking Water Regulations; Radon-222; Proposed Rule. **Federal Register**. Vol. 64, No. 211. p. 59245, November 2, 1999.

USEPA. 2003. Announcement of the Regulatory Determinations for Priority Contaminants on the Drinking Water Contaminant Candidate List. **Federal Register**. Vol. 68, No. 138. p. 42898, July 18, 2003.

USEPA. 2005. Notice—Drinking Water Contaminant Candidate List 2; Final Notice. **Federal Register**. Vol. 70, No. 36. p. 9071, February 24, 2005.

USEPA. 2008a. Drinking Water Contaminant Candidate List 3—Draft. **Federal Register**. Vol. 73, No. 35. p. 9628, February 21, 2008.

USEPA. 2008b. Drinking Water: Regulatory Determinations Regarding Contaminants on the Second Drinking Water Contaminant Candidate List. **Federal Register**. Vol. 73, No. 174. p. 44251, July 30, 2008.

USEPA. 2009a. Final Contaminant Candidate List 3 Chemicals: Identifying the Universe. EPA 815–R09–006. August, 2009.

USEPA. 2009b. Final Contaminant Candidate List 3 Microbes: Identifying the Universe. EPA 815–R–09–004. August, 2009.

USEPA. 2009c. Final Contaminant Candidate List 3 Microbes: PCCL to CCL Process. EPA 815–R–09–009. August, 2009.

USEPA. 2009d. Final Contaminant Candidate List 3 Microbes: Screening to the PCCL. EPA 815–R–09–0005. August, 2009.

USEPA. 2009e. Drinking Water Contaminant Candidate List 3—Final. **Federal Register**. Vol. 74, No. 194. p. 51850, October 8, 2009.

USEPA. 2011. Drinking Water: Regulatory Determination on Perchlorate. **Federal Register**. Vol. 76, No. 29. p. 7762, February 11, 2011.

USEPA. 2012a. Revisions to the Unregulated Contaminant Monitoring Regulation (UCMR 3) for Public Water Systems. **Federal Register**. Vol. 77, No. 85. p. 26071, May 2, 2012.

USEPA. 2012b. Request for Nominations of Drinking Water Contaminants for the Fourth Contaminant Candidate List. **Federal Register**. Vol. 77, No. 89. p. 27057, May 8, 2012.

USEPA. 2014a. Announcement of Preliminary Regulatory Determination for Contaminants on the Third Drinking Water Contaminant Candidate List. **Federal Register**. Vol. 79, No. 202, p. 62716, October 20, 2014.

USEPA. 2015b. Contaminant Information Sheets (CISs) for the Draft Fourth Preliminary Contaminant Candidate List (PCCL 4) Nominated Contaminants. EPA 815–R–15–003. January, 2015.

USEPA. 2015c. Data Sources for the Contaminant Candidate List 4. EPA 815–R–15–004. January, 2015.

USEPA. 2015d. Screening Document for the Draft PCCL 4 Nominated Contaminants. EPA 815–R–15–002. January, 2015.

USEPA. 2015e. Summary of Nominations for the Fourth Contaminant Candidate List. EPA 815–R–15–001. January, 2015.

WHO. 2003. Emerging Issues in Water and Infectious Disease Series: Heterotrophic Plate Counts and Drinking-water Safety. ed. J. Bartram, J. Cotruvo, M. Exner, C. Fricker, and A. Glasmaier. IWA Publishing, London, UK. P. 119–122.

WHO. 2004. Integrated Risk Assessment: Nonylphenol Case Study. ed. D. Bontje, J. Hermens, T. Vermeire, and T. Damstra. 63 pp. December, 2004. Available on the Internet at: <http://www.who.int/ipcs/methods/Nonylphenol.pdf>.

Dated: January 27, 2015.

**Kenneth J. Kopocis,**

*Deputy Assistant Administrator, Office of Water.*

[FR Doc. 2015–02210 Filed 2–3–15; 8:45 am]

**BILLING CODE 6560–50–P**

## ENVIRONMENTAL PROTECTION AGENCY

[EPA–HQ–OPP–2015–0022; FRL–9921–98]

### Pesticide Product Registration; Receipt of Applications for New Uses

**AGENCY:** Environmental Protection Agency (EPA).

**ACTION:** Notice.

**SUMMARY:** EPA has received applications to register new uses for pesticide products containing currently registered active ingredients. Pursuant to the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), EPA is hereby providing notice of receipt and opportunity to comment on these applications.

**DATES:** Comments must be received on or before March 6, 2015.

**ADDRESSES:** Submit your comments, identified by docket identification (ID) number and the File Symbol of interest as shown in the body of this document, by one of the following methods:

- *Federal eRulemaking Portal:* <http://www.regulations.gov>. Follow the online instructions for submitting comments. Do not submit electronically any information you consider to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute.

- *Mail:* OPP Docket, Environmental Protection Agency Docket Center (EPA/DC), (28221T), 1200 Pennsylvania Ave. NW., Washington, DC 20460–0001.

- *Hand Delivery:* To make special arrangements for hand delivery or delivery of boxed information, please follow the instructions at <http://www.epa.gov/dockets/contacts.html>.

Additional instructions on commenting or visiting the docket, along with more information about dockets generally, is available at <http://www.epa.gov/dockets>.

#### FOR FURTHER INFORMATION CONTACT:

Susan Lewis, Registration Division (RD) (7505P), main telephone number: (703) 305–7090; email address:

[RDfRNotices@epa.gov](mailto:RDfRNotices@epa.gov). The mailing address is: Office of Pesticide Programs, Environmental Protection Agency, 1200 Pennsylvania Ave. NW., Washington, DC 20460–0001. As part of the mailing address, include the contact person's name, division, and mail code. The division to contact is listed at the end of each application summary.

#### SUPPLEMENTARY INFORMATION:

##### I. General Information

###### A. Does this action apply to me?

You may be potentially affected by this action if you are an agricultural producer, food manufacturer, or pesticide manufacturer. The following list of North American Industrial Classification System (NAICS) codes is not intended to be exhaustive, but rather provides a guide to help readers determine whether this document applies to them. Potentially affected entities may include:

- Crop production (NAICS code 111).
- Animal production (NAICS code 112).
- Food manufacturing (NAICS code 311).
- Pesticide manufacturing (NAICS code 32532).

###### B. What should I consider as I prepare my comments for EPA?

1. *Submitting CBI.* Do not submit this information to EPA through [regulations.gov](http://www.regulations.gov) or email. Clearly mark