

the actual data collection instruments FEMA will use.

**DATES:** Comments must be submitted on or before June 15, 2015.

**ADDRESSES:** Submit written comments on the proposed information collection to the Office of Information and Regulatory Affairs, Office of Management and Budget. Comments should be addressed to the Desk Officer for the Department of Homeland Security, Federal Emergency Management Agency, and sent via electronic mail to [oir.submission@omb.eop.gov](mailto:oir.submission@omb.eop.gov) or faxed to (202) 395-5806.

**FOR FURTHER INFORMATION CONTACT:** Requests for additional information or copies of the information collection should be made to Director, Records Management Division, 500 C Street SW., Washington, DC 20472-3100, facsimile number (202) 212-4701, or email address [FEMA-Information-Collections-Management@fema.dhs.gov](mailto:FEMA-Information-Collections-Management@fema.dhs.gov).

**SUPPLEMENTARY INFORMATION:**

**Collection of Information**

*Title:* Direct Housing Program Forms.  
*Type of information collection:* New information collection.

*OMB Number:* 1660-NW90.

*Form Titles and Numbers:* FEMA Form 009-0-137, Unit Pad Requirements—Information Checklist; FEMA Form 009-0-131, Sales Calculation Worksheet; FEMA Form 009-0-129, Ready for Occupancy; FEMA Form 009-0-134, Recertification Worksheet; FEMA Form 009-0-135, Temporary Housing Agreement.

*Abstract:* The Robert T. Stafford Disaster Relief and Emergency Assistance Act authorizes the President to provide temporary housing units to eligible applicants who require temporary housing as a result of a major disaster. 42 U.S.C. 5174. The information collected provides the information necessary to determine the feasibility of the site for placement of temporary housing and so that FEMA can have access to place temporary housing units as well as retrieve it at the end of the use.

*Affected Public:* Individuals or households; business or other for-profit.

*Estimated Number of Respondents:* 25,000.

*Estimated Total Annual Burden Hours:* 4,165 hours.

*Estimated Cost:* The estimated annual cost to respondents for the hour burden is \$157,753.54. There are no annual costs to respondents' operations and maintenance costs for technical services. There is no annual start-up or capital costs. The cost to the Federal Government is \$2,864,760.00.

Dated: May 8, 2015.

**Janice Waller,**

*Acting Director, Records Management Division, Mission Support, Federal Emergency Management Agency, Department of Homeland Security.*

[FR Doc. 2015-11849 Filed 5-14-15; 8:45 am]

**BILLING CODE 9111-23-P**

**DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT**

[Docket No. FR-5872-N-01]

**Notice of Extension of Time for Completion of Manufacturer Notification and Correction Plan**

**AGENCY:** Office of the Assistant Secretary for Housing—Federal Housing Commissioner, Department of Housing and Urban Development (HUD).

**ACTION:** Notice of extension of time.

**SUMMARY:** This notice advises the public that HUD received a request from Cavco Industries (Cavco) for an extension of time to fully implement its plan to notify purchasers and correct certain manufactured homes built and sold by Cavco that were installed with Kidde combined smoke and carbon monoxide alarms imported by Walter Kidde Portable Equipment Inc., that were subsequently recalled by the Consumer Product Safety Commission. After reviewing Cavco's request, HUD determined that Cavco has shown good cause and granted its request for an extension. The requested extension is granted until August 24, 2015.

**FOR FURTHER INFORMATION CONTACT:** Pamela Beck Danner, Administrator and Designated Federal Official (DFO), Office of Manufactured Housing Programs, Office of Housing Department of Housing and Urban Development, 451 Seventh Street SW., Room 9166, Washington, DC 20410, telephone 202-708-6423 (this is not a toll-free number). Persons who have difficulty hearing or speaking may access this number via TTY by calling the toll-free Federal Relay Service at 800-877-8339.

**DATES:** *Effective Date:* April 24, 2015.

**SUPPLEMENTARY INFORMATION:** The National Manufactured Housing Construction and Safety Standards Act of 1974 (42 U.S.C. 5401-5426) (the Act) authorizes HUD to establish the Federal Manufactured Home Construction and Safety Standards (Construction and Safety Standards), codified in 24 CFR part 3280. Section 615 of the Act (42 U.S.C. 5414) requires that manufacturers of manufactured homes notify purchasers if the manufacturer determines, in good faith, that a defect

exists or is likely to exist in more than one home manufactured by the manufacturer and the defect relates to the Construction and Safety Standards or constitutes an imminent safety hazard to the purchaser of the manufactured home. The notification shall also inform purchasers whether the defect is one that the manufacturer will have corrected at no cost or is one that must be corrected at the expense of the purchaser/owner. The manufacturer is responsible to notify purchasers of the defect within a reasonable time after discovering the defect.

HUD's procedural and enforcement provisions at 24 CFR part 3282, subpart I (Subpart I) implement these notification and correction requirements. If a manufacturer determines that it is responsible for providing notification under 3282.405 and correction under 3282.406, the manufacturer must prepare a plan for notifying purchasers of the homes containing the defect pursuant to 3282.408 and 3282.409. Notification of purchasers must be accomplished by certified mail or other more expeditious means that provides a receipt. Notification must be provided to each retailer or distributor to whom any manufactured home in the class of homes containing the defect was delivered, to the first purchaser of each manufactured home in the class of manufactured homes containing the defect, and to other persons who are a registered owners of a manufactured home in the class of homes containing the defect. The manufacturer must complete the implementation of the plan for notification and correction on or before the deadline approved by the State Administrative Agency or HUD. Under 3282.410(c), the manufacturer may request an extension of the deadline if it shows good cause for the extension and the Secretary of HUD decides that the extension is justified and not contrary to the public interest. If the request for extension is approved, 3282.410(c) requires that HUD publish notice of the extension in the **Federal Register**.

On November 14, 2014, Cavco<sup>1</sup> notified HUD that it received information that a defective product was systematically installed into homes during the manufacturing process. Specifically, the homes were installed with certain Kidde combined smoke and carbon monoxide alarms which were subsequently voluntarily recalled by Kidde in conjunction with the Consumer Product Safety Commission.

<sup>1</sup> Information about Cavco Industries can be found at <http://www.cavco.com>.

To view the recall notice, please visit <http://www.cpsc.gov/en/Recalls/2014/Kidde-Recalls-Smoke-and-Combination-SmokeCO-Alarms/>. On December 16, 2014, Cavco submitted a revised plan of notification and correction. Pursuant to its notification and correction plan, Cavco has attempted to notify all affected homeowners by certified mail and telephone and send free-of-charge replacement Kidde combined smoke and carbon monoxide alarms to affected homeowners or install such replacement when requested by the homeowner. HUD approved the Cavco plan of notification and correction on December 29, 2014.

Since receipts for all certified letters were not returned and in some cases a valid phone number was not available, Cavco, by letter dated April 24, 2015, requested an extension of 120 days to complete the notification and correction process. This notice advises that HUD finds that Cavco has shown good cause and that the extension is justified and not contrary to the public interest and, on April 24, 2015, granted the requested extension until August 24, 2015, to permit Cavco to continue its good faith efforts to contact the affected homeowners who did not receive a certified letter, and to replace Kidde combined smoke and carbon monoxide alarms at no cost to affected homeowners.

Dated: May 12, 2015.

**Pamela Beck Danner,**

*Administrator, Office of Manufactured Housing Programs.*

[FR Doc. 2015-11805 Filed 5-14-15; 8:45 am]

**BILLING CODE 4210-67-P**

**DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT**

[Docket No. FR-5830-N-02]

**Notice of Emergency Information Collection and Request for Comment: Assessment of Technology Needs in HUD-Subsidized Housing**

**AGENCY:** Office of the General Counsel, HUD.

**ACTION:** Notice.

**SUMMARY:** Through this notice, and in accordance with the Paperwork Reduction Act of 1995, HUD invites

comment on a proposed information collection for the purpose of helping HUD assess technology needs, such as access to high-speed Internet, in HUD-subsidized housing. HUD is requesting emergency processing of this request because philanthropic foundations, nonprofit organizations, private sector entities, and others have expressed interest in helping residents housed with HUD assistance to narrow their technology infrastructure and digital literacy gaps. The questions included in the information collection will enable HUD to assess the technology needs of residents housed with HUD assistance, the commitment of communities and Public Housing Agencies (PHAs) to narrowing these technology gaps, and the capacity of such jurisdictions to successfully utilize the type of assistance that is being offered. The earlier that HUD can obtain this information, the earlier that HUD may be able to benefit from the generosity of the various organizations that have offered assistance.

**DATES:** *Comment Due Date:* May 22, 2015.

**ADDRESSES:** Interested persons are invited to submit comments regarding this proposal. Comments should refer to the proposal by name and/or OMB Control Number and should be sent to: Colette Pollard, Reports Management Officer, QDAM, Department of Housing and Urban Development, 451 7th Street SW., Room 4176, Washington, DC 20410-5000; telephone 202-402-3400 (this is not a toll-free number) or email at [Colette.Pollard@hud.gov](mailto:Colette.Pollard@hud.gov) for a copy of the proposed forms or other available information. Persons with hearing or speech impairments may access this number through TTY by calling the toll-free Federal Relay Service at (800) 877-8339.

**FOR FURTHER INFORMATION CONTACT:** Colette Pollard, Reports Management Officer, QDAM, Department of Housing and Urban Development, 451 7th Street SW., Washington, DC 20410; email Colette Pollard at [Colette.Pollard@hud.gov](mailto:Colette.Pollard@hud.gov) or telephone 202-402-3400. This is not a toll-free number. Persons with hearing or speech impairments may access this number through TTY by calling the toll-free Federal Relay Service at (800) 877-8339. Copies of

available documents submitted to OMB may be obtained from Ms. Pollard.

**SUPPLEMENTARY INFORMATION:** This notice informs the public that HUD is seeking approval from OMB for the information collection described in Section A.

**A. Overview of Information Collection**

*Title of Information Collection:* Assessment of Technology Needs in HUD-Subsidized Housing.

*OMB Approval Number:* Pending.

*Type of Request:* New.

*Form Number:* Pending.

*Description of the need for the information and proposed use:* This assessment will provide the data necessary to inform subsequent conversations with communities and Public Housing Agencies (PHAs) on the technology needs of residents housed with HUD assistance. The data will also inform the design and implementation of assistance efforts to narrow the technology infrastructure and digital literacy gaps in such housing, such as the absence of access to high-speed Internet. The standardized questions cover broad areas of relevance to assessing the technology needs of communities and PHAs, including: (1) Demographics of the populations served (including such factors as age, income, and education); (2) physical and technological infrastructure in the subsidized housing or that could be made available by the jurisdiction; and (3) potential use of federal and local resources to address the technology needs if these resources were made available. In addition, the assessment provides for communities and PHAs to provide any information pertaining to these topic areas that they may wish to note and that is not covered by the standardized questions, which would help better identify their technology needs.

*Respondents (i.e. affected public):* Communities (i.e., city, tribal nation, or other target area) and PHAs.

*Estimated Number of Respondents:* 3400.

*Estimated Number of Responses:* 50.

*Frequency of Response:* Once.

*Average Hours per Response:* Three hours.

*Total Estimated Burdens:* 450 hours.

Information collection	Number of respondents	Frequency of response	Responses per annum	Burden hour per response	Annual burden hours	Hourly cost per response	Annual cost
Demographics .....	3,400	once .....	50	1	1	0	0