

mission and primary activity are to conduct activities to improve patient safety and the quality of health care delivery.

HHS issued the Patient Safety Rule to implement the Patient Safety Act. AHRQ administers the provisions of the Patient Safety Act and Patient Safety Rule relating to the listing and operation of PSOs. The Patient Safety Rule authorizes AHRQ to list as a PSO an entity that attests that it meets the statutory and regulatory requirements for listing. A PSO can be "delisted" if it is found to no longer meet the requirements of the Patient Safety Act and Patient Safety Rule, when a PSO chooses to voluntarily relinquish its status as a PSO for any reason, or when the PSO's listing expires. Section 3.108(d) of the Patient Safety Rule requires AHRQ to provide public notice when it removes an organization from the list of federally approved PSOs.

AHRQ has accepted a notification from Verge Patient Safety Organization, a component entity of Verge Solutions, LLC, PSO number P0118, to voluntarily relinquish its status as a PSO. Accordingly, Verge Patient Safety Organization was delisted effective at 12:00 Midnight ET (2400) on February 2, 2016.

Verge Patient Safety Organization has patient safety work product (PSWP) in its possession. The PSO will meet the requirements of section 3.108(c)(2)(i) of the Patient Safety Rule regarding notification to providers that have reported to the PSO. In addition, according to sections 3.108(c)(2)(ii) and 3.108(b)(3) of the Patient Safety Rule regarding disposition of PSWP, the PSO has 90 days from the effective date of delisting and revocation to complete the disposition of PSWP that is currently in the PSO's possession.

More information on PSOs can be obtained through AHRQ's PSO Web site at <http://www.pso.ahrq.gov/>.

Sharon B. Arnold,

AHRQ Deputy Director.

[FR Doc. 2016-03034 Filed 2-12-16; 8:45 am]

BILLING CODE 4160-90-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Centers for Disease Control and Prevention

[Docket No. CDC-2015-0049]

Notice of Availability of the Final Environmental Assessment and a Finding of No Significant Impact for HHS/CDC Lawrenceville Campus Proposed Improvements 2015-2025, Lawrenceville, Georgia

AGENCY: Centers for Disease Control and Prevention, Department of Health and Human Services (HHS).

ACTION: Notice.

SUMMARY: The Centers for Disease Control and Prevention (CDC), within the Department of Health and Human Services (HHS), is issuing this notice to advise the public that HHS/CDC has prepared and signed on February 9, 2016 a Finding of No Significant Impact (FONSI) based on the Final Environmental Assessment (Final EA) for the HHS/CDC Lawrenceville Campus Proposed Improvements 2015-2025 on the HHS/CDC Lawrenceville Campus, Lawrenceville, Georgia. The Final EA has been prepared in accordance with the National Environmental Policy Act of 1969 (NEPA), as amended (42 U.S.C. 4321 *et seq.*), the Council on Environmental Quality (CEQ) implementing regulations (40 CFR 1500-1508) and the HHS General Administration Manual (GAM) Part 30 Environmental Procedures, dated February 25, 2000.

DATES: The FONSI and Final EA are available as February 16, 2016.

FOR FURTHER INFORMATION CONTACT: Copies of the FONSI and/or the Final EA or additional information may be obtained by contacting Angela Wagner, Portfolio Manager, Centers for Disease Control and Prevention, 1600 Clifton Road NE., MS-K96, Atlanta, GA 30329. Telephone: (770) 488-8170.

SUPPLEMENTARY INFORMATION: The Centers for Disease Control and Prevention (CDC) within the U.S. Department of Health and Human Services (HHS), has prepared an Environmental Assessment (EA), to assess the potential impacts associated with the undertaking of proposed improvements on the HHS/CDC's Lawrenceville Campus located at 602 Webb Gin House Road in Lawrenceville, Georgia. The proposed improvements include: (1) Building demolition; (2) new building construction, including an approximately 12,000 gross square feet (gsf) Science Support Building, a new

Transshipping and Receiving Area at approximately 2,500 gsf and two new small Office Support Buildings at 8,000 gsf and 6,000 gsf; (3) expansion and relocation of parking on campus; and (4) the creation of an additional point of access to the campus. The proposed improvements would be undertaken between the time period of 2015 and 2025 and are contingent on receipt of funding. The proposed improvements are needed to maintain an appropriate facilities quality level on the Lawrenceville Campus.

On August 14, 2015, HHS/CDC published a notice in the **Federal Register** (80 FR 48863) announcing the availability of a Draft EA and requesting public comment. The comment period ended on September 28, 2015. No substantive comments were received that raised specific issues or concerns with the methodology, analysis, conclusion or accurateness of the EA.

Based on the analysis of environmental impacts in the EA and in accordance with NEPA, HHS/CDC has determined that the proposed action will not significantly affect the human or natural environment and therefore does not require the preparation of an environmental impact statement.

Dated: February 10, 2016.

Sandra Cashman,

Executive Secretary, Centers for Disease Control and Prevention.

[FR Doc. 2016-03059 Filed 2-12-16; 8:45 am]

BILLING CODE 4163-18-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Centers for Disease Control and Prevention

[30Day-15-0573]

Agency Forms Undergoing Paperwork Reduction Act Review

The Centers for Disease Control and Prevention (CDC) has submitted the following information collection request to the Office of Management and Budget (OMB) for review and approval in accordance with the Paperwork Reduction Act of 1995. The notice for the proposed information collection is published to obtain comments from the public and affected agencies.

Written comments and suggestions from the public and affected agencies concerning the proposed collection of information are encouraged. Your comments should address any of the following: (a) Evaluate whether the proposed collection of information is necessary for the proper performance of