

CBPL No.	ASTM	Title
27-57	ASTM D-7039	Standard Test Method for Sulfur content by monochromatic wavelength dispersive X-ray.

Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquiries regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to cbp.labhq@dhs.gov. Please reference the Web site listed below for the current CBP Approved Gaugers and Accredited Laboratories List.

<http://www.cbp.gov/about/labs-scientific/commercial-gaugers-and-laboratories>

Dated: April 15, 2016.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services Directorate.

[FR Doc. 2016-09632 Filed 4-25-16; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOMELAND SECURITY

U.S. Customs and Border Protection

Approval of Trust Control International as a Commercial Gauger

AGENCY: U.S. Customs and Border Protection, Department of Homeland Security.

ACTION: Notice of approval of Trust Control International as a commercial gauger.

SUMMARY: Notice is hereby given, pursuant to CBP regulations, that Trust Control International has been approved to gauge petroleum and petroleum products for customs purposes for the next three years as of December 2, 2015.

DATES: Effective Dates: The approval of Trust Control International as commercial gauger became effective on December 2, 2015. The next triennial inspection date will be scheduled for December 2018.

FOR FURTHER INFORMATION CONTACT: Approved Gauger and Accredited Laboratories Manager, Laboratories and Scientific Services Directorate, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue NW., Suite

1500N, Washington, DC 20229, tel. 202-344-1060.

SUPPLEMENTARY INFORMATION: Notice is hereby given pursuant to 19 CFR 151.13, that Trust Control International, 11811 East Freeway, Suite 130, Atrium 10 Tower, Houston, TX 77029, has been approved to gauge petroleum and petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.13. Trust Control International is approved for the following gauging procedures for petroleum and certain petroleum products set forth by the American Petroleum Institute (API):

API chapters	Title
3	Tank gauging.
7	Temperature Determination.
8	Sampling.
12	Calculations.

Anyone wishing to employ this entity to conduct gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific gauger service requested. Alternatively, inquiries regarding the specific gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to cbp.labhq@dhs.gov. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories. <http://www.cbp.gov/about/labs-scientific/commercial-gaugers-and-laboratories>.

Dated: April 15, 2016.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services Directorate.

[FR Doc. 2016-09633 Filed 4-25-16; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

[Docket ID FEMA-2016-0002]

Changes in Flood Hazard Determinations

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Final Notice.

SUMMARY: New or modified Base (1-percent annual chance) Flood Elevations (BFEs), base flood depths, Special Flood Hazard Area (SFHA) boundaries or zone designations, and/or regulatory floodways (hereinafter referred to as flood hazard determinations) as shown on the indicated Letter of Map Revision (LOMR) for each of the communities listed in the table below are finalized. Each LOMR revises the Flood Insurance Rate Maps (FIRMs), and in some cases the Flood Insurance Study (FIS) reports, currently in effect for the listed communities. The flood hazard determinations modified by each LOMR will be used to calculate flood insurance premium rates for new buildings and their contents.

DATES: The effective date for each LOMR is indicated in the table below.

ADDRESSES: Each LOMR is available for inspection at both the respective Community Map Repository address listed in the table below and online through the FEMA Map Service Center at www.msc.fema.gov.

FOR FURTHER INFORMATION CONTACT: Rick Sacbibit, Chief, Engineering Services Branch, Federal Insurance and Mitigation Administration, FEMA, 500 C Street SW., Washington, DC 20472, (202) 646-7659, or (email) patrick.sacbibit@fema.dhs.gov; or visit the FEMA Map Information eXchange (FMIX) online at www.floodmaps.fema.gov/fhm/fmx_main.html.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA) makes the final flood hazard determinations as shown in the LOMRs for each community listed in the table below. Notice of these modified flood hazard determinations has been published in newspapers of local circulation and 90 days have elapsed since that publication. The Deputy Associate Administrator for Mitigation has resolved any appeals resulting from this notification.

The modified flood hazard determinations are made pursuant to section 206 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4105, and are in accordance with the National Flood Insurance Act of 1968, 42 U.S.C. 4001 *et seq.*, and with 44 CFR part 65.

For rating purposes, the currently effective community number is shown