

Industrial Park, Bantian Street,  
Longgang Shenzhen, China, 518112

Grando d/b/a Shenzhen Dashentai  
Network Technology Co., Ltd., 806  
Dongbian Building No.222 Minzhi  
Road, Minzhi Street Longhuaxinqu,  
Shenzhen, China, 518109

Shenzhen Yingxue Technology Co.,  
Ltd., Room 14H, Haojingmingyuan  
Phase II No.28 Zhengqing Road, Buji  
Town, Longgang District, Shenzhen,  
China, 518112

Shenzhen Longwang Technology Co.,  
Ltd., d/b/a LWANG B21, 5/F, West Of  
Bldg. 4, Seg Tech Park, Huaqiang  
North Rd., Futian Dist., Shenzhen,  
Guangdong, China, 518000

Hu Peng d/b/a AtomBud Room 602,  
Unit 1, Dongfangqinyuan 2 Pingan  
Road, Longgang District Shenzhen,  
China, 518112

(c) The Office of Unfair Import  
Investigations, U.S. International Trade  
Commission, 500 E Street, SW., Suite  
401, Washington, DC 20436; and

(3) For the investigation so instituted,  
the Chief Administrative Law Judge,  
U.S. International Trade Commission,  
shall designate the presiding  
Administrative Law Judge.

Responses to the complaint and the  
notice of investigation must be  
submitted by the named respondents in  
accordance with section 210.13 of the  
Commission's Rules of Practice and  
Procedure, 19 CFR 210.13. Pursuant to  
19 CFR 201.16(e) and 210.13(a), such  
responses will be considered by the  
Commission if received not later than 20  
days after the date of service by the  
Commission of the complaint and the  
notice of investigation. Extensions of  
time for submitting responses to the  
complaint and the notice of  
investigation will not be granted unless  
good cause therefor is shown.

Failure of a respondent to file a timely  
response to each allegation in the  
complaint and in this notice may be  
deemed to constitute a waiver of the  
right to appear and contest the  
allegations of the complaint and this  
notice, and to authorize the  
administrative law judge and the  
Commission, without further notice to  
the respondent, to find the facts to be as  
alleged in the complaint and this notice  
and to enter an initial determination  
and a final determination containing  
such findings, and may result in the  
issuance of an exclusion order or a cease  
and desist order or both directed against  
the respondent.

By order of the Commission.

Issued: November 7, 2016.

**Lisa R. Barton,**

*Secretary to the Commission.*

[FR Doc. 2016-27251 Filed 11-10-16; 8:45 am]

**BILLING CODE 7020-02-P**

## DEPARTMENT OF JUSTICE

### Notice of Lodging of Proposed Consent Decree Under the Comprehensive Environmental Response, Compensation, and Liability Act

On November 1, 2016, the Department  
of Justice lodged a proposed consent  
decree with the United States District  
Court for the District of Arizona in the  
lawsuit entitled *United States v.*  
*WestRock CP, LLC*, Civil Action No. CV-  
16-08247-PCT-PGR.

The United States alleged that  
WestRock CP, LLC—as the successor to  
Southwest Forest Industries, Inc.—is  
liable under Section 107 of the  
Comprehensive Environmental  
Response, Compensation, and Liability  
Act (CERCLA), 42 U.S.C. 9607, for  
reimbursement of response costs  
incurred or to be incurred by the U.S.  
Environmental Protection Agency in  
connection with releases or threatened  
releases of hazardous substances into  
the environment at or from land  
associated with a former wood-treating  
facility located approximately 1 mile  
northeast of Prescott, Arizona and on  
the Yavapai-Prescott Indian reservation.  
To date, unreimbursed response costs  
have totaled approximately \$6.2  
million. Under the proposed consent  
decree and consistent with an earlier  
bankruptcy settlement agreement, the  
United States will be allowed a general  
unsecured claim in the sum of \$2.8  
million in the Chapter 11 bankruptcy  
case involving WestRock CP, LLC's  
predecessor Smurfit-Stone Container  
Corporation. The allowed claim will be  
satisfied as a cash distribution of  
\$1,602,877.46; 56,064 shares of  
WestRock Company stock; and 9,344  
shares of Ingevity Corporation stock. In  
return, the United States covenants not  
to sue or take administrative action  
against WestRock CP, LLC pursuant to  
Sections 106 and 107(a) of CERCLA, 42  
U.S.C. 9606 and 9607(a), and Section  
7003 of the Resource Conservation and  
Recovery Act (RCRA), 42 U.S.C. 6973,  
regarding the site.

The publication of this notice opens  
a period for public comment on the  
consent decree. Comments should be  
addressed to the Assistant Attorney  
General, Environment and Natural  
Resources Division, and should refer to  
*United States v. WestRock CP, LLC*, D.J.

Ref. No. 90-11-3-09733/3. All  
comments must be submitted no later  
than thirty (30) days after the  
publication date of this notice.  
Comments may be submitted either by  
email or by mail:

<i>To submit comments:</i>	<i>Send them to:</i>
By email .....	<i>pubcomment-ees.enrd@ usdoj.gov.</i>
By mail .....	Assistant Attorney General, U.S. DOJ—ENRD, P.O. Box 7611, Washington, DC 20044-7611.

Under section 7003(d) of RCRA, a  
commenter may request an opportunity  
for a public meeting in the affected area.

During the public comment period,  
the consent decree may be examined  
and downloaded at this Justice  
Department Web site: [https://  
www.justice.gov/enrd/consent-decrees](https://www.justice.gov/enrd/consent-decrees).  
We will provide a paper copy of the  
consent decree upon written request  
and payment of reproduction costs.  
Please mail your request and payment  
to: Consent Decree Library, U.S. DOJ—  
ENRD, P.O. Box 7611, Washington, DC  
20044-7611.

Please enclose a check or money order  
for \$6.00 (25 cents per page  
reproduction cost) payable to the United  
States Treasury.

**Henry Friedman,**

*Assistant Section Chief, Environmental  
Enforcement Section, Environment and  
Natural Resources Division.*

[FR Doc. 2016-27229 Filed 11-10-16; 8:45 am]

**BILLING CODE 4410-15-P**

## DEPARTMENT OF LABOR

### Mine Safety and Health Administration

#### Petitions for Modification of Application of Existing Mandatory Safety Standards

**AGENCY:** Mine Safety and Health  
Administration, Labor.

**ACTION:** Notice.

**SUMMARY:** Section 101(c) of the Federal  
Mine Safety and Health Act of 1977 and  
Title 30 of the Code of Federal  
Regulations Part 44 govern the  
application, processing, and disposition  
of petitions for modification. This notice  
is a summary of petitions for  
modification submitted to the Mine  
Safety and Health Administration  
(MSHA) by the parties listed below.

**DATES:** All comments on the petitions  
must be received by MSHA's Office of  
Standards, Regulations, and Variances  
on or before December 14, 2016.

**ADDRESSES:** You may submit your comments, identified by “docket number” on the subject line, by any of the following methods:

1. *Electronic Mail:* [zzMSHA-comments@dol.gov](mailto:zzMSHA-comments@dol.gov). Include the docket number of the petition in the subject line of the message.

2. *Facsimile:* 202-693-9441.

3. *Regular Mail or Hand Delivery:* MSHA, Office of Standards, Regulations, and Variances, 201 12th Street South, Suite 4E401, Arlington, Virginia 22202-5452, Attention: Sheila McConnell, Director, Office of Standards, Regulations, and Variances. Persons delivering documents are required to check in at the receptionist’s desk in Suite 4E401. Individuals may inspect copies of the petitions and comments during normal business hours at the address listed above.

MSHA will consider only comments postmarked by the U.S. Postal Service or proof of delivery from another delivery service such as UPS or Federal Express on or before the deadline for comments.

**FOR FURTHER INFORMATION CONTACT:** Barbara Barron, Office of Standards, Regulations, and Variances at 202-693-9447 (Voice), [barron.barbara@dol.gov](mailto:barron.barbara@dol.gov) (Email), or 202-693-9441 (Facsimile). [These are not toll-free numbers.]

**SUPPLEMENTARY INFORMATION:**

**I. Background**

Section 101(c) of the Federal Mine Safety and Health Act of 1977 (Mine Act) allows the mine operator or representative of miners to file a petition to modify the application of any mandatory safety standard to a coal or other mine if the Secretary of Labor determines that:

1. An alternative method of achieving the result of such standard exists which will at all times guarantee no less than the same measure of protection afforded the miners of such mine by such standard; or

2. That the application of such standard to such mine will result in a diminution of safety to the miners in such mine.

In addition, the regulations at 30 CFR 44.10 and 44.11 establish the requirements and procedures for filing petitions for modification.

**II. Petitions for Modification**

*Docket Number:* M-2016-028-C.

*Petitioner:* River View Coal, LLC, 835 State Route 1179, Waverly, Kentucky 42462.

*Mine:* River View Mine, MSHA I.D. No. 15-19374, located in Union County, Kentucky.

*Regulation Affected:* 30 CFR 75.500(d) (Permissible electric equipment).

*Modification Request:* The petitioner requests a modification of the existing standard to permit the use of nonpermissible electronic testing or diagnostic equipment in by the last open crosscut. The petitioner states that:

(1) Nonpermissible electronic testing and diagnostic equipment to be used includes: Laptop computers, oscilloscopes, vibration analysis machines, cable fault detectors, point temperature and distance probes, infrared temperature devices, insulation testers (meggers), voltage, current, resistance meters and power testers, electronic tachometers, signal analyzer devices, and ultrasonic measuring devices. Other testing and diagnostic equipment may be used if approved in advance by the MSHA District Manager.

(2) All nonpermissible testing and diagnostic equipment used in or in by the last open crosscut will be examined by a qualified person (as defined in 30 CFR 75.153) prior to use to ensure the equipment is being maintained in a safe operating condition. The examination results will be recorded weekly in the examination book and will be made available to MSHA and the miners at the mine.

(3) A qualified person as defined in existing 30 CFR 75.151 will continuously monitor for methane immediately before and during the use of nonpermissible electronic testing and diagnostic equipment in or in by the last open crosscut.

(4) Nonpermissible electronic testing and diagnostic equipment will not be used if methane is detected in concentrations at or above 1.0 percent. When 1.0 percent or more methane is detected while the nonpermissible electronic equipment is being used, the equipment will be deenergized immediately and withdrawn out by the last open crosscut.

(5) All hand-held methane detectors will be MSHA-approved and maintained in permissible and proper operating condition as defined in 30 CFR 75.320.

(6) Except for time necessary to troubleshoot under actual mining conditions, coal production in the section will cease. However, coal may remain in or on the equipment to test and diagnose the equipment under “load.”

(7) All electronic testing and diagnostic equipment will be used in accordance with the manufacturer’s recommendations.

(8) Qualified personnel who use electronic testing and diagnostic equipment will be properly trained to recognize the hazards and limitations associated with use of the equipment.

The petitioner asserts that under the terms and conditions of the petition for modification, the use of nonpermissible electronic testing and diagnostic equipment will at all times guarantee no less than the same measure of protection afforded by the existing standard.

*Docket Number:* M-2016-029-C.

*Petitioner:* River View Coal, LLC, 835 State Route 1179, Waverly, Kentucky 42462.

*Mine:* River View Mine, MSHA I.D. No. 15-19374, located in Union County, Kentucky.

*Regulation Affected:* 30 CFR 75.507-1(a) (Electric equipment other than power-connection points; out by the last open crosscut; return air; permissibility requirements).

*Modification Request:* The petitioner requests a modification of the existing standard to permit the use of nonpermissible electronic testing or diagnostic equipment in return air out by the last open crosscut. The petitioner states that:

(1) Nonpermissible electronic testing and diagnostic equipment to be used includes: Laptop computers, oscilloscopes, vibration analysis machines, cable fault detectors, point temperature and distance probes, infrared temperature devices, insulation testers (meggers), voltage, current, resistance meters and power testers, electronic tachometers, signal analyzer devices, and ultrasonic measuring devices. Other testing and diagnostic equipment may be used if approved in advance by the MSHA District Manager.

(2) All nonpermissible testing and diagnostic equipment used in return air out by the last open crosscut will be examined by a qualified person (as defined in 30 CFR 75.153) prior to use to ensure the equipment is being maintained in a safe operating condition. The examination results will be recorded weekly in the examination book and will be made available to MSHA and the miners at the mine.

(3) A qualified person as defined in existing 30 CFR 75.151 will continuously monitor for methane immediately before and during the use of nonpermissible electronic testing and diagnostic equipment in return air out by the last open crosscut.

(4) Nonpermissible electronic testing and diagnostic equipment will not be used if methane is detected in concentrations at or above 1.0 percent. When 1.0 percent or more methane is detected while the nonpermissible electronic equipment is being used, the equipment will be deenergized immediately and withdrawn from the return air out by the last open crosscut.

(5) All hand-held methane detectors will be MSHA-approved and maintained in permissible and proper operating condition as defined in 30 CFR 75.320.

(6) All electronic testing and diagnostic equipment will be used in accordance with the manufacturer's recommendations.

(7) Qualified personnel who use electronic testing and diagnostic equipment will be properly trained to recognize the hazards and limitations associated with use of the equipment.

The petitioner asserts that under the terms and conditions of the petition for modification, the use of nonpermissible electronic testing and diagnostic equipment will at all times guarantee no less than the same measure of protection afforded by the existing standard.

*Docket Number:* M-2016-030-C.

*Petitioner:* Pennyrite Energy, LLC, 7386 State Route 593, Calhoun, Kentucky 42327.

*Mine:* Riveredge Mine, MSHA I.D. No. 15-19424, located in Mclean County, Kentucky.

*Regulation Affected:* 30 CFR 75.313(c)(2) (Main mine fan stoppage with persons underground).

*Modification Request:* The petitioner requests a modification of the existing standard to prevent excessive levels of water from building up in the mine in the event of a long term electrical power outage due to uncontrollable circumstances. The petitioner states that:

(1) The mine has water that comes in continuously from the slope and would build up to dangerous levels if not maintained properly in a power outage. The only deviation to the standard would be to power the main sump pump with a generator through a long-term electrical outage. This electrical power would not need to be used when miners are underground and would be removed after restoration of power to the main fan and not switch back to regular power until an examination of the area is conducted. This could cause a diminution of safety to the miners when returning underground after a long-term power outage because of water levels reaching the mine roof causing unstable roof conditions. Water entering some of the main electrical substations and high voltage power feeds could cause an electrical explosion or possible electrocution.

(2) The pump to be used is a permissible Stancor MSHA-approved P series portable electric submersible pump (Product #P-70CE-HH). The pump is a 460VAC three-phase motor, FLC 39 amperes, 28Hp with two

overload thermal switches incorporated in the stator and short circuit, locked rotor overload protection. The cable powering the pump will start in the hoist house branching from the 480VAC in the hoist house through a Fused Disconnect Switch with 60 ampere fuses. The fused Disconnect Switch will be connected to a Ground Check Enclosure mounted in the Hoist House to monitor the Grounding Conductor. Approximately 80 feet of #6 G-GC cable will be installed to power the permissible Stancor pump control box mounted at the Fan House. The pump control box will feed into the return airshaft with #6 G-GC cable for 444 feet to a permissible Disconnect Switch and from the permissible Disconnect Switch through #6 G-GC cable 40 feet to the 28Hp pump.

(3) The controller will be located on the side of the main fan house on the surface and will have a 45 ampere circuit breaker for short circuit protection and a Stancor model 821 liquid controller and motor protection unit for overload protection. The pump will be started and stopped from the Stancor model protection relay. There will be an electrical disconnect located underground at the pump location to aid in servicing the pump. The pump will be operated by the pump current control system.

(4) If mine power is down and fan off, the pump will run on a generator that is grounded with two 8-foot grounding rods attached with #4 bare copper. All persons will be kept 100 feet away from the slope entrance while the generator and pump are in operation. After power is restored, areas around the immediate bottom (sump pump and power centers) will be examined as required. The Sump Pump and power cable will be included as part of this examination. Weekly and monthly examinations will be conducted on the pump, controller, and generator as required.

The petitioner asserts that application of the existing standard will result in a diminution of safety to the miners.

**Sheila McConnell,**

*Director, Office of Standards, Regulations, and Variances.*

[FR Doc. 2016-27286 Filed 11-10-16; 8:45 am]

**BILLING CODE 4520-43-P**

## NATIONAL ARCHIVES AND RECORDS ADMINISTRATION

[NARA-2017-006]

### Records Schedules; Availability and Request for Comments

**AGENCY:** National Archives and Records Administration (NARA).

**ACTION:** Notice of availability of proposed records schedules; request for comments.

**SUMMARY:** The National Archives and Records Administration (NARA) publishes notice at least once monthly of certain Federal agency requests for records disposition authority (records schedules). Once approved by NARA, records schedules provide mandatory instructions on what happens to records when agencies no longer need them for current Government business. The records schedules authorize agencies to preserve records of continuing value in the National Archives of the United States and to destroy, after a specified period, records lacking administrative, legal, research, or other value. NARA publishes notice in the **Federal Register** for records schedules in which agencies propose to destroy records not previously authorized for disposal or reduce the retention period of records already authorized for disposal. NARA invites public comments on such records schedules, as required by 44 U.S.C. 3303a(a).

**DATES:** NARA must receive requests for copies in writing by December 14, 2016. Once NARA finishes appraising the records, we will send you a copy of the schedule you requested. We usually prepare appraisal memoranda that contain additional information concerning the records covered by a proposed schedule. You may also request these. If you do, we will also provide them once we have completed the appraisal. You have 30 days after we send to you these requested documents in which to submit comments.

**ADDRESSES:** You may request a copy of any records schedule identified in this notice by contacting Records Appraisal and Agency Assistance (ACRA) using one of the following means:

*Mail:* NARA (ACRA); 8601 Adelphi Road; College Park, MD 20740-6001.

*Email:* [request.schedule@nara.gov](mailto:request.schedule@nara.gov).

*FAX:* 301-837-3698.

You must cite the control number, which appears in parentheses after the name of the agency that submitted the schedule, and a mailing address. If you would like an appraisal report, please include that in your request.

**FOR FURTHER INFORMATION CONTACT:**

Margaret Hawkins, Director, by mail at