

ATTACHMENT 1—GENERAL TARGET SCHEDULE FOR PROCESSING AND RESOLVING REQUESTS FOR ACCESS TO SENSITIVE UNCLASSIFIED NON-SAFEGUARDS INFORMATION AND SAFEGUARDS INFORMATION IN THIS PROCEEDING—Continued

| Day | Event/activity |
|---------------|---|
| 30 | Deadline for NRC staff reply to motions to reverse NRC staff determination(s). |
| 40 | (Receipt +30) If NRC staff finds standing and need for SUNSI, deadline for NRC staff to complete information processing and file motion for Protective Order and draft Non-Disclosure Affidavit. Deadline for applicant/licensee to file Non-Disclosure Agreement for SUNSI. |
| 190 | (Receipt +180) If NRC staff finds standing, need to know for SGI, and trustworthiness and reliability, deadline for NRC staff to file motion for Protective Order and draft Non-disclosure Affidavit (or to make a determination that the proposed recipient of SGI is not trustworthy or reliable). Note: Before the Office of Administration makes a final adverse determination regarding access to SGI, the proposed recipient must be provided an opportunity to correct or explain information. |
| 205 | Deadline for petitioner to seek reversal of a final adverse NRC staff trustworthiness or reliability determination under 10 CFR 2.336(f)(1)(iv). |
| A | If access granted: Issuance of a decision by a presiding officer or other designated officer on motion for protective order for access to sensitive information (including schedule for providing access and submission of contentions) or decision reversing a final adverse determination by the NRC staff. |
| A + 3 | Deadline for filing executed Non-Disclosure Affidavits. Access provided to SUNSI and/or SGI consistent with decision issuing the protective order. |
| A + 28 | Deadline for submission of contentions whose development depends upon access to SUNSI and/or SGI. However, if more than 25 days remain between the petitioner's receipt of (or access to) the information and the deadline for filing all other contentions (as established in the notice of opportunity to request a hearing and petition for leave to intervene), the petitioner may file its SUNSI or SGI contentions by that later deadline. |
| A + 53 | (Contention receipt +25) Answers to contentions whose development depends upon access to SUNSI and/or SGI. |
| A + 60 | (Answer receipt +7) Petitioner/Intervenor reply to answers. |
| >A + 60 | Decision on contention admission. |

[FR Doc. 2016-31450 Filed 12-30-16; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

[Docket No. 50-166; NRC-2010-0250]

University of Maryland; Maryland University Training Reactor

AGENCY: Nuclear Regulatory Commission.

ACTION: License renewal; issuance.

SUMMARY: The U.S. Nuclear Regulatory Commission (NRC) issued a renewal of Facility Operating License No. R-70, held by the University of Maryland (UMD or the licensee) for the continued operation of its Maryland University Training Reactor (MUTR or the facility) Training, Research, Isotope Production, General Atomics (TRIGA) reactor for an additional 20 years.

DATES: The operating license renewal No. R-70 is effective on December 22, 2016.

ADDRESSES: Please refer to Docket ID NRC-2010-0250 when contacting the NRC about the availability of information regarding this document. You may obtain publicly-available information related to this document using any of the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2010-0250. Address questions about NRC dockets to Carol Gallagher; telephone: 301-415-3463; email: Carol.Gallagher@nrc.gov. For

technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "ADAMS Public Documents" and then select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to pdr.resource@nrc.gov. The ADAMS accession number for each document referenced (if it available in ADAMS) is provided the first time that a document is referenced. For the convenience of the reader, the ADAMS accession numbers are provided in a table in the "Availability of Documents" section of this document.

- *NRC's PDR:* You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

FOR FURTHER INFORMATION CONTACT: Eben Allen, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-415-4246; email: Eben.Allen@nrc.gov.

SUPPLEMENTARY INFORMATION:

I. Discussion

The NRC has issued renewed Facility Operating License No. R-70, held by the licensee, which authorizes continued operation of the MUTR, located in College Park, Maryland. The MUTR is a heterogeneous pool-type, natural convection, light-water cooled, and shielded TRIGA reactor. The MUTR is licensed to operate at a steady-state power level of 250 kilowatts thermal. The renewed Facility Operating License No. R-70 will expire 20 years from its date of issuance.

The renewed facility operating license complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations. The Commission has made appropriate findings as required by the Act and the Commission's regulations in chapter I of title 10 of the *Code of Federal Regulations* (10 CFR), and sets forth those findings in the renewed facility operating license. The agency afforded an opportunity for hearing in the Notice of Opportunity for Hearing published in the **Federal Register** on July 26, 2010 (75 FR 43566). The NRC received no request for a hearing or petition for leave to intervene following the notice.

The NRC staff prepared a safety evaluation report for the renewal of Facility Operating License No. R-70 and concluded, based on that evaluation, that the licensee can continue to operate the facility without endangering the health and safety of the public. The NRC staff also prepared an Environmental Assessment and Finding of No

Significant Impact for the renewal of the facility operating license, noticed in the **Federal Register** on December 22, 2016 (81 FR 93969), and concluded that renewal of the facility operating license

will not have a significant impact on the quality of the human environment.

II. Availability of Documents

The documents identified in the following table are available to interested persons through ADAMS accession numbers, as indicated.

| Document | ADAMS accession No. |
|---|---------------------|
| University of Maryland, Request for Renewal of Class 104 Operating License R-70., May 12, 2000 | ML052910399 |
| University of Maryland—Request for Additional Information Re: Renewal of License R-70, October 10, 2002 | ML022690533 |
| Transmittal of the University of Maryland's Response to the Request for Additional Information Pertaining to Sections Six through Ten of the Safety Analysis Report (SAR), June 7, 2004. | ML101970211 |
| University of Maryland's Response to the Request for Additional Information Re: Environmental Report for Training Reactor, August 4, 2004. | ML042240227 |
| Submittal of Additional Information as it Pertains to Section Eleven of the Safety Analysis Report for the Maryland University Training Reactor, September 17, 2004. | ML042940317 |
| Response to the Request for Additional Information as it Pertains to Section Twelve of the Safety Analysis Report for the Maryland University Training Reactor, October 7, 2004. | ML042940408 |
| University of Maryland—Response to RAI Regarding the Technical Specifications for the Maryland University Training Reactor, April 18, 2005. | ML051160054 |
| University of Maryland's Response to Request for Additional Information, as it Pertains to Section Two of Safety Analysis Report for Maryland University Training Reactor, April 25, 2006. | ML061250233 |
| University of Maryland's Response to Request for Additional Information, as it Pertains to Section Two of Safety Analysis Report for Maryland University Training Reactor, April 25, 2006. | ML061280383 |
| University of Maryland Responses to RAIs on the SAR, August 28, 2006 | ML101970209 |
| University of Maryland, Response to Request for Additional Information, September 7, 2006 | ML16083A222 |
| University of Maryland Responses to RAIs on the SAR, November 9, 2006 | ML101970210 |
| University of Maryland's Response to Request for Additional Information as it Pertains to Technical Specifications for Maryland University Training Reactor, December 18, 2006. | ML101480913 |
| University of Maryland, Request for Additional Information Regarding the License Renewal for the Maryland University Training and Research Reactor, December 10, 2009. | ML093420068 |
| University of Maryland, Request for Additional Information Regarding License Renewal Technical Matters (TAC ME1592), April 6, 2010. | ML100840239 |
| University of MD Training Reactor (MUTR)—Submitting Responses to NRC 12/10/09 Request for Additional Information Regarding Financial Qualifications for Renewal of License, May 27, 2010. | ML101670413 |
| University of Maryland Responses Request for Additional Information Regarding the License Renewal for Maryland University Training Reactor, July 28, 2010. | ML102110049 |
| University of Maryland Training Reactor, Request for Additional Information Regarding License Renewal Revised Technical Specifications dated December 18, 2006 (TAC No. ME1592), August 20, 2010. | ML102230338 |
| University of Maryland, Request for Additional Information Regarding the License Renewal for the Maryland University Training Reactor, September 22, 2010. | ML102710556 |
| University of Maryland, Maryland University Training Reactor (MUTRA), Request for Additional Information (RAI) Regarding Remaining Technical Specifications, January 31, 2011. | ML110320459 |
| University of Maryland, Maryland University Training Reactor, Response to Request No. #2 to the NRC's April 6, 2010, Request for Additional Information, February 2, 2011. | ML110350175 |
| University of Maryland, Maryland University Training Reactor ("MUTR"), Technical Specifications, Response to February 18, 2011, Request for Additional Information ("RAI") Regarding Remaining Technical Specifications, May 2, 2011. | ML11124A124 |
| University of Maryland, NRC Response to Letter Dated May 2, 2011, June 22, 2011 | ML11171A566 |
| University of Maryland, Maryland, Response to Request for Additional Information in Regard to Remaining Technical Specifications, July 5, 2011. | ML11189A065 |
| University of Maryland, Response to Request for Additional Information Regarding Dose to General Public in the Event of Maximum Hypothetical Accident (MHA), July 29, 2011. | ML16231A339 |
| University of Maryland—Request for Additional Information Regarding the License Renewal for the Maryland University Training Reactor (Related to May 2, 2011) (TAC No. ME1592), August 26, 2011. | ML112130086 |
| University of Maryland—Request for Additional Information Regarding Dose Calculations, September 8, 2011 | ML112380621 |
| University of Maryland, Request for Additional Information Regarding License Renewal for Maryland University Training Reactor (TAC No. ME1592), September 28, 2011. | ML11277A026 |
| University of Maryland—Request for Additional Information Regarding the License Renewal for the Maryland University Training Reactor, October 12, 2011. | ML11286A337 |
| University of Maryland—Response to NRC Request for Additional Information Regarding the License Renewal for the Maryland University Training Reactor, February 9, 2012. | ML12060A344 |
| University of Maryland—Request for Additional Information Re: Reactor Operator Requalification Program, February 15, 2012 | ML102660113 |
| University of Maryland—Request for Additional Information Re: Reactor Operator Requalification Program (TAC No. ME2431), March 14, 2012. | ML12081A017 |
| University of Maryland, Request for Additional Information Regarding the License Renewal for the Maryland University Training Reactor ("MUTR"), May 22, 2012. | ML12172A139 |
| University of Maryland—Request for Additional Information, Re: Reactor Operator Requalification Program (TAC ME2431), July 16, 2012. | ML121870709 |
| University of Maryland, Response to Request for Additional Information Regarding the License Renewal for the Training Reactor ("MUTR"), August 29, 2012. | ML12255A400 |
| University of Maryland—Review and Approval of the Requalification Training Program for Licensed Operators (TAC No. ME1592), November 15, 2012. | ML12306A112 |
| University of Maryland—License Renewal for the Maryland University Training Reactor (MUTR), TAC ME1592), March 21, 2013. | ML13095A006 |

| Document | ADAMS accession No. |
|---|------------------------|
| University of Maryland, College Park Request for Additional Information Re: Financial Update for License Renewal for the University of Maryland (TAC ME1592), June 2, 2014. | ML14141A630 |
| University of Maryland Training Reactor—Report on AR-41 Mitigation, June 18, 2014 | ML14176A078 |
| University of Maryland—Request for Additional Information Re: Review of the Argon-41 Radiological Dose Assessment for License Renewal (TAC ME1592), September 25, 2014. | ML14266A658 |
| University of Maryland, Response to Request for Additional Information Regarding Financial Update for License Renewal, November 25, 2014. | ML14342A563 |
| University of Maryland—Request for Additional Information Re: Review of the ARGON-41 Radiological Dose Assessment for License Renewal of the Maryland University Training Reactor (TAC No. ME1592) November 25, 2014. | ML14332A300 |
| University Of Maryland—Revised Physical Security Plan For License Renewal Of The Maryland University Training Reactor (TAC ME1592) License No. 70; Docket No. 50-166, December 19, 2014. | ML14364A086 |
| Letter Request for Additional Information RE: Physical Security Plan Review for License Renewal (TAC No. ME1592), March 12, 2015. | ML15058A276 |
| University of Maryland—Request for Additional Information for License Renewal of the Maryland University Training Reactor (TAC No. ME1592), August 21, 2015. | ML15083A383 |
| University of Maryland—Request for Additional Information for License Renewal of the Maryland University Training Reactor Pertaining to Thermal Hydraulics, September 10, 2015. | ML15219A471 |
| University of Maryland—Request for Additional Information for License Renewal Pertaining to Thermal Hydraulics, December 2, 2015. | ML15349A894 |
| University of Maryland—Response to Request for Additional Information for License Renewal, January 5, 2016 | ML16008A072 |
| University of Maryland—Request for Additional Information Re: For the Renewal of Facility Operating License No. R-70 the Maryland University Training Reactor Docket No. 50-166, February 29, 2016. | ML16061A003 |
| University of Maryland—License Amendment Re: SNM Limit, Docket No. 50-166, License No. R-70, University of Maryland, November 1, 2016. | ML16312A066 |
| University of Maryland—Request for Additional Information Re: For the Renewal of Facility Operating License No. R-70 the Maryland University Training Reactor Docket No. 50-166, November 2, 2016. | ML16309A184 |
| University of Maryland—Request for Additional Information Re: For the Renewal of Facility Operating License No. R-70 the Maryland University Training Reactor Docket No. 50-166 ME1592, November 10, 2016. | ML16320A007 |
| University of Maryland—Request for Additional Information Re: For the Renewal of Facility Operating License No. R-70 the Maryland University Training Reactor Docket No. 50-166, November 17, 2016. | ML16323A447 |
| University of Maryland—Request for Additional Information Regarding The Review of License Renewal For the Maryland University Training Reactor (TAC No. ME1592), November 17, 2016. | ML16323A446 |
| University of Maryland, Re: Conversation of Record Support of MUTR License Renewal, December 2, 2016 | ML16337A389 |

Dated at Rockville, Maryland, this 22nd day of December 2016.

For the Nuclear Regulatory Commission.

Michael Balazik,

Branch Chief (Acting), Research and Test Reactors Licensing Branch, Division of Policy and Rulemaking, Office of Nuclear Reactor Regulation.

[FR Doc. 2016-31815 Filed 12-30-16; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

[NRC-2016-0016]

Information Collection: NRC Forms 366, 366A, and 366B, “Licensee Event Report”; Correction

AGENCY: Nuclear Regulatory Commission.

ACTION: Notice of submission to the Office of Management and Budget; request for comment; extension of comment period and correction.

SUMMARY: The U.S. Nuclear Regulatory Commission (NRC) is correcting a notice that was published in the **Federal Register** (FR) on November 30, 2016, regarding Notice of submission to the Office of Management and Budget; request for comment. This action is

necessary to amend the annual responses and burden hours to include the burden and responses associated cyber security events.

DATES: The correction is effective January 3, 2017.

ADDRESSES: Submit comments directly to the OMB reviewer at: Vlad Dorjets, Desk Officer, Office of Information and Regulatory Affairs (3150-0104), NEOB-10202, Office of Management and Budget, Washington, DC 20503; telephone: 202-395-7315, email: *oira_submission@omb.eop.gov*.

FOR FURTHER INFORMATION CONTACT:

David Cullison, NRC Clearance Officer, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-415-2084; email: *INFOCOLLECTS.Resource@nrc.gov*.

SUPPLEMENTARY INFORMATION: In the FR on November 30, 2016, in FR Doc. 2016-0016, on page 86344, in the first column, the second sentence in the response to question 5 is changed from “The total number of reports is estimated to be 350 per year” to “The total number of reports is estimated to be 442 per year”. In the first column, the response to question 7 is changed from “The total number of reports is estimated to be 350 per year” to “The total number of responses is estimated

to be 542 per year (442 reporting responses plus 100 recordkeepers)”. In the first column, the response to question 9 is changed from “The total estimated burden from completing Licensee Event Reports is 28,000 hours (based on 80 hours for each of 350 reports)” to “The total estimated burden from completing Licensee Event Reports is 35,360 hours (28,288 hours reporting plus 7,072 hours recordkeeping)”.

Dated at Rockville, Maryland, this 23rd day of December, 2016.

For the Nuclear Regulatory Commission.

David Cullison,

NRC Clearance Officer, FOIA, Privacy and Information Collections Branch, Customer Services Division, Office of the Chief Information Officer.

[FR Doc. 2016-31768 Filed 12-30-16; 8:45 am]

BILLING CODE 7590-01-P