

union engaged in leasing to obtain or have on file financial documentation demonstrating that the guarantor of an estimated residual value has the resources to meet the guarantee.

Estimated residual value is the projected future value of leased property at lease end. The accuracy of the estimated residual values used in a lease program is a fundamental element in the success or failure of a lease program. The higher the estimated residual values used by a federal credit union, the greater the potential for loss. To mitigate this risk, the leasing rule requires that if the amount of the estimated residual value relied on by the federal credit union to satisfy the full payout lease requirement exceeds 25 percent of the original cost of the leased property, the credit union must obtain a guarantee of the excess from a financially capable party.

If the guarantor cannot meet its guarantee, a federal credit union may suffer serious financial loss. Accordingly, it is important that a federal credit union documents that a guarantor has the financial resources and capability to meet the guarantee. If the guarantor is an insurance company, the federal credit union may satisfy this record keeping requirement by obtaining and maintaining information demonstrating that the insurance company has a rating equivalent to a B+ or better from a major rating company.

*Type of Review:* Extension of a previously approved collection.

*Affected Public:* Private Sector: Not-for-profit institutions.

*Estimated No. of Respondents:* 68.

*Estimated Annual Frequency:* 5.

*Estimated Annual No. of Responses:* 340.

*Estimated Burden Hours per Respondent:* 2.

*Estimated Total Annual Burden Hours:* 680.

An adjustment is due to the increase in the number of credit unions that offer leasing products, resulting in an increase in burden.

**REQUEST FOR COMMENTS:** Comments submitted in response to this notice will be summarized and included in the request for Office of Management and Budget approval. All comments will become a matter of public record. The public is invited to submit comments concerning: (a) Whether the collection of information is necessary for the proper execution of the function of the agency, including whether the information will have practical utility; (b) the accuracy of the agency's estimate of the burden of the collection of information, including the validity of

the methodology and assumptions used; (c) ways to enhance the quality, utility, and clarity of the information to be collected; and (d) ways to minimize the burden of the collection of the information on the respondents, including the use of automated collection techniques or other forms of information technology.

By Gerard Poliquin, Secretary of the Board, the National Credit Union Administration, on January 19, 2017.

**Dawn D. Wolfgang,**

*NCUA PRA Clearance Officer.*

[FR Doc. 2017-01646 Filed 1-24-17; 8:45 am]

**BILLING CODE 7535-01-P**

## NATIONAL CREDIT UNION ADMINISTRATION

### Submission for OMB Review; Comment Request

**AGENCY:** National Credit Union Administration (NCUA).

**ACTION:** Notice.

**SUMMARY:** The National Credit Union Administration (NCUA) will be submitting the following information collection requests to the Office of Management and Budget (OMB) for review and clearance in accordance with the Paperwork Reduction Act of 1995, Public Law 104-13, on or after the date of publication of this notice.

**DATES:** Comments should be received on or before February 24, 2017 to be assured of consideration.

**ADDRESSES:** Send comments regarding the burden estimate, or any other aspect of the information collection, including suggestions for reducing the burden, to (1) Office of Information and Regulatory Affairs, Office of Management and Budget, Attention: Desk Officer for NCUA, New Executive Office Building, Room 10235, Washington, DC 20503, or email at [OIRA\\_Submission@OMB.EOP.gov](mailto:OIRA_Submission@OMB.EOP.gov) and (2) NCUA PRA Clearance Officer, 1775 Duke Street, Alexandria, VA 22314, Suite 5067, or email at [PRAComments@ncua.gov](mailto:PRAComments@ncua.gov).

**FOR FURTHER INFORMATION CONTACT:** Copies of the submission may be obtained by emailing [PRAComments@ncua.gov](mailto:PRAComments@ncua.gov) or viewing the entire information collection request at [www.reginfo.gov](http://www.reginfo.gov).

**SUPPLEMENTARY INFORMATION:**

*OMB Number:* 3133-0176.

*Title:* Member Inspection of Credit Union Books, Records, and Minutes.

*Abstract:* Section 701.3 of NCUA's regulations establishes the circumstances and conditions under which Federal credit union (FCU)

members may inspect and copy the FCU's books, records, and minutes of meetings. The collection of information requirements apply to FCU members seeking inspection and copying of the FCU's records and FCUs that receive such member requests. To obtain access to records, members are required to submit a petition to the FCU, stating a proper purpose for inspection and signed by at least one percent of the members, with a minimum of 20 and a maximum of 500 members. The FCU must permit inspection of relevant records if it receives such a petition.

The FCU uses the information in determining whether and upon what terms to provide records to members for inspection. The petition signatures collected by each FCU will be used by the FCU to verify the membership status of each petitioner.

*Type of Review:* Extension of a previously approved collection.

*Affected Public:* Individuals and Households; Private Sector: Not-for-profit institutions.

*Estimated Total Annual Burden Hours:* 360.

*OMB Number:* 3133-XXXX.

*Title:* Contractor's Diversity Profile.

*Abstract:* As part of NCUA's mission, the Office of Minority and Women Inclusion (OMWI) "implements standards and procedures to ensure, to the maximum extent possible, the fair inclusion and utilization of minorities, women, and minority-owned and women-owned businesses in all business activities of the agency."

In accordance with Section 342 of the Dodd-Frank Act that OMWIs "include a written statement, in a form and with such content as the [OMWI] Director shall prescribe, that a contractor shall ensure, to the maximum extent possible, the fair inclusion of women and minorities in the workforce of the contractor and, as applicable, subcontractors," each new contract award whose dollar value exceeds \$100,000 (NCUA's Simplified Acquisition Threshold) will include a Good Faith Effort (GFE) Certification. This certification is included in the solicitation package and returned to NCUA as part the contractor's proposal, with the understanding that the contractor maybe required to provide documentation in support of certification. As part of this compliance review, selected contractors will be sent a Contractors Diversity Profile to provide documentation outlined in the GFE certification to NCUA. The contractor would provide current information on their diversity strategy, policies, recruitment, planning and

outreach; and may be required to provide supporting documentation. The completed Profile is returned to NCUA 15 days after receipt by the contractor.

*Type of Review:* New collection.

*Affected Public:* Private Sector:

Businesses or other for-profits.

*Estimated Total Annual Burden*

*Hours:* 38.

By Gerard Poliquin, Secretary of the Board, the National Credit Union Administration, on January 19, 2017.

Dated: January 19, 2017.

**Dawn D. Wolfgang,**

*NCUA PRA Clearance Officer.*

[FR Doc. 2017-01654 Filed 1-24-17; 8:45 am]

**BILLING CODE 7535-01-P**

## NATIONAL TRANSPORTATION SAFETY BOARD

### Sunshine Act Meeting

**TIME AND DATE:** 9:30 a.m., Tuesday, February 7, 2017.

**PLACE:** NTSB Conference Center, 429 L'Enfant Plaza SW., Washington, DC 20594.

**STATUS:** The one item is open to the public.

#### MATTERS TO BE CONSIDERED:

8620A *Railroad Accident Report*—BNSF Railway Train Derailment and Subsequent Train Collision, Release of Hazardous Materials, and Fire, Casselton, North Dakota (DCA14MR004)

**NEWS MEDIA CONTACT:** Telephone: (202) 314-6100.

The press and public may enter the NTSB Conference Center one hour prior to the meeting for set up and seating.

Individuals requesting specific accommodations should contact Rochelle Hall at (202) 314-6305 or by email at [Rochelle.Hall@ntsb.gov](mailto:Rochelle.Hall@ntsb.gov) by Wednesday, February 1, 2017.

The public may view the meeting via a live or archived webcast by accessing a link under “News & Events” on the NTSB home page at [www.ntsbt.gov](http://www.ntsbt.gov).

Schedule updates, including weather-related cancellations, are also available at [www.ntsbt.gov](http://www.ntsbt.gov).

**FOR MORE INFORMATION CONTACT:** Candi Bing at (202) 314-6403 or by email at [bingc@ntsb.gov](mailto:bingc@ntsb.gov).

**FOR MEDIA INFORMATION CONTACT:** Eric Weiss at (202) 314-6100 or by email at [eric.weiss@ntsb.gov](mailto:eric.weiss@ntsb.gov).

Dated: January 23, 2017.

**Candi R. Bing,**

*Federal Register Liaison Officer.*

[FR Doc. 2017-01758 Filed 1-23-17; 11:15 am]

**BILLING CODE 7533-01-P**

## NUCLEAR REGULATORY COMMISSION

[Docket Nos. 52-025 and 52-026; NRC-2008-0252]

### Southern Nuclear Operating Company, Inc., Vogtle Electric Generating Plant, Units 3 and 4; Automatic Depressurization System Stage 2, 3 & 4 Valve Flow Area Changes and Clarifications

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Exemption and combined license amendment; issuance.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) is granting an exemption to allow a departure from the certification information of Tier 1 of the generic design control document (DCD) and is issuing License Amendment No. 62 to Combined Licenses (COLs), NPF-91 and NPF-92. The COLs were issued to Southern Nuclear Operating Company, Inc., and Georgia Power Company, Oglethorpe Power Corporation, MEAG Power SPVM, LLC, MEAG Power SPVJ, LLC, MEAG Power SPVP, LLC, Authority of Georgia, and the City of Dalton, Georgia (the licensee); for construction and operation of the Vogtle Electric Generating Plant (VEGP) Units 3 and 4, located in Burke County, Georgia.

The granting of the exemption allows the changes to Tier 1 information asked for in the amendment. Because the acceptability of the exemption was determined in part by the acceptability of the amendment, the exemption and amendment are being issued concurrently.

**DATES:** The exemption and amendment were issued on December 29, 2016.

**ADDRESSES:** Please refer to Docket ID NRC-2008-0252 when contacting the NRC about the availability of information regarding this document. You may access information related to this document, which the NRC possesses and is publicly available, using any of the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2008-0252. Address questions about NRC dockets to Carol Gallagher; telephone: 301-415-3463; email: [Carol.Gallagher@nrc.gov](mailto:Carol.Gallagher@nrc.gov). For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly-available documents online in the

ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select “ADAMS Public Documents” and then select “Begin Web-based ADAMS Search.” For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). The ADAMS accession number for each document referenced (if it is available in ADAMS) is provided the first time that it is mentioned in this document. The request for the amendment and exemption was submitted by letter dated July 25, 2016 (ADAMS Accession No. ML16207A340).

- *NRC's PDR:* You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

**FOR FURTHER INFORMATION CONTACT:** Chandu Patel, Office of New Reactors, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-415-3025; email: [Chandu.Patel@nrc.gov](mailto:Chandu.Patel@nrc.gov).

#### SUPPLEMENTARY INFORMATION:

##### I. Introduction

The NRC is granting an exemption from paragraph B of section III, “Scope and Contents,” of appendix D, “Design Certification Rule for the AP1000,” to part 52 of title 10 of the *Code of Federal Regulations* (10 CFR), and issuing License Amendment No. 62 to COLs, NPF-91 and NPF-92, to the licensee. The exemption is required by paragraph A.4 of Section VIII, “Processes for Changes and Departures,” of appendix D, to 10 CFR part 52 to allow the licensee to depart from Tier 1 information. With the requested amendment, the licensee sought proposed changes that would allow changes in appendix C of the COLs to clarify the flow area for the Automatic Depressurization System (ADS) fourth stage squib valves and to reduce the minimum effective flow area for the second and third stage ADS control valves.

Part of the justification for granting the exemption was provided by the review of the amendment. Because the exemption is necessary in order to issue the requested license amendment, the NRC granted the exemption and issued the amendment concurrently, rather than in sequence. This included issuing a combined safety evaluation containing the NRC staff's review of both the exemption request and the license amendment. The exemption met all applicable regulatory criteria set forth in