

will be followed. Consequently, future waves will incorporate dependent data, which is information collected from the prior wave interview brought forward to the current interview as a way to reduce respondent burden and improve data quality.

The Census Bureau plans to continue to use Computer Audio-Recorded Interview (CARI) technology for all of the respondents during the 2018 SIPP Panel. CARI is a tool available during data collection to capture audio along with response data. With the respondent's consent, a portion of each interview is recorded unobtrusively and both the sound file and screen images are returned with the response data to Census Headquarters for evaluation. Census staff may review the recorded portions of the interview to improve questionnaire design and for quality assurance purposes.

Approximately 20,000 households are expected to be interviewed for the 2018 SIPP Panel. We estimate that each household contains 2.1 people age 15 and above, yielding approximately 42,000 person-level interviews per wave in this panel. Completing the SIPP interview will take approximately 60 minutes per adult on average, consequently the total annual burden for 2018 SIPP interviews will be 42,000 hours per year in FY 2018, 2019, 2020, and 2021.

## II. Method of Collection

The 2018 SIPP Panel will use the Computer-Assisted Personal Interviewing (CAPI) method of data collection. The instrument will consist of one interview per person per wave (year) resulting in four total interviews over the life of the panel. Each interview will reference the previous calendar year depending on the wave. A field representative will conduct the interview in person with all household members 15 years old or over using regular proxy-respondent rules. In the instances where the residence is not accessible or the respondent makes a request, the field representative will conduct the interview by telephone.

## III. Data

*OMB Control Number:* 0607-0977.

*Form Number:* SIPP/CAPI Automated Instrument.

*Type of Review:* Regular submission.

*Affected Public:* Individuals or Households.

*Estimated Number of Respondents:* 42,000 people per wave.

*Estimated Time per Response:* 60 minutes per person on average.

*Estimated Total Annual Burden Hours:* 42,000 hours per wave.

*Estimated Total Annual Cost:* \$0.

*Respondent's Obligation:* Voluntary.

*Legal Authority:* Title 13, United States Code, Sections 141 and 182.

## IV. Request for Comments

Comments are invited on: (a) Whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information shall have practical utility; (b) the accuracy of the agency's estimate of the burden (including hours and cost) of the proposed collection of information; (c) ways to enhance the quality, utility, and clarity of the information to be collected; and (d) ways to minimize the burden of the collection of information on respondents, including through the use of automated collection techniques or other forms of information technology.

Comments submitted in response to this notice will be summarized and/or included in the request for OMB approval of this information collection; they also will become a matter of public record.

**Sheleen Dumas,**

*PRA Departmental Lead, Office of the Chief Information Officer.*

[FR Doc. 2017-07884 Filed 4-18-17; 8:45 am]

**BILLING CODE 3511-07-P**

## DEPARTMENT OF COMMERCE

### Foreign-Trade Zones Board

[S-159-2016]

#### Approval of Subzone Status; Aceros de América, Inc., San Juan, Puerto Rico

On November 10, 2016, the Executive Secretary of the Foreign-Trade Zones (FTZ) Board docketed an application submitted by the Puerto Rico Trade & Export Company, grantee of FTZ 61, requesting subzone status subject to the existing activation limit of FTZ 61, on behalf of Aceros de América, Inc., in San Juan, Puerto Rico.

The application was processed in accordance with the FTZ Act and Regulations, including notice in the **Federal Register** inviting public comment (81 FR 80635, November 16, 2016). The FTZ staff examiner reviewed the application and determined that it meets the criteria for approval.

Pursuant to the authority delegated to the FTZ Board's Executive Secretary (15 CFR 400.36(f)), the application to establish Subzone 61S is approved, subject to the FTZ Act and the Board's regulations, including section 400.13,

and further subject to FTZ 61's 1,821.07-acre activation limit.

Dated: April 13, 2017.

**Andrew McGilvray,**

*Executive Secretary.*

[FR Doc. 2017-07897 Filed 4-18-17; 8:45 am]

**BILLING CODE 3510-DS-P**

## DEPARTMENT OF COMMERCE

### Foreign-Trade Zones Board

[B-86-2016]

#### Foreign-Trade Zone (FTZ) 38—Spartanburg County, South Carolina Authorization of Production Activity, Black & Decker (U.S.) Inc., Subzone 38E, (Power Tools) Fort Mill, South Carolina

On December 15, 2016, Black & Decker (U.S.) Inc., submitted a notification of proposed production activity to the Foreign-Trade Zones (FTZ) Board for its facility within Subzone 38E, in Fort Mill, South Carolina.

The notification was processed in accordance with the regulations of the FTZ Board (15 CFR part 400), including notice in the **Federal Register** inviting public comment (81 FR 95961, December 29, 2017). The FTZ Board has determined that no further review of the activity is warranted at this time. The production activity described in the notification is authorized, subject to the FTZ Act and the FTZ Board's regulations, including Section 400.14.

Dated: April 14, 2017.

**Elizabeth Whiteman,**

*Acting Executive Secretary.*

[FR Doc. 2017-07898 Filed 4-18-17; 8:45 am]

**BILLING CODE 3510-DS-P**

## DEPARTMENT OF COMMERCE

### Foreign-Trade Zones Board

[S-16-2017]

#### Approval of Expansion of Subzone 20E; STIHL Incorporated, Virginia Beach, Virginia

On February 6, 2017, the Executive Secretary of the Foreign-Trade Zones (FTZ) Board docketed an application submitted by the Virginia Port Authority, grantee of FTZ 20, requesting the expansion of Subzone 20E on behalf of STIHL Incorporated in Virginia Beach, Virginia, subject to the existing activation limit of FTZ 20 applying to all sites of the expanded subzone.

The application was processed in accordance with the FTZ Act and