

board (two commercial pilots and one passenger) sustained fatal injuries. Visual meteorological conditions prevailed at the Togiak Airport, Togiak, and company flight following procedures were in effect. Flight 3153 departed Quinhagak, Alaska, at 1133, destined for Togiak.

Parties to hearing are the Federal Aviation Administration (FAA), Hageland Aviation Services, Honeywell International, and the Medallion Foundation.

Order of Proceedings

1. Opening Statement by the Chairman of the Board of Inquiry
2. Introduction of the Board of Inquiry and Technical Panel
3. Introduction of the Parties to the Hearing
4. Introduction of Exhibits by Hearing Officer
5. Overview of the incident and the investigation by Investigator-In-Charge
6. Calling of Witnesses by Hearing Officer
7. Closing Statement by the Chairman of the Board of Inquiry

The hearing is scheduled to begin at 8 a.m. (Alaska Daylight Time), Aug. 17, 2017 in the Mid-Deck Ballroom of the Captain Cook Hotel, 939 W. 5th Ave., Anchorage, Alaska. Media planning to cover the investigative hearing are asked to contact the NTSB's chief of media relations, Chris O'Neil at 202-314-6133 or Christopher.oneil@ntsb.gov.

The investigative hearing will be transmitted live via the NTSB's Web site at <http://www.capitolconnection.net/capcon/ntsb/ntsb.htm>. A link for webcast will be available shortly before the start of the hearing. An archival video of the hearing will be available via the Web site for 30 days after the hearing.

NTSB Investigative Hearing Officer: Mr. Shaun Williams—shaun.williams@ntsb.gov.

Dated: Wednesday, July 26, 2017.

Candi R. Bing,

Federal Register Liaison Officer.

[FR Doc. 2017-16091 Filed 7-31-17; 8:45 am]

BILLING CODE 7533-01-P

NUCLEAR REGULATORY COMMISSION

[NRC-2017-0154]

Clarification on Endorsement of Nuclear Energy Institute Guidance in Designing Digital Upgrades in Instrumentation and Control Systems

AGENCY: Nuclear Regulatory Commission.

ACTION: Draft regulatory issue summary; request for comment and public meeting; extension of comment period.

SUMMARY: On July 3, 2017, the U.S. Nuclear Regulatory Commission (NRC) solicited comments on “Clarification on Endorsement of Nuclear Energy Institute Guidance in Designing Digital Upgrades in Instrumentation and Control Systems.” The public comment period was originally scheduled to close on August 2, 2017. The NRC has decided to extend the public comment period to allow more time for members of the public to develop and submit their comments.

DATES: The due date of comments requested in the document published on July 3, 2017 (82 FR 30913) is extended. Comments should be filed no later than August 16, 2017. Comments received after this date will be considered, if it is practical to do so, but the Commission is able to ensure consideration only for comments received on or before this date.

ADDRESSES: You may submit comments by any of the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2017-0154. Address questions about NRC dockets to Carol Gallagher; telephone: 301-415-3463; email: Carol.Gallagher@nrc.gov. For technical questions, contact the individuals listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *Mail comments to:* Cindy Bladey, Office of Administration, Mail Stop: TWFN- 8- D36M, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

For additional direction on obtaining information and submitting comments, see “Obtaining Information and Submitting Comments” in the **SUPPLEMENTARY INFORMATION** section of this document.

FOR FURTHER INFORMATION CONTACT: Tekia Govan, telephone: 301-415-6197, email: Tekia.Govan@nrc.gov, or Jason Drake, telephone: 301-415-8378, email: Jason.Drake@nrc.gov. Both are staff members of the Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

SUPPLEMENTARY INFORMATION:

I. Obtaining Information and Submitting Comments

A. Obtaining Information

Please refer to Docket ID NRC-2017-0154 when contacting the NRC about the availability of information for this action. You may obtain publicly-

available information related to this action by any of the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2017-0154.

- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly-available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select “ADAMS Public Documents” and then select “Begin Web-based ADAMS Search.” For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to pdr.resource@nrc.gov. The draft RIS, “NRC Draft Regulatory Issue Summary 2017-XX Supplement to RIS 2002-22,” is available in ADAMS under Accession No. ML17102B507.

- *NRC's PDR:* You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

B. Submitting Comments

Please include Docket ID NRC-2017-0154 in your comment submission.

The NRC cautions you not to include identifying or contact information that you do not want to be publicly disclosed in your comment submission. The NRC posts all comment submissions at <http://www.regulations.gov> as well as entering the comment submissions into ADAMS. The NRC does not routinely edit comment submissions to remove identifying or contact information.

If you are requesting or aggregating comments from other persons for submission to the NRC, then you should inform those persons not to include identifying or contact information that they do not want to be publicly disclosed in their comment submission. Your request should state that the NRC does not routinely edit comment submissions to remove such information before making the comment submissions available to the public or entering the comment submissions into ADAMS.

II. Discussion

On July 3, 2017, the NRC solicited comments on “Clarification on Endorsement of Nuclear Energy Institute Guidance in Designing Digital Upgrades in Instrumentation and Control Systems.” The purpose of the RIS is clarify the endorsed NEI 01-01 guidance regarding licensee upgrades to digital instrumentation and control systems. The public comment period was

originally scheduled to close on August 2, 2017. The NRC has decided to extend the public comment period on this document until August 16, 2017, to allow more time for members of the public to submit their comments.

Dated at Rockville, Maryland, this 27th day of July, 2017.

For the Nuclear Regulatory Commission.

Alexander D. Garmoe,

Acting Chief, Generic Communications Branch, Division of Policy and Rulemaking, Office of Nuclear Reactor Regulation.

[FR Doc. 2017-16153 Filed 7-31-17; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

[Docket Nos. 50-390; 50-391; 50-259; 50-260; 50-296; 50-327; 50-328; License Nos. NPF-90; NPF-96; DPR-33; DPR-52; DPR-68; DPR-77; DPR-79; EA-17-022; NRC-2017-0172]

U.S. Tennessee Valley Authority, Watts Bar Nuclear Plant; Browns Ferry Nuclear Plant; and Sequoyah Nuclear Plant

AGENCY: Nuclear Regulatory Commission.

ACTION: Confirmatory order; issuance.

SUMMARY: The U.S. Nuclear Regulatory Commission (NRC) issued a confirmatory order (Order) to U.S. Tennessee Valley Authority (the licensee), confirming the agreement reached in an Alternative Dispute Resolution mediation session held on June 9, 2017. This Order will ensure the licensee restores compliance with NRC's regulations.

DATES: The Order was issued on July 27, 2017.

ADDRESSES: Please refer to Docket ID NRC-2017-0172 when contacting the NRC about the availability of information regarding this document. You may obtain publicly-available information related to this document using any of the following methods:

- *Federal Rulemaking Web Site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2017-0172. Address questions about NRC dockets to Carol Gallagher; telephone: 301-415-3463; e-mail: Carol.Gallagher@nrc.gov. For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly-available documents online in the ADAMS Public Documents collection at

<http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "ADAMS Public Documents" and then select "*Begin Web-based ADAMS Search.*" For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by e-mail to pdr.resource@nrc.gov. The ADAMS accession number for each document referenced (if it is available in ADAMS) is provided the first time that it is mentioned in this document.

- *NRC's PDR:* You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

FOR FURTHER INFORMATION CONTACT:

Scott Sparks, Region II, U.S. Nuclear Regulatory Commission, Atlanta, Georgia 30303-1257; telephone: 404-997-4422; e-mail: Scott.Sparks@nrc.gov.

SUPPLEMENTARY INFORMATION: The text of the Order is attached.

Dated at Atlanta, Georgia, this 27th day of July 2017.

For the Nuclear Regulatory Commission.

Leonard D. Wert,

Deputy Regional Administrator for Operations.

NUCLEAR REGULATORY COMMISSION

[Docket Nos. 50-390; 50-391; 50-259; 50-260; 50-296; 50-327; 50-328; License Nos. NPF-90; NPF-96; DPR-33; DPR-52; DPR-68; DPR-77; DPR-79; EA-17-022; NRC-2017-0172]

In the Matter of U.S. Tennessee Valley Authority, Watts Bar Nuclear Plant; Browns Ferry Nuclear Plant; and Sequoyah Nuclear Plant

CONFIRMATORY ORDER

(EFFECTIVE UPON ISSUANCE)

I

U.S. Tennessee Valley Authority (TVA or Licensee) is the holder of Operating License Nos. NPF-90; and NPF-96; DPR-33; DPR-52; DPR-68; DPR-77; and DPR-79; issued by the U.S. Nuclear Regulatory Commission (NRC or Commission) pursuant to part 50 of title 10 of the *Code of Federal Regulations* (10 CFR). The licenses authorize the operation of the Watts Bar Nuclear Plant (WBN) Units 1 and 2, Browns Ferry Nuclear Plant, Units 1, 2 and 3, and Sequoyah Nuclear Plant, Units 1 and 2, in accordance with conditions specified therein. These facilities are located in Spring City, Tennessee, Athens, Alabama, and Soddy Daisy, Tennessee, respectively.

This Confirmatory Order (CO) is the result of an agreement reached during

an alternative dispute resolution (ADR) mediation session conducted on June 9, 2017.

II

On December 1, 2016, the U. S. Nuclear Regulatory Commission (NRC) completed a Problem Identification and Resolution inspection at TVA's Watts Bar Nuclear Plant (WBN), Units 1 and 2 (Inspection Report 05000390/2016013, 05000391/2016013, ML17069A133). The results of the inspection were transmitted to TVA by letter dated March 10, 2017, and included the identification of one Apparent Violation (AV) of a previously issued CO, (EA-09-009,203, dated December 22, 2009, ML093510993). The AV involved the following:

Confirmatory Order Modifying License, (EA-09-009,203) dated December 22, 2009, (ML093510993) states, in part, that by no later than ninety (90) calendar days after the issuance of this Confirmatory Order, TVA shall implement a process to review proposed licensee adverse employment actions at TVA's nuclear plant sites before actions are taken to determine whether the proposed action comports with employee protection regulations, and whether the proposed actions could negatively impact the Safety Conscious Work Environment (SCWE). Such a process should consider actions to mitigate a potential chilling effect if the employment action, despite its legitimacy, could be perceived as retaliatory by the workforce.

Additionally, by no later than one hundred twenty (120) calendar days after the issuance of the Confirmatory Order, TVA shall implement a process to review proposed significant adverse employment actions by contractors performing services at TVA's nuclear plant sites before the actions are taken to determine whether the proposed action comports with employee protection regulations, and whether the proposed action could negatively impact the SCWE. Such a process will likewise consider actions to mitigate a potential chilling effect if the employment action, despite its legitimacy, could be perceived as retaliatory by the workforce.

TVA implements the above process through procedure NPG-SPP-11.10, Adverse Employment Action. NPG-SPP-11.10, Section 3.2.2, entitled "Review Process—Personnel Actions Impacting TVA Employees," paragraph D, states that the "Vice President (or designee) will complete section 3, Vice President Record of Action of form 41175" (attachment 2 to NPG-SPP-11.10). Form 41175, entitled "TVA