DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

50 CFR Part 660

[Docket No. 160808696-7010-02]

RIN 0648-BH20

Magnuson-Stevens Act Provisions; Fisheries Off West Coast States; Pacific Coast Groundfish Fishery; 2017–2018 Biennial Specifications and Management Measures; Inseason Adjustments

AGENCY: National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

ACTION: Final rule; inseason adjustments to biennial groundfish management measures.

SUMMARY: This final rule announces inseason changes to management measures in the Pacific Coast groundfish fisheries. This action, which is authorized by the Pacific Coast Groundfish Fishery Management Plan (PCGFMP), is intended to allow fisheries to access more abundant groundfish stocks while protecting overfished and depleted stocks.

DATES: This final rule is effective October 19, 2017.

FOR FURTHER INFORMATION CONTACT: Karen Palmigiano, phone: 206–526–4491, fax: 206–526–6736, or email: karen.palmigiano@noaa.gov.

SUPPLEMENTARY INFORMATION:

Electronic Access

This rule is accessible via the Internet at the Office of the Federal Register Web site at https://www.federalregister.gov. Background information and documents are available at the Pacific Fishery Management Council's Web site at http://www.pcouncil.org/.

Background

The PCGFMP and its implementing regulations at title 50 in the Code of Federal Regulations (CFR), part 660, subparts C through G, regulate fishing for over 90 species of groundfish off the coasts of Washington, Oregon, and California. Groundfish specifications and management measures are developed by the Pacific Fishery Management Council (Council), and are implemented by NMFS.

The final rule to implement the 2017–2018 harvest specifications and management measures for most species of the Pacific coast groundfish fishery

was published on February 7, 2017 (82 FR 9634).

The Council, in coordination with Pacific Coast Treaty Indian Tribes and the States of Washington, Oregon, and California, recommended three changes to current groundfish management measures at its September 11-18, 2017 meeting. The changes the Council recommended include: (1) Increasing the sablefish trip limits in the limited entry fixed gear (LEFG) and open access (OA) sablefish daily trip limit (DTL) fisheries north of 36° North latitude (N. lat.), (2) adding a reference to the current lingcod size limits in the trip limit table for the trawl fishery, and (3) implementing depth restrictions in the California recreational fishery.

LEFG and OA Sablefish DTL Fisheries North of 36° N. Lat.

To increase harvest opportunities for LEFG and OA sablefish DTL fisheries north of 36° N. lat., the Council recommended increases to sablefish trip limits for all remaining periods in 2017. Trip limits for LEFG and OA sablefish DTL fisheries have been designated at 50 CFR 660.60(c)(1)(i) and in Section 6.2.1 of the PCGFMP as routine management measures.

Sablefish are distributed coastwide with harvest specifications split north and south of 36° N. lat. Trip limit increases, for species such as sablefish, are intended to increase attainment of the non-trawl harvest guideline (HG)

the non-trawl harvest guideline (HG). To assist the Council in evaluating the increases to sablefish trip limits, the Groundfish Management Team (GMT) made model-based landings projections for the LEFG and OA sablefish DTL fisheries north of 36° N. lat. for the remainder of this year. These projections were based on the most recent information available. The model predicts harvest of 76 percent (194 mt) of the LEFG harvest guideline (HG) (258 mt) and harvest of 77 percent (326 mt) of the OA sablefish DTL fishery HG (425 mt) under the current limits through the end of the year. With the recommended increase in sablefish trip limits, the projected harvest is 80 percent (206.9) mt) of the LEFG HG (258 mt) and 88 percent (374 mt) of the OA sablefish DTL fishery HG (425 mt) through the end of the year. This increase in trip limits does not change projected impacts to co-occurring overfished species from those anticipated in the 2017-18 harvest specifications and management measures, as the projected impacts to those species assume that the entire sablefish ACL is harvested. Finally, projections for the LEFG sablefish fisheries south of 36° N. lat. are similar to levels anticipated in the

2017-18 harvest specifications and management measures, and no requests were made by industry for changes; therefore, no inseason actions were considered. Therefore, the Council recommended and NMFS is implementing, by modifying Tables 2 (North and South) to part 660, subpart E, trip limit changes for the LEFG sablefish DTL fisheries north of 36° N. lat. The trip limits for sablefish in the LEFG fishery north of 36° N. lat. increase from "1,100 lb (499 kg) per week, not to exceed 3,300 lb (1,497 kg) per two months" to "1,500 lb (680 kg) per week, not to exceed 4,500 lb (2,041 kg) per two months" beginning in period 5 through the end of the year.

The Council also recommended and NMFS is implementing, by modifying Tables 3 (North and South) to part 660, subpart F, trip limits for sablefish in the OA sablefish DTL fishery north of 36° N. lat., an increase from "300 lb (136 kg) per day, or one landing per week of up to 1,000 lb (454 kg), not to exceed 2,000 lb (907 kg) per two months" to "300 lb (136 kg) per day, or one landing per week of up to 1,300 lb (590 kg), not to exceed 2,600 lb (1,179 kg) per two months" beginning in period 5 through the end of the year.

Clarification on Lingcod Size Limits for the Shorebased Individual Fishing

Quota (IFQ) Program

At the September Council meeting, members of the Enforcement Consultants (EC) noted confusion with regards to size limits for lingcod, an IFQ species, caught with trawl gear in the Shorebased IFQ Program north and south of 42° N. lat. Currently, lingcod size limits apply, per regulations at $\S 660.60(h)(5)(ii)(B)(2)$. However, members of the EC and the public have commented that it can be difficult to find the regulations, and that they could be misinterpreted. Therefore, the Council recommended that NMFS include a reference to the current lingcod size limits (22 inches for north of 42° N. lat. and 24 inches for south of 42° N. lat.) in Tables 1 (North and South), part 660, subpart D. However, Tables 1 (North and South) do not provide any information regarding IFQ species (e.g. size limits, landing limits, vessel limits, etc.). These tables describe rockfish conservation areas for vessels using groundfish trawl gear and incidental landing allowances for non-IFO species (for vessels registered to a limited entry trawl permit and using groundfish trawl or groundfish nontrawl gears to harvest IFQ species). NMFS thought it might cause confusion to intermingle IFQ species size limits in the tables that describe non-IFQ species

trip limits and trawl rockfish conservation area boundaries. However, consistent with the intent to clarify the applicable size limits for lingcod harvested in the Shorebased IFQ Program, NMFS is clarifying regulations at § 660.60(h)(5)(ii)(B)(2).

Size limits are designated as routine management measures at $\S660.60(c)(1)(i)$ and in Section 6.2.1 of the PCGFMP. Based on the reasons stated above, instead of including a reference to lingcod size limits in Tables 1 (North and South), NMFS is making clarifying edits to existing regulations at § 660.60(h)(5)(ii)(B), which is the section of the regulations describing weight conversions and size limits for the Shorebased IFQ Program. The change to the regulations includes a clear reference to the lingcod size limits for north and south of 42° N. lat. for the Shorebased IFQ Program for both the whole fish and fish with the head removed.

California Recreational Fishery Management Measures

In June 2016, the Council recommended Oregon and California recreational groundfish regulations for 2017 and 2018. At that time, management measures were anticipated to keep recreational catch within HGs and targets. However, recently, recreational fisheries in both Oregon and California have experienced higher than expected mortality for certain species. These species include black rockfish and cabezon in Oregon only, as well as yelloweye rockfish in both Oregon and California. The higher mortality has likely been the result of more favorable weather conditions experienced over the past few months, as well as increased fishing for groundfish due to a decline in salmon harvest opportunities due to the status of salmon stocks. Because of these factors, effort and impacts have been higher than originally projected, and will approach and/or exceed relevant state HGs. The state of Oregon has recently taken action through their state processes to address the higher than anticipated harvest in their recreational fisheries. California, however, relies on modifications to the federal regulations to address their higher than anticipated harvest. Inseason changes to depth restrictions for the California recreational fishery are designated at § 660.60(c)(3)(i) and in Section 6.2.1 of the PCGFMP as routine management measures.

At the September Council meeting, the GMT was informed that California was experiencing higher than projected recreational harvest of yelloweye

rockfish. The California Department of Fish and Wildlife (CDFW) stated in their report (September 2017 Council Meeting, Agenda Item E.10.a, Supplemental CDFW Report 1) that information through September 10, 2017 suggested that, without intervention to reduce encounters, the California recreational harvest of yelloweye rockfish would exceed the state's HG by 15 percent, or almost 0.6 mt over their 3.9 mt HG. Based on this new information, the GMT conducted modelbased runs for two alternative season structures that included depth-based area closures for October-December. The model determined that by restricting the depths at which fishing may occur, CDFW could reduce the projected impacts to yelloweye rockfish by 0.3-0.4 mt.

Therefore, the Council recommended and NMFS is implementing, through modifications to regulations at $\S660.360(c)(3)(i)(A)(1)$ through (4), more restrictive depth closures for 4 of the 5 California recreational fishery management areas. The Council did not recommend a change for the Southern Management Area (south of 34°27′ N. lat.) at this time, which is already restricted to waters deeper than the 60

fm depth contour.

Under the current regulations, recreational fishing is restricted by depth in the Northern and Mendocino Management Areas during May through October 31; with all depths open for November and December. With the implementation of this rule, recreational fishing in this management area will be restricted from mid-October through the end of the year to shoreward of the 20 fm depth contour. Additionally, recreational fishing is currently restricted to shoreward of the 40 fm depth contour in the San Francisco Management Area and the 50 fm depth contour in the Central Management Area. Through this rule, recreational fishing will be further restricted between October 16 and December 31 in these areas. Beginning October 16 in the San Francisco Management Area, recreational fishing will be prohibited seaward of the 30 fm depth contour and the 40 fm depth contour in the Central Management Area.

More restrictive depth restrictions are intended to allow some recreational fishing to continue to occur while reducing catch of overfished yelloweye rockfish and keeping projected total catch through the end of the year below the ACL. According to the most recent data, even taking into account the overages in Oregon and California, there is an approximately 1.3 mt residual amount of yelloweye rockfish from the

off-the-top deductions that were made through the biennial specifications process, including 0.4 mt that was not allocated at the beginning of the biennium, 0.9 mt from research which is projected to go unused, and 0.3 mt from incidental open access that is projected to go unused. Therefore, even if California takes an additional 0.6 mt over their 3.9 mt allocation, there is an extremely low risk of exceeding the ACL.

Classification

This final rule makes routine inseason adjustments to groundfish fishery management measures, based on the best available information, consistent with the PCGFMP and its implementing regulations.

This action is taken under the authority of 50 CFR 660.60(c) and is exempt from review under Executive Order 12866.

The aggregate data upon which these actions are based are available for public inspection at the Office of the Administrator, West Coast Region, NMFS, during business hours.

NMFS finds good cause to waive prior public notice and comment on the revisions to groundfish management measures under 5 U.S.C. 553(b) because notice and comment would be impracticable and contrary to the public interest. Also, for the same reasons, NMFS finds good cause to waive the 30day delay in effectiveness pursuant to 5 U.S.C. 553(d)(3), so that this final rule may become effective October 19, 2017. The adjustments to management measures in this document affect commercial fisheries in Washington, Oregon and California and recreational fisheries in California. No aspect of this action is controversial, and changes of this nature were anticipated in the biennial harvest specifications and management measures established through a notice and comment rulemaking for 2017-18.

Accordingly, for the reasons stated below, NMFS finds good cause to waive prior notice and comment and to waive the delay in effectiveness.

LEFG and OAFG DTL Sablefish Fisheries North of 36° N. Lat.

At its September 2017 Council meeting, the Council recommended an increase to LEFG and OA sablefish north of 36° N. lat. trip limits be implemented as quickly as possible to allow harvest of sablefish to approach but not exceed the 2017 ACL. There was not sufficient time after that meeting to undergo proposed and final rulemaking before this action needs to be in effect. Affording the time necessary for prior

notice and opportunity for public comment would prevent NMFS from managing the LEFG and OA fixed gear sablefish DTL fishery using the best available science to approach, without exceeding, the ACLs for federally managed species in accordance with the PCGFMP and applicable law. These increases to trip limits must be implemented as quickly as possible during the two-month cumulative limit period to allow LEFG and OAFG fishermen an opportunity to harvest higher limits for sablefish without exceeding the ACL north of 36° N. lat.

It is in the public interest for fishermen to have an opportunity to harvest the sablefish ACL north of 36° N. lat. because the sablefish fishery contributes revenue to the coastal communities of Washington, Oregon, and California. This action, if implemented quickly, is anticipated to allow catch of sablefish through the end of the year to approach but not exceed the ACL, and allows harvest as intended by the Council, consistent with the best scientific information available.

Clarification on Lingcod Size Limits for the Shorebased IFQ Program

At its September Council meeting, the Council recommended NMFS include a reference to the lingcod size limits for north and south of 42° N. lat. in the trip limit tables for the limited entry trawl fishery, Tables 1 (North and South). After additional consideration, NMFS is clarifying existing regulations instead of adding a reference to the trip limit tables for the reasons mentioned in the above section. There was not sufficient time after the Council meeting to undergo proposed and final rulemaking before this action needs to be in effect. Affording the time necessary for prior notice and opportunity for public comment would not be in the public interest for fishermen or the public. Fisherman knowing and abiding by the correct size limits in regulation protects small and juvenile fish and prevents unintended impacts to the stock. This action, if implemented quickly, is anticipated to make the lingcod size limits clearer for fishermen and the

NOAA Office of Law Enforcement as well as state enforcement agencies, which will help them to abide by all federal size limits for lingcod, and is consistent with the best scientific information available.

California Recreational Fishery Management Measures

At its September Council meeting, the Council recommended changes to the depth restrictions for recreational fishery management areas off of California be implemented as soon as possible to prevent further exceedance of the state HG for yelloweye rockfish (3.9 mt) while still providing recreational fishing opportunity to that sector. There was not sufficient time after that meeting to undergo proposed and final rulemaking before this action needs to be in effect. Affording the time necessary for prior notice and opportunity for public comment would prevent NMFS and California from managing the California recreational sector using the best available science to address exceedance of the State's yelloweye rockfish HG, keep catch through the end of the year within the rebuilding ACL, while allowing harvest opportunites as intended by the Council and in accordance with the PCGFMP and applicable law. These depth-based restrictions will move vessels to shallower waters where they are less likely to encounter yelloweye rockfish, while also providing the recreational fishing opportunity that benefits local communities.

It is in the public interest in California to allow the recreational fishery to remain open for the remainder of the year. Recreational fishing in California contributes revenue to the coastal communities of that state, and closing the fishery for the remainder of the year would cause adverse economic impacts to those communities. This action, if implemented quickly, is anticipated to provide recreational fishing opportunity for the duration of the year, keep the yelloweye rockfish harvest within the federal ACL, and is consistent with the best scientific information available.

List of Subjects in 50 CFR Part 660

Fisheries, Fishing, and Indian fisheries.

Dated: October 16, 2017.

Alan D. Risenhoover,

Director, Office of Sustainable Fisheries, National Marine Fisheries Service.

For the reasons set out in the preamble, 50 CFR part 660 is amended as follows:

PART 660—FISHERIES OFF WEST COAST STATES

■ 1. The authority citation for part 660 continues to read as follows:

Authority: 16 U.S.C. 1801 *et seq.*, 16 U.S.C. 773 *et seq.*, and 16 U.S.C. 7001 *et seq.*

■ 2. In § 660.60, paragraphs (h)(5)(ii)(B) introductory text, (h)(5)(ii)(B)(2) introductory text, and (h)(5)(ii)(B)(2)(i) and (ii) are revised to read as follows:

$\S\,660.60$ Specifications and management measures.

* * * * (h) * * *

(h) * * * (5) * * *

(ii) * * *

*

(B) Shorebased IFQ Program. For vessels landing sorted catch, the weight conversions for purposes of applying QP and size limits are provided in paragraphs (h)(5)(ii)(B)(2)(i) through (iii) of this section.

(2) Lingcod. The following conversions and size limits apply:

*

- (i) The minimum size limit for lingcod North of 42° N. lat. is 22 inches (56 cm) total length for whole fish, which corresponds to 18 inches (46 cm) with the head removed.
- (ii) The minimum size limit for lingcod South of 42° N. lat. is 24 inches (61 cm) total length for whole fish, which corresponds to 19.5 inches (49.5 cm) with the head removed.
- 3. Table 2 (North) and Table 2 (South) to part 660, subpart E are revised to read as follows:

BILLING CODE 3510-22-P

	ble 2 (North) to Part 660, Subpart E - rth of 40°10' N. lat.	- Non-Trawl F	Rockfish Cons	ervation Areas	and Trip Lin	nits for L	imited.	Entry F	ixed G	ear
	Other limits and requirements apply Read	d §§660.10 throu	gh 660.399 befor	re using this table						10132
	1	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-	ОСТ	NOV-	DEC	
00	ckfish Conservation Area (RCA) ^{1/} :									
1	North of 46 [°] 16' N. lat.			shoreline - 1			000000000000		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
2	46°16' N. lat 42°00' N. lat.			30 fm line ^{1/} -						
3	42 [°] 00' N. lat 40 [°] 10' N. lat.			30 fm line ^{1/} -	100 fm line ^{1/}					
	ee §§660.60 and 660.230 for additional ges §660.76-660.79 for conservation area des State trip limits and seasons may be n	criptions and c	oordinates (incl and EFHCAs)	luding RCAs, YR).	CAs, CCAs, Fa	rallon Isla	ands, C	ordell B		
					,					
4	Minor Slope Rockfish ^{2/} & Darkblotched rockfish			4,000 lb/	2 months					
5	Pacific ocean perch			1,800 lb/	2 months					
		1,125 lb/week,					1 500	lbs/week	not to	
6	Sablefish	not to exceed	1,100 lb/we	eek, not to exceed	3,300 lb/ 2 mo	nths		ed 4,500		
		3,375 lb/ 2 months						months		
,	Langanina thornwhead			10.000 lb/	2 months					ł
	Longspine thornyhead		2,000 lb/ 2 month		2 1110111115	2,500 lb/ :	2 manth			ł
-	Shortspine thornyhead		2,000 15/ 2 11101111	15		2,300 15/ 2	2 11101111	15		-
0	David and a state flavor day			5,000 lb	/ month					;
1	Dover sole, arrowtooth flounder, petrale sole, English sole, starry	South of 42° N.	lat., when fishing	g for "other flatfish	," vessels using	g hook-and	d-line ge	ear with n	o more	
2	flounder, Other Flatfish ^{3/}			ooks no larger tha					٠.	ַ
3		mm) point to	shank, and up to	o two 1 lb (0.45 kg) weights per lir	ne, are not	subjec	t to the R	CAs.	Г
4 5	Whiting			10,000	lb/ trip					Г
6	Minor Shelf Rockfish ² , Shortbelly, & Widow rockfish			200 lb/						
17	Yellowtail rockfish			1,000 lb	/ month					_
18	Canary rockfish			300 lb/ 2	months					4
	Yelloweye rockfish			CLO						
_				020						
20	Minor Nearshore Rockfish & Black rockfish									
21	North of 42°00' N. lat.	5,000 lb/ 2 mo	onths, no more th	nan 1,200 lb of wh blue/deaco		cies other	than bl	ack rockf	ish or	
22	42 [°] 00' N. lat 40 [°] 10' N. lat.	8,500 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish	7,000 lb/ 2 m	onths, no more th	an 1,200 lb of w black rockfish	,	be spe	cies other	⁻ than	
23	Lingcod ^{5/}	200 lb/2	? months	1,200 lb/ 2 months	1,400 lb	/ bimonthly	у	700 lb/ month	400 lb/ month	
4	Pacific cod			1,000 lb/	2 months					1
25	Spiny dogfish	200,000 lb	o/ 2 months	150,000 lb/ 2 months		00,000 lb/	/ 2 mon	ths		
26	Longnose skate			Unlin	nited					
27	Other Fish ^{6/} & Cabezon in Oregon and California			Unlin						

- 1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude
 and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm
 depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower
 than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose
 other than transiting.
- 2/ Bocaccio, chilipepper and cowcod are included in the trip limits for Minor Shelf Rockfish and splitnose rockfish is included in the trip limits for Minor Slope Rockfish.
- 3/ "Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
- 4/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lb or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.
- 5/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.
- 6/ "Other Fish" are defined at § 660.11 and include kelp greenling, leopard shark, and cabezon in Washington.
- To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 2 (South) to Part 660, Subpart E -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Limited Entry Fixed Gear South of 40°10' N. lat. 10132017 Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table MAR-APR JUL-AUG SEP-OCT NOV-DEC JAN-FEB MAY-JUN Rockfish Conservation Area (RCA)^{1/}: 40 fm line^{1/} - 125 fm line^{1/} 1 40°10' N. lat. - 34°27' N. lat. 2 South of 34°27' N. lat. 75 fm line^{1/} - 150 fm line^{1/} (also applies around islands) See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs). State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California Minor Slope rockfish2/ & Darkblotched 40,000 lb/ 2 months, of which no more than 40,000 lb/ 2 months, of which no more than 1,375 lb may be blackgill rockfish 1,600 lb may be blackgill rockfish rockfish 4 Splitnose rockfish 40,000 lb/ 2 months 5 Sablefish 1,125 lb/week, 1.500 lbs/week, not to not to exceed 6 40°10' N. lat. - 36°00' N. lat 1,100 lb/week, not to exceed 3,300 lb/ 2 months exceed 4,500 lbs/2 3.375 lb/ 2 months months 2,000 lb/ week South of 36 00' N. lat 8 Longspine thornyhead 10,000 lb/ 2 months 9 Shortspine thornyhead 10 40°10' N. lat. - 34°27' N. lat 2,000 lb/ 2 months 2,500 lb/ 2 months 3,000 lb/ 2 months 11 South of 34°27' N. lat 12 13 5.000 lb/ month \triangleright Dover sole, arrowtooth flounder, 14 South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more petrale sole, English sole, starry W than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 0.44 in (11 flounder, Other Flatfish3/ 16 mm) point to shank, and up to two 1 lb (0.45 kg) weights per line, are not subject to the RCAs. 17 Ш 18 Whiting 10.000 lb/ trip 19 Minor Shelf Rockfish^{2/}, Shortbelly rockfish, Widow rockfish (including Chilipepper between 40°10' - 34°27' N. lat.) Minor shelf rockfish, shortbelly, widow rockfish, & chilipepper: 2,500 lb/ 2 months, of which no more N 20 40°10' N. lat. - 34°27' N. lat than 500 lb may be any species other than chilipepper. 4.000 lb/ 2 21 South of 34°27' N. lat CLOSED 4,000 lb/ 2 months months 22 Chilipepper S Chilipepper included under minor shelf rockfish, shortbelly and widow rockfish limits - - See above 23 40°10' N. lat. - 34°27' N. lat 0 \blacksquare 24 South of 34°27' N. lat 2,000 lb/ 2 months, this opportunity only available seaward of the non-trawl RCA 25 Canary rockfish 300 lb/ 2 months 26 Yelloweye rockfish CLOSED **5** 27 Cowcod CLOSED 28 Bronzespotted rockfish CLOSED 29 Bocaccio 40°10' N. lat. - 34°27' N. lat 1,000 lb/ 2 months 30 1,500 lb/ 2 CLOSED 31 1,500 lb/ 2 months South of 34°27' N. lat. months 32 Minor Nearshore Rockfish & Black rockfish 1,200 lb/ 2 CLOSED 33 Shallow nearshore 1,200 lb/ 2 months months 1.000 lb/ 2 CLOSED 34 Deeper nearshore 1,000 lb/ 2 months months 1,500 lb/ 2 CLOSED 1,500 lb/ 2 months California Scorpionfish months 200 lb/ 2 800 lb/ 2 300 lb/ 600 lb/ CLOSED 1,200 lb/ bimonthly months months month month Lingcod4/ 37 Pacific cod 1,000 lb/ 2 months 150.000 lb/ 2 38 Spiny dogfish 200,000 lb/ 2 months 100,000 lb/ 2 months months 39 Longnose skate Unlimited 40 Other Fish⁵/ & Cabezon Unlimited

 \blacksquare 4. Table 3 (North) and Table 3 (South) as follows: to part 660, subpart F are revised to read

Table 3 (North) to Part 660, Subpart F -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears North of 40 10 N. lat.

	Other limits and requirements apply - Rea	ıd §§660.10 throu	ıgh 660.399 befo	re using this table				10/0
		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OC	T NOV	
	kfish Conservation Area (RCA) ^{1/} :							
1	North of 46 [°] 16' N. lat.			shoreline - 1				
2	46 16' N. lat 42 00' N. lat.			30 fm line ^{1/} -				
	42 [°] 00' N. lat 40 [°] 10' N. lat.			30 fm line ^{1/} -				
	ee §§660.60, 660.330 and 660.333 for add 660.74 and §§660.76-660.79 for conserva	ation area desci		ordinates (includ	-			
	State trip limits and seasons may be r	nore restrictive tha	n Federal trip limits	or seasons, partic	ularly in waters off	Oregon and 0	California.	
4	Minor Slope Rockfish ^{2/} & Darkblotched rockfish		Per trip, no n	nore than 25% of	weight of the sal	olefish lande	ed	
5	Pacific ocean perch			100 lb/	month			
6	Sablefish	300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 2,000 lb/ 2 months	300 lb/day, or 1 landing per week of up to 900 lb, not to exceed 1,800 lb/ 2 months	to 1,000 lb, no	landing per wee t to exceed 2,00 months	n lh/2 pe	00 lb/day, or 1 or week of up to or, not to exceed lbs/2 mont	to 1,300 ed 2,600
7	Shortpine thornyheads and longspine thornyheads		<u> </u>	CLO	SED	I		
8		3,000 lb/ mo	onth, no more tha	n 300 lb of which	may be species	other than F	Pacific sandd	abs.
9 10 11 12 13	Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder, Other Flatfish ^{3/}	than 12 hooks	per line, using ho	for "Other Flatfish boks no larger tha two 1 lb (0.45 kg	n "Number 2" ho	oks, which r	measure 0.44	· in (11
	Whiting			300 lb/	month			
5	Minor Shelf Rockfish ^{2/} , Shortbelly rockfish, & Widow rockfish			200 lb/	month			
6	Yellowtail rockfish			500 lb/	month			
7	Canary rockfish			150 lb/ 2	months			
8	Yelloweye rockfish			CLO	SED			
9	Minor Nearshore Rockfish & Black rock	kfish						
0	North of 42°00' N. lat.		onths, no more	than 1,200 lb of w	hich may be spe	cies other th	han black roc	kfish
?1	42 [°] 00' N. lat 40 [°] 10' N. lat.	8,500 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish	7,000 lb/ 2 mo	onths, no more th	an 1,200 lb of wh black rockfish	nich may be	species othe	r than
2	Lingcod ^{5/}	100 lb/	month	600 lb/ month	700 lb/	month	700 lb/ month	200 lb/ month
3	Pacific cod			1,000 lb/ 2	2 months			
	Spiny dogfish	200,000 lb	/ 2 months	150,000 lb/ 2 months		00,000 lb/ 2 i	months	
25	Longnose skate			Unlin	nited			
26	Other Fish ^{6/} & Cabezon in Oregon and California			Unlin	nited			
7	SALMON TROLL (subject to RCAs when	n retaining all spe	ecies of groundfis	h, except for yello	owtail rockfish ar	nd lingcod, a	s described b	elow)
?8	North	cumulative limit of combined limit for Salmon trollers in limit of 10 lingcood lingcood retention in in the table abo	of 200 lb/month, bo or minor shelf rockfi nay retain and land l, on a trip where a s allowed, and is n ove, and not in addi	nd up to 1 lb of yello th within and outsid sh, widow rockfish a up to 1 lingcod per ny fishing occurs wi ot "CLOSED." This tion to that limit. A RCA restrictions list	e of the RCA. This and yellowtail rock 15 Chinook per tri thin the RCA. This is limit is within the Il groundfish speci	s limit is withi fish, and not i p, plus 1 lingo limit only app per month lin es are subjec	in the 200 lb pe in addition to the cod per trip, up plies during tim nit for lingcod d t to the open a	r month lat limit. to a trip les when lescribed ccess

Tab	ele 3 (North). Continued	10.00 mm m m m m m m m m m m m m m m m m	333333333333333333333333333333333333333					neecconosee cc	-			
29	PINK SHRIMP NON-GROU	INDFISH TRAWL (n	ot subject to RCA	s)								
30	North	exc 1,50 canary under	ctive April 1 - Octo eed 1,500 lb/trip. The 0 lb/trip groundfish li thomyheads and y the overall 500 lb/da d per trip groundfish	ne following sub mits: lingcod 3 elloweye rockfi y and 1,500 lb/ limits and do r	limits also 00 lb/mon sh are PRO rip ground ot have sp	apply and a th (minimum DHIBITED. fish limits.	are counte n 24 inch s All other of Landings fic limits.	ed toward size limit) groundfish of these s The amo	the overal sablefish species pecies co	l 500 lb/da n 2,000 lb/ taken are ount towar	ay and /month; managed rd the per	
1/ T	he Rockfish Conservation Are											
	and longitude coordinates se	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~						~~~~~~~~~~~				
	depth contour boundary sout											
	than the depth contour. Vess	sels that are subject	to RCA restriction	s may not fisl	in the R	CA, or ope	rate in th	e RCA fo	or any pu	rpose		
	other than transiting.											
2/ B	locaccio, chilipepper and cow		cluded in the trip I	imits for Mino	Shelf Ro	ockfish. Sp	olitnose r	ockfish i	s include	d in the t	trip	
	limits for Minor Slope Rockfi											
	Other flatfish" are defined at §											
4/ F	or black rockfish north of Cap										t.),	
	there is an additional limit of	100 lbs or 30 percen	by weight of all fi	sh on board, v	vhichever	is greater	, per ves	sel, per f	ishing tri	p.		
5/ T	he minimum size limit for ling	cod is 22 inches (56	cm) total length N	lorth of 42° N.	lat. and 2	4 inches (61 cm) to	otal lengt	h South	of 42° N.	lat.	
6/ "(Other fish" are defined at § 66	0.11 and include kelp	greenling, leopar	d shark, and	abezon i	n Washing	ton.					
То	convert pounds to kilogram	s, divide by 2.2046	2, the number of	pounds in o	ne kilogr	am.						

Table 3 (South) to Part 660, Subpart F -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears South of 40°10' N. lat. 10/04/2017 Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table MAR-APR JUL-AUG SEP-OCT NOV-DEC JAN-FEB MAY-JUN Rockfish Conservation Area (RCA)11: 40 fm line^{1/} - 125 fm line^{1/} 1 40°10' N. lat. - 34°27' N. lat. 75 fm line^{1/} - 150 fm line^{1/}(also applies around islands) 2 South of 34°27' N. lat. See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs). State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California. Minor Slope Rockfish2/ & 10,000 lb/ 2 months, of which no more than 550 10,000 lb/ 2 months, of which no more than 475 3 Darkblotched rockfish Ib may be blackgill rockfish Ib may be blackgill rockfish Splitnose rockfish 200 lb/ month 5 Sablefish 300 lb/ day, or 1 300 lb/day, or 1 landing per landing per 300 lb/day, or 1 landing 300 lb/ day, or 1 landing per week of up week of up to week of up to per week of up to 1,300 6 40°10' N. lat. - 36°00' N. lat. to 1,000 lb, not to exceed 2,000 lb/ 2 900 lb, not to 1,000 lb. not to lbs, not to exceed 2,600 months exceed 2.000 exceed 1,800 lbs/2 months lb/ 2 months lb/ 2 months 7 300 lb/ day, or 1 landing per week of up to 1,600 lb, not to exceed 3,200 lb/ 2 months South of 36°00' N. lat Shortpine thornyheads and longspine 8 thornyheads CLOSED 40°10' N. lat. - 34°27' N. lat W 10 South of 34°27' N. lat 50 lb/ day, no more than 1,000 lb/ 2 months 11 3,000 lb/ month, no more than 300 lb of which may be species other than Pacific sanddabs. Dover sole, arrowtooth flounder. 13 petrale sole, English sole, starry South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more 14 flounder, Other Flatfish3/ than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 0.44 in (11 15 mm) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs. 16 300 lb/ month 17 Whiting Minor Shelf Rockfish^{2/}, Shortbelly, Widow rockfish and Chilipepper S 400 lb/ 2 0 19 40°10' N. lat. - 34°27' N. lat 400 lb/ 2 months months CLOSED ⊆ 1,500 lb/ 2 1.500 lb/ 2 months 20 South of 34 27' N. lat months 21 Canary rockfish 150 lb/ 2 months 22 Yelloweye rockfish CLOSED 23 Cowcod CLOSED 24 Bronzespotted rockfish CLOSED 500 lb/ 2 CLOSED 25 Bocaccio 500 lb/2 months months Minor Nearshore Rockfish & Black rockfish 1,200 lb/ 2 27 Shallow nearshore CLOSED 1,200 lb/ 2 months months 1,000 lb/ 2 CLOSED 28 Deeper nearshore 1.000 lb/ 2 months months 1,500 lb/ 2 29 California scorpionfish CLOSED 1,500 lb/ 2 months months 150 lb/ 400 lb/ 100 lb/ month CLOSED 400 lb/ month 600 lb/ month 30 Lingcod4/ month month 31 Pacific cod 1,000 lb/ 2 months 150,000 lb/ 2 32 Spiny dogfish 200,000 lb/ 2 months 100,000 lb/ 2 months months 33 Longnose skate Unlimited 34 Other Fish^{5/} & Cabezon

Tak	le 3 (South). Continued	1000000		***			9999				
		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC				
35	RIDGEBACK PRAWN AND, SOUTH OF	38°57.50' N. LAT	CA HALIBUT	AND SEA CUCI	JMBER NON-GI	ROUNDFISH TE	RAWL				
36	NON-GROUNDFISH TRAWL Rockfish										
37	40° 10′ N. lat 38° 00′ N. lat.	100 fm line 1/ - 200 fm line 1/		100 fm line ^{1/}	- 150 fm line ^{1/}		100 fm line ^{1/} - 200 fm line ^{1/}				
38	38°00' N. lat 34°27' N. lat.			100 fm line ^{1/}	- 150 fm line ^{1/}		•				
37	South of 34° 27' N. lat.	100 fm line 1/	- 150 fm line ^{1/} a	long the mainland	d coast; shoreline	e - 150 fm line ^{1/} a	m line ^{1/} around islands				
39		the 300 lb ground species landed landed. Spiny d coastwide and multiplied by th 38°57.50' N. lat. that at least one 0 which may be	fish per trip limit. , except that the a ogfish are limited I thomyheads sout e number of days are allowed to (1) California halibut is species other thar	The amount of groumount of spiny dog you the 300 lb/trip or h of Pt. Conceptior of the trip. Vessel- land up to 100 lb/d landed and (2) lan n Pacific sanddabs	ed in the table aborundfish landed may experall groundfish lim and the overall groundfish lim as participating in the ay of groundfish with dup to 3,000 lb/mc sand sole, starry so subject to the tr	not exceed the an acceed the amount of it. The daily trip li- be California halibut thout the ratio requirant of flatfish, nor flounder, rock sole	mount of the target of target species mits for sablefish imit may not be fishery south of uirement, provided more than 300 lb of , curlfin sole, or				
40	PINK SHRIMP NON-GROUNDFISH TR	AWL GEAR (not	subject to RCAs	;)							
41	South	exceed 1,500 lt 1,500 lb/trip grou canary rockfish, tl managed under count toward the	o/trip. The followin ndfish limits: lingo hornyheads and ye the overall 500 lb/o per day, per trip o	g sublimits also ap cod 300 lb/ month (elloweye rockfish a day and 1,500 lb/tri r other species-spe o not apply. The a	p groundfish limits. ecific sublimits des	d toward the overa ize limit); sablefish III other groundfish Landings of all gr cribed here and the	II 500 lb/day and h 2,000 lb/ month; i species taken are roundfish species				
I/ T	he Rockfish Conservation Area is an area	000000000000000000000000000000000000000		000000000000000000000000000000000000000	******************************	000000000000000000000000000000000000000					
	and longitude coordinates set out at §§ 66				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-					
	depth contour boundary south of 42°N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower										
	than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose										
2/ 1	other than transiting.	long rookfish Dia	okaill rookfish ha		acific trip out lies	it within the mine	or alono roaldich				
ا //	POP is included in the trip limits for minor s cumulative limits. Yellowtail rockfish is inc	~~~		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~							
	limit.	idaea iii tile tilp iii	inio ioi iiiiioi si	IGII TUCKIISII. DIUI	izesponed rockii	an nave a specie	sa apecilic trip				
3/ "	ther flatfish" are defined at § 660.11 and ir	iclude butter sole.	curlfin sole, flat	head sole, Pacific	c sanddab, rex so	ole, rock sole. an	nd sand sole.				
	he commercial mimimum size limit for ling										
	Other fish" are defined at § 660.11 and inclu					***************************************					
	convert pounds to kilograms, divide by										

■ 5. In § 660.360, paragraphs (c)(3)(i)(A)(1) through (4) are revised to read as follows:

§ 660.360 Recreational fishery—management measures.

(c) * * *

(3) * * * (i) * * *

(A) * * *

(1) Between 42° N. lat. (California/ Oregon border) and 40°10' N. lat. (Northern Management Area), recreational fishing for all groundfish (except petrale sole, starry flounder, and "other flatfish" as specified in paragraph (c)(3)(iv) of this section) is prohibited seaward of the 30 fm (55 m) depth contour along the mainland coast and along islands and offshore seamounts from May 1 through October 15 (shoreward of 30 fm is open); is prohibited seaward of the 20 fm (37 m) depth contour along the mainland coast and along islands and offshore seamounts from October 16 through December 31 (shoreward of 20 fm is

open); and is closed entirely from January 1 through April 30. Coordinates for the boundary line approximating the 20 (37 m) and 30 fm (55 m) depth contours are listed in § 660.71.

(2) Between 40°10' N. lat. and 38°57.50′ N. lat. (Mendocino Management Area), recreational fishing for all groundfish (except petrale sole, starry flounder, and "other flatfish" as specified in paragraph (c)(3)(iv) of this section) is prohibited seaward of the 20 fm (37 m) depth contour along the mainland coast and along islands and offshore seamounts from May 1 through December 31 (shoreward of 20 fm is open), and is closed entirely from January 1 through April 30. Coordinates for the boundary line approximating the 20 fm depth contour are listed in § 660.71.

(3) Between 38°57.50′ N. lat. and 37°11′ N. lat. (San Francisco Management Area), recreational fishing for all groundfish (except petrale sole, starry flounder, and "other flatfish" as specified in paragraph (c)(3)(iv) of this section) is prohibited seaward of the

boundary line approximating the 40 fm (73 m) depth contour along the mainland coast and along islands and offshore seamounts from April 15 through October 15; is prohibited seaward of the boundary line approximating the 30 fm (55 m) depth contour along the mainland coast and along islands and offshore seamounts from October 16 through December 31, and is closed entirely from January 1 through April 14. Closures around Cordell Banks (see paragraph (c)(3)(i)(C) of this section) also apply in this area. Coordinates for the boundary line approximating the 30 (55 m) and 40 fm (73 m) depth contours are listed in § 660.71.

(4) Between 37°11′ N. lat. and 34°27′ N. lat. (Central Management Area), recreational fishing for all groundfish (except petrale sole, starry flounder, and "other flatfish" as specified in paragraph (c)(3)(iv) of this section) is prohibited seaward of a boundary line approximating the 50 fm (91 m) depth contour along the mainland coast and along islands and offshore seamounts

from April 1 through October 15; is prohibited seaward of a boundary line approximating the 40 fm (73 m) depth contour along the mainland coast and along islands and offshore seamounts from October 16 through December 31and is closed entirely from January 1 through March 31 (*i.e.*, prohibited seaward of the shoreline). Coordinates for the boundary line approximating the 40 fm (73 m) depth contour are specified at § 660.71 and the 50 fm (91 m) depth contour are specified in § 660.72.

[FR Doc. 2017–22695 Filed 10–18–17; 8:45 am]
BILLING CODE 3510–22–C

DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

50 CFR Part 679

[Docket No. 160920866-7167-02]

RIN 0648-XF761

Fisheries of the Exclusive Economic Zone off Alaska; Shortraker Rockfish in the Western Regulatory Area of the Gulf of Alaska

AGENCY: National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

ACTION: Temporary rule; closure.

SUMMARY: NMFS is prohibiting retention of shortraker rockfish in the Western Regulatory Area of the Gulf of Alaska

(GOA). This action is necessary because the 2017 total allowable catch of shortraker rockfish in the Western Regulatory Area of the GOA has been reached.

DATES: Effective 1200 hours, Alaska local time (A.l.t.), October 16, 2017, through 2400 hours, A.l.t., December 31, 2017.

FOR FURTHER INFORMATION CONTACT: Josh Keaton, 907–586–7228.

SUPPLEMENTARY INFORMATION: NMFS manages the groundfish fishery in the GOA exclusive economic zone according to the Fishery Management Plan for Groundfish of the Gulf of Alaska (FMP) prepared by the North Pacific Fishery Management Council under authority of the Magnuson-Stevens Fishery Conservation and Management Act. Regulations governing fishing by U.S. vessels in accordance with the FMP appear at subpart H of 50 CFR part 600 and 50 CFR part 679.

The 2017 total allowable catch (TAC) of shortraker rockfish in the Western Regulatory Area of the GOA is 38 metric tons (mt) as established by the final 2017 and 2018 harvest specifications for groundfish of the GOA (82 FR 12032, February 27, 2017).

In accordance with § 679.20(d)(2), the Administrator, Alaska Region, NMFS (Regional Administrator), has determined that the 2017 TAC of shortraker rockfish in the Western Regulatory Area of the GOA has been reached. Therefore, NMFS is requiring that shortraker rockfish in the Western Regulatory Area of the GOA be treated as prohibited species in accordance with § 679.21(b).

Classification

This action responds to the best available information recently obtained from the fishery. The Assistant Administrator for Fisheries, NOAA (AA), finds good cause to waive the requirement to provide prior notice and opportunity for public comment pursuant to the authority set forth at 5 U.S.C. 553(b)(B) as such requirement is impracticable and contrary to the public interest. This requirement is impracticable and contrary to the public interest as it would prevent NMFS from responding to the most recent fisheries data in a timely fashion and would delay prohibiting the retention of shortraker rockfish in the Western Regulatory Area of the GOA. NMFS was unable to publish a notice providing time for public comment because the most recent, relevant data only became available as of October 10, 2017.

The AA also finds good cause to waive the 30-day delay in the effective date of this action under 5 U.S.C. 553(d)(3). This finding is based upon the reasons provided above for waiver of prior notice and opportunity for public comment.

This action is required by §§ 679.20 and 679.21 and is exempt from review under Executive Order 12866.

Authority: 16 U.S.C. 1801 et seq.

Dated: October 16, 2017.

Emily H. Menashes,

Acting Director, Office of Sustainable Fisheries, National Marine Fisheries Service. [FR Doc. 2017–22704 Filed 10–16–17; 4:15 pm]

BILLING CODE 3510-22-P