

DEPARTMENT OF ENERGY**Federal Energy Regulatory Commission**

[Project No. 2684–010]

Flambeau Hydro, LLC; Notice Soliciting Scoping Comments

Take notice that the following hydroelectric license application has been filed with the Commission and is available for public inspection.

a. *Type of Application:* Subsequent Minor License.

b. *Project No.:* P–2684–010.

c. *Date filed:* April 26, 2017.

d. *Applicant:* Flambeau Hydro, LLC (Flambeau Hydro).

e. *Name of Project:* Arpin Dam Project.

f. *Location:* On the Chippewa River, near the Village of Radisson, in Sawyer County, Wisconsin. There are no federal or tribal lands within the project boundary.

g. *Filed Pursuant to:* Federal Power Act 16 U.S.C. 791(a)–825(r).

h. *Applicant Contact:* Mr. Jason Kreuzscher, Renewable World Energies, LLC, 100 State Street, P.O. Box 264, Neshkoro, WI 54960; (855) 994–9376, ext. 102.

i. *FERC Contact:* Amy Chang, (202) 502–8250, or amy.chang@ferc.gov.

j. *Deadline for filing scoping comments:* December 4, 2017.

The Commission strongly encourages electronic filing. Please file scoping comments using the Commission's eFiling system at <http://www.ferc.gov/docs-filing/efiling.asp>. Commenters can submit brief comments up to 6,000 characters, without prior registration, using the eComment system at <http://www.ferc.gov/docs-filing/ecomment.asp>. You must include your name and contact information at the end of your comments. For assistance, please contact FERC Online Support at FERCOnlineSupport@ferc.gov, (866) 208–3676 (toll free), or (202) 502–8659 (TTY). In lieu of electronic filing, please send a paper copy to: Secretary, Federal Energy Regulatory Commission, 888 First Street NE., Washington, DC 20426. The first page of any filing should include docket number P–2684–010.

The Commission's Rules of Practice require all intervenors filing documents with the Commission to serve a copy of that document on each person on the official service list for the project. Further, if an intervenor files comments or documents with the Commission relating to the merits of an issue that may affect the responsibilities of a particular resource agency, they must also serve a copy of the document on that resource agency.

k. This application is not ready for environmental analysis at this time.

1. *The existing Arpin Dam Project consists of:* (1) An approximately 742.5-foot-long, 19-foot-high stone masonry dam (west dam section) that includes two timber stoplog spillway bays and an approximately 318.9-foot-long overflow section; (2) an approximately 452.2-foot-long, 18-foot-high masonry dam (middle dam section) that includes two steel vertical lift gates and an approximately 237.9-foot-long overflow section; (3) an approximately 319.8-foot-long, 16-foot-high masonry dam (east dam section) that includes two tainter gates and an 108-foot-long overflow section; (4) an approximately 294-acre impoundment at a normal full pond water surface elevation of 1,227.22 feet North American Vertical Datum of 1988 (NAVD88); (5) a 37-foot-long, 11.5-foot-wide, 14-foot-high concrete, canal headworks structure on the eastern side of the impoundment; (6) an approximately 3,200-foot-long, 56-foot-wide, 6-foot-deep power canal; (7) a 13.5-foot-long, 48-foot-wide, 14.4-foot-high concrete intake structure that includes two 9-foot-wide, 11-foot-high steel stop gates and a 44-foot-wide, 14.4-foot-high trashrack with 1.5- to 1.75-inch clear bar spacing; (8) three 79-foot-long, 8-foot-diameter steel penstocks; (9) a 52-foot-long, 24-foot-wide, 25-foot-high cement block powerhouse containing two 600-kW, and one 250-kW vertical Francis turbine-generator units, for a total capacity of 1,450 kW; (10) a 15-foot-long, 2.4-kilovolt (kV) underground generator lead line that connects the turbine-generator units to a substation containing three step-up transformers; (11) a 3,645-foot-long, 22.9-kV above-ground transmission line; (12) a tailrace; (13) recreation facilities; and (14) appurtenant facilities.

Flambeau Hydro manually operates the project in a run-of-river mode, with an average annual generation of 7,336 megawatt-hours. Flambeau Hydro is not proposing any changes in project operation. Flambeau Hydro proposes to continue to release a year-round minimum flow of 40 cfs to the bypassed reach to protect aquatic resources and to continue to operate and maintain existing recreation facilities. Flambeau Hydro also proposes to develop an Historic Properties Management Plan to protect historic resources.

m. A copy of the application is available for review at the Commission in the Public Reference Room or may be viewed on the Commission's Web site at <http://www.ferc.gov> using the eLibrary link. Enter the docket number excluding the last three digits in the docket number field to address the document.

For assistance, contact FERC Online Support. A copy is available for inspection and reproduction at the address in item (h) above.

n. You may also register online at <http://www.ferc.gov/docs-filing/esubscription.asp> to be notified via email of new filings and issuances related to this or other pending projects. For assistance, contact FERC Online Support.

o. *Scoping Process.*

The Commission staff intends to prepare a single Environmental Assessment (EA) for the Arpin Dam Project in accordance with the National Environmental Policy Act. The EA will consider both site-specific and cumulative environmental impacts and reasonable alternatives to the proposed action.

Commission staff does not propose to conduct any on-site scoping meetings at this time. Instead, we are soliciting comments, recommendations, and information on Scoping Document 1 (SD1), issued November 2, 2017.

Copies of SD1 outlining the subject areas to be addressed in the EA were distributed to the parties on the Commission's mailing list and the applicant's distribution list. Copies of SD1 may be viewed on the web at <http://www.ferc.gov> using the eLibrary link. Enter the docket number excluding the last three digits in the docket number field to access the document. For assistance, call 1–866–208–3676 or for TTY, (202) 502–8659.

Dated: November 2, 2017.

Kimberly D. Bose,
Secretary.

[FR Doc. 2017–24275 Filed 11–7–17; 8:45 am]

BILLING CODE 6717–01–P

ENVIRONMENTAL PROTECTION AGENCY

[EPA–HQ–OAR–2010–0885: FRL–9970–59–OAR]

Agency Information Collection Activities; Proposed Collection; Comment Request; Implementation of the 2008 Ozone National Ambient Air Quality Standards for Ozone; State Implementation Plan Requirements, EPA ICR No. 2347.03, OMB Control No. 2060–0695

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice; reopening of comment period.

SUMMARY: On October 2, 2017, the Environmental Protection Agency (EPA) announced that EPA is planning to

submit a request to renew an existing approved Information Collection Request (ICR) 2347.02, "Implementation of the 2008 National Ambient Air Quality Standards for Ozone," to the Office of Management and Budget (OMB). This existing ICR is scheduled to expire on January 31, 2018. Before submitting the ICR renewal request to OMB for review and approval, the EPA is soliciting comments on specific aspects of the proposed information collection as described below. The EPA is reopening the comment period on the proposed ICR that closed on November 1, 2017.

DATES: Comments must be submitted on or before December 8, 2017.

ADDRESSES: Submit your comments, identified by Docket ID No. EPA-HQ-OAR-2010-0885, at <https://www.regulations.gov>. Follow the online instructions for submitting comments. Once submitted, comments cannot be edited or removed from <http://www.regulations.gov>. The EPA may publish any comment received to its public docket. Do not submit electronically any information you consider to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute. Multimedia submissions (audio, video, etc.) must be accompanied by a written comment. The written comment is considered the official comment and should include discussion of all points you wish to make. For additional submission methods, the full EPA public comment policy, information about CBI or multimedia submissions, and general guidance on making effective comments, please visit <https://www2.epa.gov/dockets/commenting-epa-dockets>.

FOR FURTHER INFORMATION CONTACT: Mr. Butch Stackhouse, Air Quality Policy Division, Office of Air Quality Planning and Standards, Mail Code C539-01, Environmental Protection Agency, T.W. Alexander Drive, Research Triangle Park, NC 27711; telephone number: (919) 541-5208; fax number: (919) 541-0824; email address: stackhouse.butch@epa.gov.

SUPPLEMENTARY INFORMATION:

How can I access the docket and/or submit comments?

The EPA has established a public docket for this ICR under Docket ID No. EPA-HQ-OAR-2010-0885, which is available for online viewing at <https://www.regulations.gov>, or for in-person viewing at the Air Docket in the EPA Docket Center (EPA/DC), EPA West, Room 3334, 1301 Constitution Ave. NW., Washington, DC. The EPA/DC

Public Reading Room is open from 8:30 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Reading Room is (202) 566-1744, and the telephone number for the Air Docket is (202) 566-1742.

Use <https://www.regulations.gov> to obtain a copy of the draft collection of information, submit or view public comments, access the index listing of the contents of the docket, and to access those documents in the public docket that are available electronically. Once in the system, select "search," then key in the docket ID number identified in this document.

What information is the EPA particularly interested in?

Pursuant to section 3506(c)(2)(A) of the Paperwork Reduction Act (PRA), the EPA specifically solicits comments and information to enable it to:

- (i) Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;
- (ii) evaluate the accuracy of the agency's estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used;
- (iii) enhance the quality, utility, and clarity of the information to be collected; and,
- (iv) minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., allowing for electronic submission of responses (in this case, revisions to State Implementation Plans (SIPs) to meet planning requirements for nonattainment areas for the 2008 ozone NAAQS).

What should I consider when I prepare my comments for the EPA?

You may find the following suggestions helpful for preparing your comments:

1. Explain your views as clearly as possible and provide specific examples.
2. Describe any assumptions that you used.
3. Provide copies of any technical information and/or data you used that support your views.
4. If you estimate potential burden or costs, explain how you arrived at the estimate that you provide.
5. Offer alternative ways to improve the collection activity.

6. Make sure to submit your comments by the deadline identified under **DATES**.

7. To ensure proper receipt by the EPA, be sure to identify the docket ID number assigned to this action in the subject line on the first page of your response. You may also provide the name, date, and **Federal Register** citation.

What information collection activity or ICR does this apply to?

Affected entities: Entities affected by this action are state and local air agencies subject to attainment planning requirements for areas designated nonattainment for the 2008 ozone NAAQS. Such planning requirements may include attainment demonstrations, Reasonable Further Progress (RFP) plans, and Reasonably Available Control Technology (RACT) and Reasonably Available Control Measure (RACM) SIP submissions. Local, state, and federal agencies are part of the North American Industrial Classification System Code number 924110. There are other entities that may be indirectly affected, due to the fact that they may comment on the draft submissions before air agencies submit them to EPA. These include potentially regulated entities, representatives of stakeholder groups, and members of the general public.

Title: Implementation of the 2008 National Ambient Air Quality Standards for Ozone: State Implementation Plan Requirements; Information Collection Request Renewal.

ICR numbers: EPA ICR No. 2347.03, OMB Control No. 2060-0695.

ICR status: This ICR is currently scheduled to expire on January 31, 2018. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information, unless it displays a currently valid OMB control number. The OMB control numbers for the EPA's regulations in title 40 of the Code of Federal Regulations (CFR), after appearing in the **Federal Register** when approved, are listed in 40 CFR part 9. They are displayed either by publication in the **Federal Register** or by other appropriate means, such as on the related collection instrument or form, if applicable. The display of OMB control numbers in certain EPA regulations is consolidated in 40 CFR part 9.

Abstract: The PRA requires the information found in this ICR (No. 2347.03) to assess the burden (in hours and dollars) of meeting the requirements of the Implementation of the 2008 National Ambient Air Quality Standards (NAAQS) for Ozone: State Implementation Plan Requirements;

Final Rule. The rule was proposed on June 6, 2013 (78 FR 34178), and promulgated on March 15, 2015 (80 FR 12264). The rule includes requirements that involve collecting information from states with areas designated nonattainment for the 2008 8-hour ozone NAAQS. These information collection milestones include but are not limited to state submissions of attainment demonstrations, RFP plans, and RACT determinations. The burden estimate in the original ICR assumed 26 state air agency respondents (state and local air agencies), including the District of Columbia, responsible for meeting attainment planning obligations for 46 designated nonattainment areas for the 2008 ozone NAAQS. The revised burden estimate in this proposed ICR renewal incorporates changes to the original estimate that affect 17 respondents with jurisdiction over 30 nonattainment areas that are in various stages of planning for attainment or maintenance of the 2008 ozone NAAQS. The time period covered by this ICR is February 1, 2018, through January 31, 2021.

Burden Statement: The estimated public reporting and recordkeeping burden for the original ICR was 120,000 labor hours for the 3-year period, for an estimated average burden of 4,615 hours per respondent (the number of respondents was assumed to be 26). The incremental public reporting and recordkeeping burden for this proposed collection of information is estimated to total 62,000 hours, for an average of 3,647 hours per affected respondent (the number of respondents is assumed to be 17) over the 3-year period covered by this ICR renewal. Burden means the total time, effort, or financial resources expended by persons to generate, maintain, retain, or disclose or provide information to or for a federal agency. This includes the time needed to review instructions; to develop, acquire, install, and utilize technology and systems for the purposes of collecting, validating, and verifying information, processing and maintaining information, and disclosing and providing information; to adjust the existing ways to comply with any previously applicable instructions and requirements which have subsequently changed; to train personnel to be able to respond to a collection of information; to search data sources; to complete and review the collection of information; and, to transmit or otherwise disclose the information.

The ICR provides a detailed explanation of the agency's estimate, which is only briefly summarized here:

Respondents/Affected Entities: State and local governments.

Estimated total number of affected respondents: 17.

Frequency of response: Annual.

Estimated total additional annual burden hours: 20,667 hours.

Estimated total additional annual cost: \$1,404,757. This includes an estimated burden cost of \$0 for capital investment or maintenance and operational costs.

Are there changes in the estimates from the last approval?

The total estimated respondent burden during the 3-year period of this ICR renewal is 62,000 hours, compared with a total estimated respondent burden of 120,000 hours identified for the 3-year period covered by the original ICR approved by OMB.

What is the next step in the process for this ICR?

The EPA will consider the comments received on this proposal and will amend the ICR as appropriate. The final ICR package will then be submitted to OMB for review and approval pursuant to 5 CFR 1320.12. At that time, the EPA will issue another **Federal Register** notice pursuant to 5 CFR 1320.5(a)(1)(iv) to announce the submission of the ICR to OMB and the opportunity to submit additional comments to OMB. If you have any questions about this ICR or the approval process, please contact the technical person listed under **FOR FURTHER INFORMATION CONTACT**.

Dated: November 1, 2017.

Mary Henigin,

Acting Director, Office of Air Quality Planning and Standards.

[FR Doc. 2017-24339 Filed 11-7-17; 8:45 am]

BILLING CODE 6560-50-P

FEDERAL DEPOSIT INSURANCE CORPORATION

Notice of Termination of the Receivership of 10510, First National Bank of Crestview, Crestview, Florida

The Federal Deposit Insurance Corporation (FDIC or Receiver), as Receiver for 10510, First National Bank of Crestview, Crestview, Florida, has been authorized to take all actions necessary to terminate the receivership estate of First National Bank of Crestview (Receivership Estate); the Receiver has made all dividend distributions required by law. The Receiver has further irrevocably authorized and appointed FDIC-Corporate as its attorney-in-fact to

execute and file any and all documents that may be required to be executed by the Receiver which FDIC-Corporate, in its sole discretion, deems necessary; including but not limited to releases, discharges, satisfactions, endorsements, assignments, and deeds. Effective November 1, 2017, the Receivership Estate has been terminated, the Receiver discharged, and the Receivership Estate has ceased to exist as a legal entity.

Dated: November 3, 2017.

Federal Deposit Insurance Corporation.

Robert E. Feldman,

Executive Secretary.

[FR Doc. 2017-24288 Filed 11-7-17; 8:45 am]

BILLING CODE 6714-01-P

FEDERAL DEPOSIT INSURANCE CORPORATION

Notice of Termination of the Receivership of 10335, The First State Bank, Camargo, Oklahoma

The Federal Deposit Insurance Corporation (FDIC or Receiver), as Receiver for 10335, The First State Bank, Camargo, Oklahoma, has been authorized to take all actions necessary to terminate the receivership estate of The First State Bank (Receivership Estate); the Receiver has made all dividend distributions required by law. The Receiver has further irrevocably authorized and appointed FDIC-Corporate as its attorney-in-fact to execute and file any and all documents that may be required to be executed by the Receiver which FDIC-Corporate, in its sole discretion, deems necessary; including but not limited to releases, discharges, satisfactions, endorsements, assignments and deeds. Effective November 1, 2017, the Receivership Estate has been terminated, the Receiver discharged, and the Receivership Estate has ceased to exist as a legal entity.

Dated: November 3, 2017.

Federal Deposit Insurance Corporation.

Robert E. Feldman,

Executive Secretary.

[FR Doc. 2017-24283 Filed 11-7-17; 8:45 am]

BILLING CODE 6714-01-P

FEDERAL DEPOSIT INSURANCE CORPORATION

Notice to All Interested Parties of Intent To Terminate the Receivership of 10359, Community Central Bank, Mount Clemens, Michigan

Notice is hereby given that the Federal Deposit Insurance Corporation (FDIC or Receiver) as Receiver for Community