

If your request is seeking records pertaining to another living individual, you must include a statement from that individual certifying their agreement for you to access their records. Without the above information, the HUD FOIA Office may not conduct an effective search, and your request may be denied due to lack of specificity or lack of compliance with regulations.

CONTESTING RECORD PROCEDURES:

The Department's rules for contesting contents of records and appealing initial denials appear in 24 CFR part 16, Procedures for Inquiries. Additional assistance may be obtained by contacting Helen Goff Foster, Senior Agency Official for Privacy, at 451 7th Street SW, Room 10139; U.S. Department of Housing and Urban Development; Washington, DC 20410-0001, or the HUD Departmental Privacy Appeals Officers; Office of General Counsel; U.S. Department of Housing and Urban Development; 451 7th Street SW; Washington DC 20410-0001.

NOTIFICATION PROCEDURES:

Individual wishing to determine to whether this system of records contains information about them may do so by contacting their lending institutions or contacting HUD's Privacy Officer or Freedom of Information Act Office at the addresses above.

EXEMPTIONS PROMULGATED FOR THE SYSTEM:

None.

HISTORY:

Dated: December 8, 2017.

Helen Goff Foster,

Senior Agency Official for Privacy.

[FR Doc. 2017-27125 Filed 12-15-17; 8:45 am]

BILLING CODE 4210-67-P

DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT

[Docket No. FR-5997-N-78]

30-Day Notice of Proposed Information Collection: Performing Loan Servicing for the Home Equity Conversion Mortgage (HECM)

AGENCY: Office of the Chief Information Officer, HUD.

ACTION: Notice.

SUMMARY: HUD submitted the proposed information collection requirement described below to the Office of Management and Budget (OMB) for review, in accordance with the Paperwork Reduction Act. The purpose of this notice is to allow for 30 days of public comment.

DATES: *Comments Due Date:* January 17, 2018.

ADDRESSES: Interested persons are invited to submit comments regarding this proposal. Comments should refer to the proposal by name and/or OMB Control Number and should be sent to: HUD Desk Officer, Office of Management and Budget, New Executive Office Building, Washington, DC 20503; fax:202-395-5806, Email: OIRA.Submission@omb.eop.gov

FOR FURTHER INFORMATION CONTACT:

Colette Pollard, Reports Management Officer, QMAC, Department of Housing and Urban Development, 451 7th Street SW, Washington, DC 20410; email Colette.Pollard@hud.gov, or telephone 202-402-3400. This is not a toll-free number. Person with hearing or speech impairments may access this number through TTY by calling the toll-free Federal Relay Service at (800) 877-8339. Copies of available documents submitted to OMB may be obtained from Ms. Pollard.

SUPPLEMENTARY INFORMATION: This notice informs the public that HUD is seeking approval from OMB for the information collection described in Section A.

The **Federal Register** notice that solicited public comment on the information collection for a period of 60 days was published on September 13, 2017 at 82 FR 43037.

A. Overview of Information Collection

Title of Information Collection: Performing Loan Servicing for the Home Equity Conversion Mortgage (HECM).

OMB Approval Number: 2502-0611.

Type of Request: Revision of a currently approved collection.

Form Number: HUD-27011, HUD-50002, HUD-50012, HUD-9519-A.

Description of the need for the information and proposed use: This information request is a comprehensive collection of requirements for mortgagees that service Home Equity Conversion Mortgage (HECM) mortgages and the HECM mortgagors, who are involved with servicing-related activities that includes collection and payment of mortgage insurance premiums, escrow account administration, providing loan information and customer service.

Respondents (i.e., affected public): Individuals or Household.

Estimated Number of Respondents: 10.

Estimated Number of Responses: 21,345,282.

Frequency of Response: On occasion.
Average Hours per Response: 0.07 (4 minutes).

Total Estimated Burdens: 14,941,697.40.

B. Solicitation of Public Comment

This notice is soliciting comments from members of the public and affected parties concerning the collection of information described in Section A on the following:

(1) Whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;

(2) The accuracy of the agency's estimate of the burden of the proposed collection of information;

(3) Ways to enhance the quality, utility, and clarity of the information to be collected; and

(4) Ways to minimize the burden of the collection of information on those who are to respond: including through the use of appropriate automated collection techniques or other forms of information technology, *e.g.*, permitting electronic submission of responses.

HUD encourages interested parties to submit comment in response to these questions.

Authority: Section 3507 of the Paperwork Reduction Act of 1995, 44 U.S.C. Chapter 35.

Dated: November 22, 2017.

Colette Pollard,

Department Reports Management Officer,
Office of the Chief Information Officer.

[FR Doc. 2017-27195 Filed 12-15-17; 8:45 am]

BILLING CODE 4210-67-P

DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT

[Docket No. FR-6072-N-01]

Notice of Intent To Prepare a Draft Environmental Impact Statement (EIS) for the NDRC Ohio Creek Watershed Project in Norfolk, Virginia

AGENCY: Office of the Assistant Secretary for Community Planning and Development, HUD.

ACTION: Notice of Intent to Prepare an EIS.

SUMMARY: The Commonwealth of Virginia, through the Virginia Department of Housing and Community Development (DHCD), is providing notice of its intent to prepare an Environmental Impact Statement (EIS) for the Ohio Creek Watershed Project located in the City of Norfolk, Virginia. The proposed project was developed as part of Virginia's application for assistance through the U.S. Department of Housing and Urban Development (HUD) under the National Disaster

Resilience Competition (NDRC). NDRC's objectives through the competition are to support innovative resilience projects at a local level. This Notice of Intent to prepare an EIS represents the beginning of the public scoping process. Following the scoping meeting referenced below, a Draft EIS will be prepared and ultimately circulated for public comment.

FOR FURTHER INFORMATION CONTACT: For further information please contact Traci Munyan, Virginia Department of Housing and Community Development, Resiliency Program Manager, 600 East Main Street, Suite 300 Richmond, Virginia 23219; telephone number 804-371-7059, fax number 804-371-7093 or by email at: ResiliencyVA@dhcd.virginia.gov. A public scoping meeting will be held for this EIS on February 21, 2018 from 5:30 until 7:30 p.m. at the Grandy Village Learning Center, located at 2971 Kimball Loop Norfolk, VA 23504. The meeting will be preceded by a notice of public meeting published in local news media at least 15 days prior to the meeting date. The scoping meeting will provide an opportunity for the public to learn more about the project and to provide input on the environmental process. During the meeting, an overview of the project will be provided as well as details on concept development.

SUPPLEMENTARY INFORMATION: The Ohio Creek Watershed Project, located in the City of Norfolk, was selected by HUD through the NDRC process and awarded Community Development Block Grant Disaster Recovery (CDBG-DR) funding. The proposed action is subject to compliance with the National Environmental Policy Act of 1969 (NEPA) because federal CDBG-DR funds would be used for design and construction. The Commonwealth of Virginia, acting through the Virginia Department of Housing and Community Development (DHCD), is the responsible entity assuming environmental responsibility for the Ohio Creek Watershed Project in accordance with HUD regulations at 24 CFR 58.1(b)(1) and 58.2(a)(7)(i).

This Notice of Intent to Prepare an EIS is given in accordance with the Council on Environmental Quality (CEQ) regulations at 40 CFR parts 1500-1508, and represents the beginning of the public scoping process outlined in 40 CFR 1501.7. Following the scoping meeting referenced above, a Draft EIS will be prepared and circulated for public comment. The Draft EIS will be circulated to the general public, as well as groups and government agencies that have been identified as having

particular interest in the Proposed Project. A Notice of Availability will be published in local media outlets at that time in accordance with HUD and CEQ regulations.

The Ohio Creek Watershed project is located in Norfolk, Virginia. It is bounded by the Eastern Branch of the Elizabeth River to the south, the Interstate 264 area to the north, the Norfolk Southern railway to the east and a shipyard along with South Brambleton to the west. Due to its geographic position, Norfolk is faced with the threat of sea level rise. Nuisance flooding from high tides and rain events is becoming more frequent and the risk of inundation from storm surges is increasing. Compounding this threat is a high rate of subsidence. The Ohio Creek NDR project will pursue a multi-faceted, long-term approach to increase safety and resiliency by building coastal defense structures, improving stormwater management, raising critical access roads and infrastructure.

The proposed project consists of an innovative holistic regional resiliency approach that extends beyond infrastructure to encompass community and economic development. This approach is called "thRiVe: Resilience In Virginia" whose core goals are to Build Water Management Solutions, Strengthen Vulnerable Neighborhoods and Improve Economic Vitality. When combined, these goals are intended to Create Coastal Resilience and Unite the Region. Design components of the proposed project consist of: (1) Coastal protection to include a living shoreline and berm, (2) Stormwater management to include raised roads and tide gates, pump stations, bioswales, permeable pavers, rain barrels, and subsurface cisterns, (3) Landscape and Community Amenities to include corridor improvements for multi-modal transit, public pier for river access, stormwater parks to include amenities such as sports fields, playgrounds and fitness stations.

Several project elements have been selected to move to the next level of design. Design elevations of integrated coastal flood protection elements have been established to reduce inundation risk from 100-year events, including nor'easters, hurricanes and extreme tides with a projected sea level rise of +2.5 feet. These elements (berms, living shorelines, etc.) will be aligned to reduce risk for the maximum number of buildings and infrastructure that are most susceptible to coastal inundation.

Stormwater and tides are impounded by existing land bridges within the project site that result in flooding in the surrounding neighborhoods. Integration

of tide gate structures into the coastal flood protection and raised roadways will maintain ecological function to wetlands while protecting the neighborhood from tidal flooding events. Ballentine Boulevard and Kimball Terrace are the only two vehicular access routes into the project area and they are both subject to storm surge flooding and nuisance flooding. Additionally, several roads within the community are impassable during heavy rain or high tides due to their low elevation or poor drainage. Raising these critical roads is a key component of the proposed project. Many of the roads will need to be raised to various elevations to work in conjunction with the coastal protection elements. Upgrades to the subsurface drainage systems as well as construction of coastal flood protection will necessitate the need for pump stations to discharge stormwater into the Eastern Branch of the Elizabeth River. Drainage system upgrades and additional water storage areas aim to reduce the number of pump stations needed.

Reducing flooding during 10-year rain events is also a principal project goal. Installation of a coastal protection and closing the drainage system to the tides necessitates finding opportunities to slow, store, and infiltrate stormwater. Street interventions are designed to reduce flooding risk, minimize pumping requirements, demonstrate green infrastructure techniques, increase pedestrian access and safety, and beautify neighborhoods. Ballentine Boulevard connects the neighborhood from the river northward to the larger city. A TIDE light rail station is located north of the I-264 underpass and provides connection to the city's light rail system. The Ballentine Boulevard corridor functions as a connector at both a neighborhood and a city scale making it a prime location for the expansion of multi-modal transportation opportunities. The corridor also allows for opportunities to demonstrate innovative stormwater strategies through the use of bioswales along sidewalks, permeable pavers at the edge of streets, in parking lanes and at intersections. Improvements to the corridor would create continuous and improved sidewalk conditions, allowing for both pedestrian and cyclist access from the I-264 underpass to the Eastern Branch of the Elizabeth River, terminating in a public pier. Corridor improvements tie into proposed stormwater parks to provide increased recreational and educational opportunities. Stormwater parks incorporate bioswale plantings with

native water plants located in areas where the swale can be expanded to help slow and filter stormwater runoff before it reaches the Eastern Branch of the Elizabeth River. Though stormwater parks will be designed to maximize storage, they can also be educational and created in a way that serves as a destination for Norfolk residents by providing premier opportunities for outdoor sports, play, and fitness for citizens of all ages.

Alternatives to the Proposed Action: Consistent with the Council on Environmental Quality regulations (40 CFR 1502.14) implementing NEPA, the EIS will examine a range of reasonable alternatives to the proposed project that are potentially feasible. As required by NEPA, the alternatives will be evaluated at the same level of detail as the proposed project. As a result of the scoping efforts to date, the alternatives currently proposed for evaluation in the EIS include:

(1) No Project/Action Alternative. This required alternative would evaluate the environmental impacts if the proposed project were not constructed and existing conditions remain unchanged.

(2) Preferred Alternative. The alternative attaining the most objectives of the project that can be accomplished while also substantially lessening significant environmental effects.

(3) Two other alternatives (to be identified) based on input received during the scoping process and feasible project alternatives that avoid or minimize significant environmental effects.

Probable Environmental Effects: The following topics have been identified for analysis in the EIS for probable environmental effects: coastal zone management, contamination and toxic substances, floodplain management, historic preservation, noise abatement and control, wetlands protection, environmental justice, hazards and nuisances (site safety and noise), vibration, and transportation and accessibility.

Lead Agency: For purposes of complying with NEPA and in accordance with HUD regulations at 24 CFR part 58, the Commonwealth of Virginia, acting through the Virginia Department of Housing and Community Development, is the Lead Agency and Responsible Entity assuming environmental responsibility for the Ohio Creek Watershed Project. Questions may be directed to the individual named in this notice under the heading **FOR FURTHER INFORMATION CONTACT**.

Dated: December 12, 2017.

Neal J. Rackleff,

Assistant Secretary.

[FR Doc. 2017-27194 Filed 12-15-17; 8:45 am]

BILLING CODE 4210-67-P

DEPARTMENT OF THE INTERIOR

Office of Natural Resources Revenue

[Docket No. ONRR-2011-0008; DS63644000 DR2000000.CH7000 189D0102R2; OMB Control Number 1012-0006]

Agency Information Collection Activities: Submission to the Office of Management and Budget for Review and Approval; Suspensions Pending Appeal and Bonding

AGENCY: Office of Natural Resources Revenue, Interior.

ACTION: Notice of extension.

SUMMARY: To comply with the Paperwork Reduction Act of 1995 (PRA), we, the Office of Natural Resources Revenue (ONRR), are proposing to renew an information collection.

DATES: Interested persons are invited to submit comments on or before January 17, 2018 for the assurance of consideration.

ADDRESSES: You may submit your written comments on this ICR to the Office of Management and Budget's Desk Officer for the Department of the Interior by email to OIRA_Submission@omb.eop.gov; or via facsimile to (202) 395-5806. Please also mail a copy of your comments to Mr. Luis Aguilar, Regulatory Specialist, P.O. Box 25165, MS 64400, Denver, Colorado 80225-0165, or by email to luis.aguilar@onrr.gov. Please reference "OMB Control Number 1012-0006" in your comments.

FOR FURTHER INFORMATION CONTACT: For questions on technical issues, contact Ms. Kimberly Werner, Office of Enforcement and Appeals (OEA), ONRR, at (303) 231-3801 or email to kimberly.werner@onrr.gov. For other questions, contact Mr. Luis Aguilar, at (303) 231-3418, or email to luis.aguilar@onrr.gov. You may also contact Mr. Aguilar, at no cost, of (1) the ICR, (2) any associated forms, and (3) the regulations that require us to collect the information. You may view the ICR at <http://www.reginfo.gov/public/do/PRAMain> and select "Information Collection Review," then select "Department of the Interior" in the drop-down box under "Currently Under Review."

SUPPLEMENTARY INFORMATION: In accordance with the Paperwork

Reduction Act of 1995, we provide the general public and other Federal agencies with an opportunity to comment on new, proposed, revised, and continuing collections of information. This helps us assess the impact of our information collection requirements and minimize the public's reporting burden. It also helps the public understand our information collection requirements and provide the requested data in the desired format.

We published a notice, with a 60-day public comment period soliciting comments on this collection of information, in the **Federal Register** on June 19, 2017 (82 FR 27868). We received the following comments in response to the notice: "We respectfully offer the following scenario on this process from start to finish: (1) Upon demand letter from the ONRR, Fieldwood Energy responds with correspondence requesting the ONRR accept Area-Wide Bonds currently filed with the BOEM for our various entities, which incidentally total excess of \$23 million, to secure the nominal Administrative Appeals in lieu of separate specific Appeal bonds. It should be noted that none of the monetary demands from ONRR have come close to exceeding \$1 million; (2) In the event, the use of and Area-Wide bond is rejected by ONRR, Fieldwood then must approach the commercial surety market to negotiate terms with prospective sureties for the amount required by ONRR—this may entail the production of recent financial information as well as operational plans on Fieldwood leading up to several calls and discussions with the surety. This may also require the establishment of new relationships with sureties who do not know our company—all of which is time consuming and not done overnight; and (3) Ultimately, Fieldwood obtains a surety bond and files it with your office. So, it is quite customary for this process to take days and not several hours of our staff's time.

"The two burden hours for the majority of the typical requests received are adequate. On some occasions, we might have to have a little more internal dialogue or research if we do not have all the information for the appeal upfront. Generally, those requests fall in the 2-4 hour burden. For the most part, however, 2 hours is generally the amount of burden hours needed. There again, for clarification, this is the internal burden time for our staff. It would take generally 48-72 hours for our surety to turn around the request.

"For WPX who has an existing surety bond line, 2 hours are probably sufficient labor hours. However, for