

*H. Executive Order 13045: Protection of Children From Environmental Health Risks and Safety Risks*

The EPA interprets Executive Order 13045 as applying only to those regulatory actions that concern environmental health or safety risks that the EPA has reason to believe may disproportionately affect children, per the definition of “covered regulatory action” in section 2–202 of the Executive Order. This action is not subject to Executive Order 13045 because it does not concern an environmental health risk or safety risk.

*I. Executive Order 13211: Actions That Significantly Affect Energy Supply, Distribution, or Use*

This action is not subject to Executive Order 13211, because it is not a significant regulatory action under Executive Order 12866.

*J. National Technology Transfer and Advancement Act*

This rulemaking does not involve technical standards.

*K. Executive Order 12898: Federal Actions To Address Environmental Justice in Minority Populations and Low-Income Populations*

The EPA believes that this action does not have disproportionately high and adverse human health or environmental effects on minority populations, low-income populations and/or indigenous peoples, as specified in Executive Order 12898 (59 FR 7629, February 16, 1994).

This action does not affect the level of protection provided to human health or the environment. This action corrects a potential conflict in the refrigerant management regulations as to whether or not small cans of refrigerant for use in MVAC could be sold to non-technicians if the cans were manufactured or imported prior to January 1, 2018, and do not have a self-sealing valve. This action clarifies that those small cans of refrigerant for use in MVAC may be sold to persons who are not certified technicians.

*L. Congressional Review Act (CRA)*

This action is subject to the CRA, and EPA will submit a rule report to each House of the Congress and to the Comptroller General of the United States. This action is not a “major rule” as defined by 5 U.S.C. 804(2).

**List of Subjects in 40 CFR Part 82**

Environmental protection, Air pollution control, Chemicals, Reporting and recordkeeping requirements.

Dated: December 15, 2017.

**E. Scott Pruitt,**  
*Administrator.*

For the reasons set forth in the preamble, the Environmental Protection Agency amends 40 CFR part 82 as follows:

**PART 82—PROTECTION OF STRATOSPHERIC OZONE**

■ 1. The authority citation for part 82 continues to read as follows:

**Authority:** 42 U.S.C. 7414, 7601, 7671–7671q.

■ 2. In § 82.154, revise paragraph (c)(1)(ix) to read as follows:

**§ 82.154 Prohibitions.**

\* \* \* \* \*

(c) \* \* \*

(1) \* \* \*

(ix) The non-exempt substitute refrigerant is intended for use in an MVAC and is sold in a container designed to hold two pounds or less of refrigerant, has a unique fitting, and, if manufactured or imported on or after January 1, 2018, has a self-sealing valve that complies with the requirements of paragraph (c)(2) of this section.

\* \* \* \* \*

[FR Doc. 2017–27800 Filed 12–26–17; 8:45 am]

**BILLING CODE 6560–50–P**

**DEPARTMENT OF HEALTH AND HUMAN SERVICES**

**Centers for Medicare & Medicaid Services**

**42 CFR Parts 414, 416, and 419**

**[CMS–1678–CN]**

**RIN 0938–AT03**

**Medicare Program: Hospital Outpatient Prospective Payment and Ambulatory Surgical Center Payment Systems and Quality Reporting Programs; Correction**

**AGENCY:** Centers for Medicare & Medicaid Services (CMS), HHS.

**ACTION:** Final rule; correction.

**SUMMARY:** This document corrects technical errors that appeared in the final rule with comment period published in the *Federal Register* on December 14, 2017 entitled “Hospital Outpatient Prospective Payment and Ambulatory Surgical Center Payment Systems and Quality Reporting Programs.”

**DATES:** *Effective Date:* January 1, 2018.

**FOR FURTHER INFORMATION CONTACT:** Lela Strong (410) 786–3213.

**SUPPLEMENTARY INFORMATION:**

**I. Background**

In FR Doc. R1–2017–23932 of December 14, 2017 (82 FR 59216), titled “Medicare Program: Hospital Outpatient Prospective Payment and Ambulatory Surgical Center Payment Systems and Quality Reporting Programs” (hereinafter referred to as the CY 2018 OPPS/ASC final rule), there were a number of technical errors that are identified and corrected in the Correction of Errors section below. The provisions in this correction document are effective as if they had been included in the document published December 14, 2017. Accordingly, the corrections are effective January 1, 2018.

We note that the CY 2018 OPPS/ASC final rule was originally published on pages 52356 through 52637 in the issue of Monday, November 13, 2017. In that publication, a section of the document was omitted due to a printing error. Therefore, on December 14, 2017, the CY 2018 OPPS/ASC final rule was republished in its entirety. Accordingly, any corrections made in this document are made to the December 14, 2017 republished version.

**II. Summary of Errors**

*A. Errors in the Preamble*

**1. Hospital Outpatient Prospective Payment System (OPPS) Corrections**

On page 59256, we are correcting the OPPS weight scalar based on the conforming policy correction to the Ambulatory Payment Classification (APC) assignment of Healthcare Common Procedure Coding System (HCPCS) code 93880 in APC 5522 (Level 2 Imaging without Contrast) to APC 5523 (Level 3 Imaging without Contrast).

On page 59262, we are correcting language related to hospital-specific Cost-to-Charge Ratios (CCRs) and their application on payments for pass-through devices.

On pages 59269 through 59271, we use the payment rates available in Addenda A and B to display calculation of adjusted payment and copayment. Due to the correction of OPPS payment rates as a result of the corrected OPPS weight scalar, we are also correcting the payment and copayment numbers used in the example.

On page 59277, due to the corrected OPPS APC geometric mean cost as a result of the conforming policy correction to the imaging without contrast APCs, we are correcting the list of APCs excepted from the 2 times rule for calendar year (CY) 2018. Specifically, we are revising Table 14 to

include APC 5523 (Level 3 Imaging without Contrast) to this list, for a total of 12 APCs.

On page 59295, we inadvertently excluded a summary of a comment and our response to that comment. We are revising the discussion to include the comment and response.

On page 59311, due to the correction in OPPS APC geometric mean cost as a result of the conforming policy correction to the imaging without contrast APCs in Addendum A and Addendum B, we are also correcting the CY 2018 APC geometric mean cost for APC 5522 (Level 2 Imaging without Contrast) and APC 5523 (Level 3 Imaging without Contrast) in Table 54 as well as in the OPPS Addenda A and B.

On page 59323, we incorrectly listed the HCPCS code that describes Lung biopsy plug with delivery system as C2623 instead of C2613.

On page 59369, we inadvertently omitted vaccines assigned to OPPS status indicator “F” from the 340B payment adjustment exclusion. Specifically, we stated in the preamble that “We remind readers that our 340B payment policy applies to only OPPS separately payable drugs (status indicator “K”) and does not apply to vaccines (status indicator “L” or “M”), or drugs with transitional pass-through payment status (status indicator “G”).” We are correcting this statement to read “We remind readers that our 340B payment policy applies to only OPPS separately payable drugs (status indicator “K”) and does not apply to vaccines (status indicator “F”, “L” or “M”), or drugs with transitional pass-through payment status (status indicator “G”).” In addition, we are also correcting the statement on page 59369 that reads “Part B drugs or biologicals excluded from the 340B payment

adjustment include vaccines (assigned status indicator “L” or “M”) and drugs with OPPS transitional pass-through payment status (assigned status indicator “G”)” to correctly state our final policy that “Part B drugs or biologicals excluded from the 340B payment adjustment include vaccines (assigned status indicator “F”, “L” or “M”) and drugs with OPPS transitional pass-through payment status (assigned status indicator “G”).”

On pages 59412 through 59413, we are correcting a typographical error in the title of Table 87.

On pages 59482 through 59483, we are correcting the count of excepted Rural Sole Community Hospitals as well as the count of other providers that were listed in regards to the 340B Program.

On pages 59486 through 59488, we provided and described Table 88—Estimated Impact of the CY 2018 Changes for the Hospital Outpatient Prospective Payment System, based on rates which applied an incorrect scalar. We have updated Table 88 and the description of the table to reflect the corrections to the scalar as a result of the corrections to geometric mean costs in APCs 5522 and 5523.

2. Ambulatory Surgical Center (ASC) Payment System Corrections

On page 59413, the discussion of ASC Payment for Covered Ancillary Services for CY 2018 was inadvertently omitted. We are including that discussion in this correcting document.

On page 59422, we inadvertently published an incorrect ASC conversion factor of \$44.663 for ASCs that do not meet the quality reporting requirements. With the correct application of our established policy, the corrected 2018 ASC conversion factor for ASCs that do not meet the quality reporting requirements is \$44.674.

3. Partial Hospitalization Program Corrections

On page 59375, the text states: “We proposed to apply our established methodologies in developing the CY 2018 geometric mean per diem costs and payment rates, including the application of a ±2 standard deviation trim on costs per day for CMHCs and a CCR≤5 hospital service day trim for hospital-based PHP providers.” The less than or equal to sign that appears in this sentence is incorrect and misstates our trim policy. Therefore, we are correcting “CCR≤5” to read “CCR>5.”

B. Summary of Errors and Corrections to the OPPS and ASC Addenda Posted on the CMS Website

1. OPPS Addenda Posted on the CMS Website

The payment and copayment rates in Addendum A (Final OPPS APCs for CY 2018), Addendum B (Final OPPS Payment by HCPCS Code for CY 2018), Addendum C (Final HCPCS Codes Payable Under the 2018 OPPS by APC), and the payment rates in the 2018 OPPS APC Offset File and the 2018 OPPS HCPCS Device Offset File that were published on the CMS website in conjunction with the CY 2018 OPPS/ASC final rule are corrected to reflect the corrected assignment of HCPCS code 93880 to APC 5522 (Level 2 Imaging without Contrast) and APC 5523 (Level 3 Imaging without Contrast).

In addition, in Addendum B, 17 HCPCS codes were incorrectly assigned to OPPS status indicator “Q4” when they should have been assigned to status indicator “A.” We are correcting the mistake by assigning status indicator “A” to these codes as shown in the chart that follows.

| HCPCS code | Short descriptor           | CI | SI |
|------------|----------------------------|----|----|
| 81105      | Hpa-1 genotyping           | NC | A  |
| 81106      | Hpa-2 genotyping           | NC | A  |
| 81107      | Hpa-3 genotyping           | NC | A  |
| 81108      | Hpa-4 genotyping           | NC | A  |
| 81109      | Hpa-5 genotyping           | NC | A  |
| 81110      | Hpa-6 genotyping           | NC | A  |
| 81111      | Hpa-9 genotyping           | NC | A  |
| 81112      | Hpa-15 genotyping          | NC | A  |
| 81120      | ldh1 common variants       | NC | A  |
| 81121      | ldh2 common variants       | NC | A  |
| 81175      | Asx1 full gene sequence    | NC | A  |
| 81176      | Asx1 gene target seq alys  | NC | A  |
| 81448      | Hrdtry perph neurphy panel | NC | A  |
| 81520      | Onc breast mrna 58 genes   | NC | A  |
| 81521      | Onc breast mrna 70 genes   | NC | A  |
| 81541      | Onc prostate mrna 46 genes | NC | A  |
| 81551      | Onc prostate 3 genes       | NC | A  |

In Addendum M, we inadvertently excluded Current Procedural Terminology (CPT) codes 71045 (Radiologic examination, chest; single view) and 71046 (Radiologic examination, chest; 2 views). The revised Addendum M includes these codes. CPT codes 71045 and 71046 replaced CPT codes 71010 (Radiologic examination, chest; single view, frontal) and 71020 (Radiologic examination, chest, 2 views, frontal and lateral; with apical lordotic procedure) effective January 1, 2018. Since the predecessor codes were assigned to composite APC 5041 (Critical Care) and APC 5045 (Trauma Response with Critical Care) before January 1, 2018, the replacement codes are assigned to the same composite APCs effective January 1, 2018.

In Addendum P, we inadvertently excluded the following 7 CPT codes:

- 0409T (Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when performed, and programming of sensing and therapeutic parameters; pulse generator only);
- 0410T (Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when performed, and programming of sensing and therapeutic parameters; atrial electrode only);
- 0411T (Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when performed, and programming of sensing and therapeutic parameters; ventricular electrode only);
- 0414T (Removal and replacement of permanent cardiac contractility modulation system pulse generator only);
- 0446T (Creation of subcutaneous pocket with insertion of implantable interstitial glucose sensor, including system activation and patient training);
- 0449T (Insertion of aqueous drainage device, without extraocular reservoir, internal approach, into the subconjunctival space; initial device); and
- 28291 (Hallux rigidus correction with cheilectomy, debridement and capsular release of the first metatarsophalangeal joint; with implant).

CPT codes 0409T, 0410T, 0411T, 0414T, 0446T, 0449T represent procedures requiring the implantation of medical devices that do not have yet have associated claims data and therefore have been granted device-intensive status with a default device

offset percentage of 41 percent, per our current policy outlined in the CY 2017 OPPI/ASC final rule with comment (81 FR 79658). CPT code 28291 replaced CPT code 28293 (Correction, hallux valgus (bunion), with or without sesamoidectomy; resection of joint with implant) which previously held the device-intensive designation with a device offset percentage of 43.78 percent. Since the predecessor code was device-intensive, CPT code 28291 is also device-intensive status and a device offset percentage of 43.78 percent based on the offset from the predecessor code.

To view the corrected CY 2018 OPPI status indicator, payment and copayment rates, that result from these technical corrections as well as CPT codes that were inadvertently excluded, we refer readers to the Addenda and supporting files that are posted on the CMS website at: <http://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/HospitalOutpatientPPS/index.html>. Select “CMS–1678–CN” from the list of regulations. All corrected Addenda for this correcting document are contained in the zipped folder titled “2018 OPPI Final Rule Addenda” at the bottom of the page for CMS–1678–CN.

## 2. ASC Payment System Addenda Posted on the CMS Website

As a result of the technical corrections described in Section II.A. and II.B.1. of this correction notice, we have updated Addenda AA and BB to reflect the final corrected payment rates and indicators for CY 2018 for ASC covered surgical procedures and covered ancillary services. In addition, in addendum BB, we inadvertently included HCPCS code Q2040 (Tisagenlecleucel, up to 250 million car-positive viable t cells, including leukapheresis and dose preparation procedures, per infusion) as a separately payable drug when furnished in the ASC setting. Because the complement of services required to furnish the drug described by HCPCS code Q2040 are not all covered ASC surgical procedures, we are correcting the error by removing HCPCS code Q2040 from Addendum BB.

To view the corrected final CY 2018 ASC payment rates and indicators that result from these technical corrections, we refer readers to the Addenda and supporting files on the CMS website at: <https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/ASCPayment/ASC-Regulations-and-Notices.html>. Select “CMS–1678–CN” from the list of regulations. All corrected ASC addenda for this correcting document are contained in the zipped folder entitled “Addendum

AA, BB, DD1, DD2, and EE” at the bottom of the page for CMS–1678–CN.

In addition, we inadvertently excluded the below nine codes from the file labeled “CY 2018 ASC Procedures to which the No Cost/Full Credit and Partial Credit Device Adjustment Policy Applies”. These nine codes were included as ASC device-intensive procedures to which the no cost/full credit and partial credit device adjustment policy applies in the CY 2017 final rule, and we did not intend any changes to them for CY 2018.

- 0409T (Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when performed, and programming of sensing and therapeutic parameters; pulse generator only);
- 0410T (Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when performed, and programming of sensing and therapeutic parameters; atrial electrode only);
- 0411T (Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when performed, and programming of sensing and therapeutic parameters; ventricular electrode only);
- 0414T (Removal and replacement of permanent cardiac contractility modulation system pulse generator only);
- 0446T (Creation of subcutaneous pocket with insertion of implantable interstitial glucose sensor, including system activation and patient training);
- 0449T (Insertion of aqueous drainage device, without extraocular reservoir, internal approach, into the subconjunctival space; initial device);
- 22867 (Insertion of interlaminar/ interspinous process stabilization/ distraction device, without fusion, including image guidance when performed, with open decompression, lumbar; single level);
- 22869 (Insertion of interlaminar/ interspinous process stabilization/ distraction device, without open decompression or fusion, including image guidance when performed, lumbar; single level); and
- 28291 (Hallux rigidus correction with cheilectomy, debridement and capsular release of the first metatarsophalangeal joint; with implant).

To view the revised version of the “CY 2018 ASC Procedures to which the No Cost/Full Credit and Partial Credit Device Adjustment Policy Applies,” we refer readers to the CMS website at:

<https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/ASCPayment/ASC-Policy-Files.html>.

**III. Waiver of Proposed Rulemaking**

Under 5 U.S.C. 553(b) of the Administrative Procedure Act (APA), the agency is required to publish a notice of the proposed rule in the **Federal Register** before the provisions of a rule take effect. Similarly, section 1871(b)(1) of the Act requires the Secretary to provide for notice of the proposed rule in the **Federal Register** and provide a period of not less than 60 days for public comment. In addition, section 553(d) of the APA, and section 1871(e)(1)(B)(i) mandate a 30-day delay in effective date after issuance or publication of a rule. Sections 553(b)(B) and 553(d)(3) of the APA provide for exceptions from the notice and comment and delay in effective date of the APA requirements; in cases in which these exceptions apply, sections 1871(b)(2)(C) and 1871(e)(1)(B)(ii) of the Act provide exceptions from the notice and 60-day comment period and delay in effective date requirements of the Act as well. Section 553(b)(B) of the APA and section 1871(b)(2)(C) of the Act authorize an agency to dispense with normal rulemaking requirements for good cause if the agency makes a finding that the notice and comment process is impracticable, unnecessary, or contrary to the public interest. In addition, both section 553(d)(3) of the APA and section 1871(e)(1)(B)(ii) of the Act allow the agency to avoid the 30-day delay in effective date where such delay is contrary to the public interest and an agency includes a statement of support.

We believe that this correcting document does not constitute a rulemaking that would be subject to these requirements. This correcting document corrects technical and

typographic errors in the preamble, addenda, payment rates, tables, and appendices included or referenced in the CY 2018 OPPTS/ASC final rule but does not make substantive changes to the policies or payment methodologies that were adopted in the final rule. As a result, the corrections made through this correcting document are intended to ensure that the information in the CY 2018 OPPTS/ASC final rule accurately reflects the policies adopted in that rule.

In addition, even if this were a rulemaking to which the notice and comment procedures and delayed effective date requirements applied, we find that there is good cause to waive such requirements. Undertaking further notice and comment procedures to incorporate the corrections in this document into the final rule or delaying the effective date would be contrary to the public interest because it is in the public's interest for providers to receive appropriate payments in as timely a manner as possible, and to ensure that the CY 2018 OPPTS/ASC final rule accurately reflects our policies as of the date they take effect and are applicable.

Furthermore, such procedures would be unnecessary, as we are not altering our payment methodologies or policies, but rather, we are simply correctly implementing the policies that we previously proposed, received comment on, and subsequently finalized. This correcting document is intended solely to ensure that the CY 2018 OPPTS/ASC final rule accurately reflects these payment methodologies and policies. For these reasons, we believe we have good cause to waive the notice and comment and effective date requirements.

**IV. Correction of Errors**

In FR Doc. R1-2017-23932 of December 14, 2017 (82 FR 59216), make the following corrections:

1. On page 59256, third column, first paragraph, in line 11, correct "1.4457" to read "1.4458".

2. On page 59262, second column, second full paragraph, in line 7, add the parenthetical phrase "(in cases where we are unable to use the implantable device CCR)" after the words "pass-through devices".

3. On page 59269,

a. Third column, last full paragraph,

(1) In line 17, correct "\$572.81" to read "\$575.85."

(2) In line 21, correct "\$561.35" to read "\$561.39."

b. Third column, last partial paragraph,

(1) In lines 5 and 6, correct "\$442.53 (.60 \* \$572.81 \* 1.2876)." to read "\$442.56 (.60 \* \$575.85 \* 1.2876)."

(2) In line 9, correct "\$443.68 (.60 \* \$561.35 \* 1.2876)." to read "\$443.70 (.60 \* \$561.39 \* 1.2876)."

(3) In line 12, correct "\$229.12 (.40 \* \$572.81)." to read "\$229.14 (.40 \* \$575.85)."

4. On page 59270, first column, first partial paragraph,

a. In line 2, correct "\$224.54 (.40 \* \$561.35)." to read "\$224.56 (.40 \* \$561.39)."

b. In lines 6 and 7, correct "\$671.65 (\$442.53 + \$229.12)." to read "\$671.70 (\$442.56 + \$229.14)."

c. In lines 9 and 10, correct "\$658.22 (\$433.68 + \$224.54)." to read "\$658.26 (\$443.70 + \$224.56)."

5. On page 59271, first column, second full paragraph, under "Step 1," in line 8, correct "\$572.81" to read "\$575.85."

6. On page 59277, Table 14—APC Exceptions to the 2 Times Rule for CY 2018, is corrected to read as follows:

TABLE 14—APC EXCEPTIONS TO THE 2 TIMES RULE FOR CY 2018

| APC        | CY 2018 APC title                             |
|------------|---|
| 5112 ..... | Level 2 Musculoskeletal Procedures            |
| 5521 ..... | Level 1 Imaging without Contrast              |
| 5522 ..... | Level 2 Imaging without Contrast              |
| 5523 ..... | Level 3 Imaging without Contrast              |
| 5524 ..... | Level 4 Imaging without Contrast              |
| 5571 ..... | Level 1 Imaging with Contrast                 |
| 5691 ..... | Level 1 Drug Administration                   |
| 5721 ..... | Level 1 Diagnostic Tests and Related Services |
| 5731 ..... | Level 1 Minor Procedures                      |
| 5732 ..... | Level 2 Minor Procedures                      |
| 5771 ..... | Cardiac Rehabilitation                        |
| 5823 ..... | Level 3 Health and Behavior Services          |

7. On page 59295, third column,

a. After the first partial paragraph, add the following comment and response:

*Comment:* We received a comment to the CY 2018 OPPTS/ASC proposed rule

requesting the reassignment of the procedures assigned to APCs 5361 (Level 1 Laparoscopy and Related Services) and 5362 (Level 2 Laparoscopy and Related Services) to ensure a more logical distribution of procedure costs between these two APCs.

*Response:* We appreciate the suggestion and will consider for future rulemaking. We note that in the CY 2018 OPPS/ASC proposed rule, there was no violation of the 2 times rule for either APC 5361 or APC 5362.

b. First full paragraph, in line 2, correct “comment” to read “comments”.

8. On page 59311, Table 54—Comparison of CY 2017 and CY 2018 Geometric Mean Costs For The Imaging APCs, is corrected to read as follows:

TABLE 54—COMPARISON OF CY 2017 AND CY 2018 GEOMETRIC MEAN COSTS FOR THE IMAGING APCs

| APC        | APC group title                        | CY 2017 APC geometric mean cost | CY 2018 APC geometric mean cost |
|------------|--|---------------------------------|---------------------------------|
| 5521 ..... | Level 1 Imaging without Contrast ..... | \$61.53                         | \$62.08                         |
| 5522 ..... | Level 2 Imaging without Contrast ..... | 115.88                          | 114.39                          |
| 5523 ..... | Level 3 Imaging without Contrast ..... | 232.21                          | 232.17                          |
| 5524 ..... | Level 4 Imaging without Contrast ..... | 462.23                          | 486.38                          |
| 5571 ..... | Level 1 Imaging with Contrast .....    | 272.40                          | 252.58                          |
| 5572 ..... | Level 2 Imaging with Contrast .....    | 438.42                          | 456.08                          |
| 5573 ..... | Level 3 Imaging with Contrast .....    | 675.23                          | 681.45                          |

9. On page 59323, second column, second full paragraph, in line 4, correct “C2623” to read “C2613”.

10. On page 59369,  
a. Second column, second full paragraph, in line 5, correct “status indicator “L” or “M”” to read “status indicator “F”, “L”, or “M””.

b. Third column, first full paragraph, in line 19, correct “status indicator “L” or “M”” to read “status indicator “F”, “L”, or “M””.

11. On page 59375, second column, third full paragraph, in line 7, correct “CCR ≤5” to read “CCR≤5”.

12. On pages 59412 and 59413, in the title for Table 87, correct “ASDC” to read “ASC”.

13. On page 59413, second column, after the second full paragraph, add the following paragraphs before the section titled, “D. ASC Payment for Covered Surgical Procedures and Covered Ancillary Services”:  
“2. Covered Ancillary Services

Consistent with the established ASC payment system policy, in the CY 2018 OPPS/ASC proposed rule (82 FR 33662) we proposed to update the ASC list of covered ancillary services to reflect the payment status for the services under the CY 2018 OPPS. We noted that

maintaining consistency with the OPPS may result in proposed changes to ASC payment indicators for some covered ancillary services because of changes that are being finalized under the OPPS for CY 2018. For example, a covered ancillary service that was separately paid under the ASC payment system in CY 2017 may be proposed for packaged status under the CY 2018 OPPS and, therefore, also under the ASC payment system for CY 2018.

To maintain consistency with the OPPS, we proposed to continue this reconciliation of packaged status for the ASC payment system for CY 2018. Comment indicator “CH,” discussed in section XII.F. of the proposed rule, was used in Addendum BB to the proposed rule (which is available via the internet on the CMS website) to indicate covered ancillary services for which we proposed a change in the ASC payment indicator to reflect a proposed change in the OPPS treatment of the service for CY 2018.

We included all ASC covered ancillary services and their proposed payment indicators for CY 2018 in Addendum BB to the proposed rule. We invited public comments on this proposal.

We did not receive any public comments on these proposals. Therefore, we are finalizing, without modification, our proposal to update the ASC list of covered ancillary services to reflect the payment status for the services under the OPPS. All CY 2018 ASC covered ancillary services and their final payment indicators are included in Addendum BB to this final rule (which is available via the internet on the CMS website).”

14. On page 59422, first column, first partial paragraph, in line 1, correct “44.663” to read “44.674”.

15. On page 59482, third column, second partial paragraph, in line 43, correct “270” to read “247”.

16. On page 59483, first column, third partial paragraph, in line 29, correct “\$199” to read “\$169”.

17. On page 59486,  
a. First column, first full paragraph, in line 16, correct “0.5” to read “0.6”.

b. Third column, first full paragraph, in line 6, correct “1.2” to read “1.3”.

18. On page 59487 through 59488, Table 88—Estimated Impact of the CY 2018 Changes for the Hospital Outpatient Prospective Payment System, is corrected to read as follows:

TABLE 88—ESTIMATED IMPACT OF THE CY 2018 CHANGES FOR THE HOSPITAL OUTPATIENT PROSPECTIVE PAYMENT SYSTEM

|                       | Number of hospitals | APC recalibration (all changes) | New wage index and provider adjustments | 340B adjustment | All budget neutral changes (combined cols 2–4) with market basket update | All changes |
|-----------------------|---------------------|---------------------------------|---|-----------------|--|-------------|
|                       | (1)                 | (2)                             | (3)                                     | (4)             | (5)  | (6)         |
| ALL PROVIDERS * ..... | 3,878               | 0.0                             | 0.0                                     | 0.0             | 1.3  | 1.4         |

TABLE 88—ESTIMATED IMPACT OF THE CY 2018 CHANGES FOR THE HOSPITAL OUTPATIENT PROSPECTIVE PAYMENT SYSTEM—Continued

|  | Number of hospitals | APC recalibration (all changes) | New wage index and provider adjustments | 340B adjustment | All budget neutral changes (combined cols 2–4) with market basket update | All changes |
|--|---------------------|---------------------------------|---|-----------------|--|-------------|
|  | (1)                 | (2)                             | (3)                                     | (4)             | (5)  | (6)         |
| ALL HOSPITALS (excludes hospitals held harmless and CMHCs) ..... | 3,765               | 0.0                             | 0.1                                     | -0.1            | 1.4  | 1.5         |
| URBAN HOSPITALS .....  | 2,951               | 0.1                             | 0.1                                     | -0.3            | 1.3  | 1.3         |
| LARGE URBAN (GT 1 MILL.) .....                                   | 1,589               | 0.1                             | 0.0                                     | -0.2            | 1.2  | 1.3         |
| OTHER URBAN (LE 1 MILL.) .....                                   | 1,362               | 0.0                             | 0.2                                     | -0.3            | 1.3  | 1.4         |
| RURAL HOSPITALS .....  | 814                 | -0.3                            | 0.0                                     | 1.4             | 2.5  | 2.7         |
| SOLE COMMUNITY .....   | 372                 | -0.2                            | 0.1                                     | 2.6             | 3.9  | 4.0         |
| OTHER RURAL .....  | 442                 | -0.4                            | -0.2                                    | 0.0             | 0.8  | 0.9         |
| BEDS (URBAN):  |                     |                                 |   |                 |  |             |
| 0-99 BEDS .....  | 1,021               | 0.0                             | 0.0                                     | 1.9             | 3.3  | 3.4         |
| 100-199 BEDS .....   | 850                 | 0.0                             | 0.2                                     | 1.2             | 2.8  | 2.9         |
| 200-299 BEDS .....   | 468                 | 0.1                             | 0.1                                     | 0.5             | 2.0  | 2.1         |
| 300-499 BEDS .....   | 399                 | 0.1                             | 0.0                                     | -0.4            | 1.1  | 1.2         |
| 500 + BEDS .....   | 213                 | 0.0                             | 0.1                                     | -2.2            | -0.7   | -0.6        |
| BEDS (RURAL):  |                     |                                 |   |                 |  |             |
| 0-49 BEDS .....  | 333                 | -0.6                            | -0.2                                    | 2.1             | 2.7  | 2.9         |
| 50-100 BEDS .....  | 297                 | -0.2                            | -0.2                                    | 1.9             | 2.8  | 3.0         |
| 101-149 BEDS .....   | 97                  | -0.3                            | 0.1                                     | 1.1             | 2.3  | 2.4         |
| 150-199 BEDS .....   | 49                  | -0.2                            | 0.1                                     | 0.7             | 2.0  | 2.1         |
| 200 + BEDS .....   | 38                  | -0.3                            | 0.4                                     | 0.8             | 2.4  | 2.5         |
| REGION (URBAN):  |                     |                                 |   |                 |  |             |
| NEW ENGLAND .....  | 144                 | 0.2                             | 0.4                                     | -0.2            | 1.7  | 1.8         |
| MIDDLE ATLANTIC .....  | 348                 | 0.1                             | -0.2                                    | -0.1            | 1.2  | 1.3         |
| SOUTH ATLANTIC .....   | 463                 | 0.0                             | 0.3                                     | -0.4            | 1.3  | 1.4         |
| EAST NORTH CENT .....  | 471                 | 0.0                             | 0.1                                     | -0.2            | 1.3  | 1.4         |
| EAST SOUTH CENT .....  | 178                 | -0.1                            | -0.1                                    | -1.6            | -0.4   | -0.3        |
| WEST NORTH CENT .....  | 191                 | 0.1                             | 0.5                                     | -0.6            | 1.4  | 1.5         |
| WEST SOUTH CENT .....  | 513                 | 0.0                             | 0.3                                     | 0.9             | 2.5  | 2.6         |
| MOUNTAIN .....   | 211                 | 0.3                             | -0.9                                    | -0.2            | 0.5  | 0.7         |
| PACIFIC .....  | 383                 | 0.1                             | 0.0                                     | -0.6            | 0.8  | 0.9         |
| PUERTO RICO .....  | 49                  | -0.4                            | 0.2                                     | 2.9             | 4.1  | 4.2         |
| REGION (RURAL):  |                     |                                 |   |                 |  |             |
| NEW ENGLAND .....  | 21                  | 0.1                             | 1.5                                     | 1.2             | 4.2  | 4.2         |
| MIDDLE ATLANTIC .....  | 53                  | -0.1                            | -0.5                                    | 1.8             | 2.5  | 2.7         |
| SOUTH ATLANTIC .....   | 124                 | -0.4                            | -0.6                                    | 0.7             | 1.1  | 1.2         |
| EAST NORTH CENT .....  | 122                 | -0.2                            | 0.0                                     | 1.5             | 2.7  | 2.8         |
| EAST SOUTH CENT .....  | 155                 | -0.6                            | -0.1                                    | 0.0             | 0.7  | 0.8         |
| WEST NORTH CENT .....  | 98                  | -0.1                            | 0.2                                     | 2.4             | 3.9  | 4.1         |
| WEST SOUTH CENT .....  | 161                 | -0.7                            | 0.3                                     | 2.6             | 3.6  | 3.7         |
| MOUNTAIN .....   | 56                  | 0.0                             | -0.3                                    | 1.9             | 2.9  | 3.3         |
| PACIFIC .....  | 24                  | -0.2                            | 0.1                                     | 1.7             | 3.0  | 3.0         |
| TEACHING STATUS:   |                     |                                 |   |                 |  |             |
| NON-TEACHING .....   | 2,655               | -0.1                            | 0.1                                     | 1.3             | 2.8  | 2.9         |
| MINOR .....  | 761                 | 0.1                             | 0.1                                     | 0.1             | 1.6  | 1.7         |
| MAJOR .....  | 349                 | 0.1                             | 0.0                                     | -2.4            | -1.0   | -0.9        |
| DSH PATIENT PERCENT:   |                     |                                 |   |                 |  |             |
| 0 .....  | 10                  | 0.0                             | 0.2                                     | 3.2             | 4.8  | 4.9         |
| GT 0-0.10 .....  | 272                 | 0.2                             | -0.1                                    | 2.8             | 4.4  | 4.5         |
| 0.10-0.16 .....  | 263                 | 0.2                             | 0.0                                     | 2.7             | 4.3  | 4.4         |
| 0.16-0.23 .....  | 572                 | 0.1                             | 0.3                                     | 2.6             | 4.4  | 4.5         |
| 0.23-0.35 .....  | 1132                | 0.0                             | 0.1                                     | -0.4            | 1.0  | 1.2         |
| GE 0.35 .....  | 935                 | 0.0                             | 0.0                                     | -2.2            | -0.9   | -0.8        |
| DSH NOT AVAILABLE ** .....                                       | 581                 | -2.0                            | 0.1                                     | 2.0             | 1.4  | 1.6         |
| URBAN TEACHING/DSH:  |                     |                                 |   |                 |  |             |
| TEACHING & DSH .....   | 1,002               | 0.1                             | 0.0                                     | -1.1            | 0.3  | 0.4         |
| NO TEACHING/DSH .....  | 1,386               | 0.1                             | 0.2                                     | 1.3             | 2.9  | 3.0         |
| NO TEACHING/NO DSH .....   | 10                  | 0.0                             | 0.2                                     | 3.2             | 4.8  | 4.9         |
| DSH NOT AVAILABLE2 .....   | 553                 | -1.9                            | 0.1                                     | 1.9             | 1.4  | 1.6         |
| TYPE OF OWNERSHIP:   |                     |                                 |   |                 |  |             |
| VOLUNTARY .....  | 1,979               | 0.0                             | 0.0                                     | -0.3            | 1.2  | 1.3         |
| PROPRIETARY .....  | 1,293               | 0.1                             | 0.1                                     | 2.7             | 4.3  | 4.5         |
| GOVERNMENT .....   | 493                 | -0.1                            | 0.2                                     | -1.6            | -0.1   | 0.0         |

TABLE 88—ESTIMATED IMPACT OF THE CY 2018 CHANGES FOR THE HOSPITAL OUTPATIENT PROSPECTIVE PAYMENT SYSTEM—Continued

|             | Number of hospitals<br>(1) | APC recalibration (all changes)<br>(2) | New wage index and provider adjustments<br>(3) | 340B adjustment<br>(4) | All budget neutral changes (combined cols 2–4) with market basket update<br>(5) | All changes<br>(6) |
|-------------|----------------------------|--|--|------------------------|---|--------------------|
| CMHCs ..... | 49                         | 12.5                                   | 0.2  | 3.2                    | 17.8  | 17.9               |

Column (1) shows total hospitals and/or CMHCs.

Column (2) includes all final CY 2018 OPPS policies and compares those to the CY 2017 OPPS.

Column (3) shows the budget neutral impact of updating the wage index by applying the FY 2018 hospital inpatient wage index, including all hold harmless policies and transitional wages. The rural adjustment continues our current policy of 7.1 percent so the budget neutrality factor is 1. The budget neutrality adjustment for the cancer hospital adjustment is 1.0008 because the target payment-to-cost ratio changes from 0.91 in CY 2017 to 0.89 in CY 2018 and is further reduced by 1 percentage point to 0.88 in accordance with the 21st Century Cures Act. However, this reduction does not affect the budget neutrality adjustment consistent with statute.

Column (4) shows the impact of the 340B drug payment reductions and the corresponding increase in non-drug payments.

Column (5) shows the impact of all budget neutrality adjustments and the addition of the 1.35 percent OPD fee schedule update factor (2.7 percent reduced by 0.6 percentage points for the productivity adjustment and further reduced by 0.75 percentage point as required by law).

Column (6) shows the additional adjustments to the conversion factor resulting from the frontier adjustment, a change in the pass-through estimate, and adding estimated outlier payments.

These 3,878 providers include children and cancer hospitals, which are held harmless to pre-BBA amounts, and CMHCs.

\*\* Complete DSH numbers are not available for providers that are not paid under IPPS, including rehabilitation, psychiatric, and long-term care hospitals.

19. On page 59488, bottom third of the page,

a. Second column, first partial paragraph, in line 6, correct “17.2” to read “17.9”.

b. Third column, first partial paragraph, in line 10, correct “17.2” to read “17.9”.

Dated: December 20, 2017.

**Ann C. Agnew,**

*Executive Secretary to the Department, Department of Health and Human Services.*

[FR Doc. 2017–27949 Filed 12–22–17; 4:15 pm]

BILLING CODE 4120–01–P

**DEPARTMENT OF COMMERCE**

**National Oceanic and Atmospheric Administration**

**50 CFR Part 679**

[Docket No. 161020985–7181–02]

RIN 0648–XF908

**Fisheries of the Exclusive Economic Zone Off Alaska; Reallocation of Pacific Cod in the Bering Sea and Aleutian Islands Management Area**

**AGENCY:** National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

**ACTION:** Temporary rule; reallocation.

**SUMMARY:** NMFS is reallocating the projected unused amount of Pacific cod from catcher vessels equal to or greater than 60 feet (18.3 meters) length overall (LOA) using pot gear to catcher/

processors (C/Ps) using pot gear, catcher vessels less than 60 feet (18.3 meters) LOA using hook-and-line or pot gear, and C/Ps using hook-and-line gear in the Bering Sea and Aleutian Islands management area. This action is necessary to allow the 2017 total allowable catch of Pacific cod to be harvested.

**DATES:** Effective December 21, 2017, through 2400 hours, Alaska local time (A.l.t.), December 31, 2017.

**FOR FURTHER INFORMATION CONTACT:** Josh Keaton, 907–586–7228.

**SUPPLEMENTARY INFORMATION:** NMFS manages the groundfish fishery in the Bering Sea and Aleutian Islands (BSAI) according to the Fishery Management Plan for Groundfish of the Bering Sea and Aleutian Islands Management Area (FMP) prepared by the North Pacific Fishery Management Council under authority of the Magnuson-Stevens Fishery Conservation and Management Act. Regulations governing fishing by U.S. vessels in accordance with the FMP appear at subpart H of 50 CFR part 600 and 50 CFR part 679.

The 2017 Pacific cod total allowable catch (TAC) specified for catcher vessels greater than or equal to 60 feet LOA using pot gear in the BSAI is 15,389 metric tons (mt) as established by the final 2017 and 2018 harvest specifications for groundfish in the BSAI (82 FR 11826, February 27, 2017) and reallocation (82 FR 47162, October 11, 2017).

The Administrator, Alaska Region, NMFS, (Regional Administrator) has determined that catcher vessels greater

than or equal to 60 feet LOA using pot gear will not be able to harvest 1,500 mt of the remaining 2017 Pacific cod TAC allocated to those vessels under § 679.20(a)(7)(ii)(A)(5). Therefore, in accordance with § 679.20(a)(7)(iii), taking into account the capabilities of the sectors to harvest reallocated amounts of Pacific cod, and following the hierarchies set forth in § 679.20(a)(7)(iii)(A) and § 679.20(a)(7)(iii)(B), NMFS reallocates 155 mt of Pacific cod to C/Ps using pot gear, 200 mt to catcher vessels less than 60 feet (18.3 m) LOA using hook-and-line or pot gear, and 1,145 mt to C/Ps using hook-and-line gear.

The harvest specifications for Pacific cod included in the final 2017 harvest specifications for groundfish in the BSAI (82 FR 11826, February 27, 2017) and reallocations (FR 57162, December 4, 2017; 82 FR 43503, September 18, 2017; 82 FR 41899, September 5, 2017; and 82 FR 8905, February 1, 2017; 82) are revised as follows: 13,889 mt for catcher vessels greater than or equal to 60 feet (18.3 m) LOA using pot gear, 4,999 mt for C/Ps using pot gear, 9,271 mt for catcher vessels less than 60 feet (18.3 m) LOA using hook-and-line or pot gear, and 107,589 mt for C/Ps using hook-and-line gear.

**Classification**

This action responds to the best available information recently obtained from the fishery. The Assistant Administrator for Fisheries, NOAA (AA), finds good cause to waive the requirement to provide prior notice and