

practices regulation (21 CFR 10.115). The guidance represents the current thinking of FDA on The Index of Legally Marketed Unapproved New Animal Drugs for Minor Species. It does not establish any rights for any person and is not binding on FDA or the public. You can use an alternative approach if it satisfies the requirements of the applicable statutes and regulations. This guidance is not subject to Executive Order 12866.

### III. Paperwork Reduction Act of 1995

This draft guidance refers to previously approved collections of information found in FDA regulations. These collections of information are subject to review by the Office of Management and Budget (OMB) under the Paperwork Reduction Act of 1995 (44 U.S.C. 3501–3520). The collections of information in 21 CFR 516.119 through 516.165 have been approved under OMB control number 0910–0620.

### IV. Electronic Access

Persons with access to the internet may obtain the guidance at either <https://www.fda.gov/AnimalVeterinary/GuidanceComplianceEnforcement/GuidanceforIndustry/default.htm> or <https://www.regulations.gov>.

Dated: April 23, 2018.

**Leslie Kux,**

*Associate Commissioner for Policy.*

[FR Doc. 2018–08926 Filed 4–26–18; 8:45 am]

**BILLING CODE 4164–01–P**

## DEPARTMENT OF HEALTH AND HUMAN SERVICES

### Food and Drug Administration

[Docket No. FDA–2018–D–1339]

#### Multiple Function Device Products: Policy and Considerations; Draft Guidance for Industry and Food and Drug Administration Staff; Availability

**AGENCY:** Food and Drug Administration, HHS.

**ACTION:** Notice of availability.

**SUMMARY:** The Food and Drug Administration (FDA or Agency) is announcing the availability of the draft guidance entitled “Multiple Function Device Products: Policy and Considerations.” This draft guidance provides FDA’s regulatory approach for products with multiple functions, including at least one device function, in accordance with the 21st Century Cures Act (Cures Act). This draft guidance is not final nor is it in effect at this time.

**DATES:** Submit either electronic or written comments on the draft guidance by June 26, 2018 to ensure that the Agency considers your comment on this draft guidance before it begins work on the final version of the guidance.

**ADDRESSES:** You may submit comments on any guidance at any time as follows:

#### *Electronic Submissions*

Submit electronic comments in the following way:

- *Federal eRulemaking Portal:* <https://www.regulations.gov>. Follow the instructions for submitting comments. Comments submitted electronically, including attachments, to <https://www.regulations.gov> will be posted to the docket unchanged. Because your comment will be made public, you are solely responsible for ensuring that your comment does not include any confidential information that you or a third party may not wish to be posted, such as medical information, your or anyone else’s Social Security number, or confidential business information, such as a manufacturing process. Please note that if you include your name, contact information, or other information that identifies you in the body of your comments, that information will be posted on <https://www.regulations.gov>.

- If you want to submit a comment with confidential information that you do not wish to be made available to the public, submit the comment as a written/paper submission and in the manner detailed (see “Written/Paper Submissions” and “Instructions”).

#### *Written/Paper Submissions*

Submit written/paper submissions as follows:

- *Mail/Hand delivery/Courier (for written/paper submissions):* Dockets Management Staff (HFA–305), Food and Drug Administration, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.

- For written/paper comments submitted to the Dockets Management Staff, FDA will post your comment, as well as any attachments, except for information submitted, marked and identified, as confidential, if submitted as detailed in “Instructions.”

*Instructions:* All submissions received must include the Docket No. FDA–2018–D–1339 for “Multiple Function Device Products: Policy and Considerations; Draft Guidance for Industry and Food and Drug Administration Staff; Availability.” Received comments will be placed in the docket and, except for those submitted as “Confidential Submissions,” publicly viewable at <https://www.regulations.gov> or at the Dockets Management Staff between 9

a.m. and 4 p.m., Monday through Friday.

- **Confidential Submissions—**To submit a comment with confidential information that you do not wish to be made publicly available, submit your comments only as a written/paper submission. You should submit two copies total. One copy will include the information you claim to be confidential with a heading or cover note that states “THIS DOCUMENT CONTAINS CONFIDENTIAL INFORMATION.” The Agency will review this copy, including the claimed confidential information, in its consideration of comments. The second copy, which will have the claimed confidential information redacted/blacked out, will be available for public viewing and posted on <https://www.regulations.gov>. Submit both copies to the Dockets Management Staff. If you do not wish your name and contact information to be made publicly available, you can provide this information on the cover sheet and not in the body of your comments and you must identify this information as “confidential.” Any information marked as “confidential” will not be disclosed except in accordance with 21 CFR 10.20 and other applicable disclosure law. For more information about FDA’s posting of comments to public dockets, see 80 FR 56469, September 18, 2015, or access the information at: <https://www.gpo.gov/fdsys/pkg/FR-2015-09-18/pdf/2015-23389.pdf>.

*Docket:* For access to the docket to read background documents or the electronic and written/paper comments received, go to <https://www.regulations.gov> and insert the docket number, found in brackets in the heading of this document, into the “Search” box and follow the prompts and/or go to the Dockets Management Staff, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.

You may submit comments on any guidance at any time (see 21 CFR 10.115(g)(5)).

An electronic copy of the guidance document is available for download from the internet. See the **SUPPLEMENTARY INFORMATION** section for information on electronic access to the guidance. Submit written requests for a single hard copy of the draft guidance document entitled “Multiple Function Device Products: Policy and Considerations” to the Office of the Center Director, Guidance and Policy Development, Center for Devices and Radiological Health, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 66, Rm. 5431, Silver Spring, MD 20993–0002, or the Office of Communication, Outreach, and

Development, Center for Biologics Evaluation and Research, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 71, Rm. 3128, Silver Spring, MD 20993-0002. Send one self-addressed adhesive label to assist that office in processing your request.

**FOR FURTHER INFORMATION CONTACT:** Bakul Patel, Center for Devices and Radiological Health, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 66, Rm. 5458, Silver Spring, MD 20993-0002, 301-796-5528; or Stephen Ripley, Center for Biologics Evaluation and Research, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 71, Rm. 7301, Silver Spring, MD 20993-0002, 240-402-7911.

**SUPPLEMENTARY INFORMATION:**

**I. Background**

On December 13, 2016, the Cures Act was signed into law. Section 3060(a) of this legislation entitled “Clarifying Medical Software Regulation” amended the Federal Food, Drug, and Cosmetic Act (FD&C Act) to add section 520(o) (21 U.S.C. 360j(o)), which describes software functions that are excluded from the definition of the term device in section 201(h) of the FD&C Act (21 U.S.C. 321(h)). In addition, section

520(o)(2) of the FD&C Act describes the regulation and assessment of a software product with multiple functions, including at least one device function and at least one software function that is not a device. In this draft guidance, FDA provides its current thinking on the regulation of products with multiple functions with at least one device function. Although section 520(o)(2) of the FD&C Act applies to the regulation of software products containing at least one device function and at least one non-device function, FDA believes the same principles apply to all multiple function products that contain at least one device function.

**II. Significance of Guidance**

This draft guidance is being issued consistent with FDA’s good guidance practices regulation (21 CFR 10.115). The draft guidance, when finalized, will represent the current thinking of FDA on “Multiple Function Device Products: Policy and Considerations.” It does not establish any rights for any person and is not binding on FDA or the public. You can use an alternative approach if it satisfies the requirements of the applicable statutes and regulations. This guidance is not subject to Executive Order 12866.

**III. Electronic Access**

Persons interested in obtaining a copy of the draft guidance may do so by downloading an electronic copy from the internet. A search capability for all Center for Devices and Radiological Health guidance documents is available at <https://www.fda.gov/MedicalDevices/DeviceRegulationandGuidance/GuidanceDocuments/default.htm>. This guidance document is also available at <https://www.fda.gov/BiologicsBloodVaccines/GuidanceComplianceRegulatoryInformation/default.htm> or <https://www.regulations.gov>. Persons unable to download an electronic copy of “Multiple Function Device Products: Policy and Considerations” may send an email request to [CDRH-Guidance@fda.hhs.gov](mailto:CDRH-Guidance@fda.hhs.gov) to receive an electronic copy of the document. Please use the document number 17038 to identify the guidance you are requesting.

**IV. Paperwork Reduction Act of 1995**

This guidance refers to previously approved collections of information. These collections of information are subject to review by the Office of Management and Budget (OMB) under the Paperwork Reduction Act of 1995 (44 U.S.C. 3501-3520). The collections of information have been approved by OMB as follows:

The collections of information in this 21 CFR part or guidance document:	Regarding this topic:	Have been approved under OMB control No.:
803 .....	Medical device reporting .....	0910-0437
807, subparts A-D .....	Registration and listing .....	0910-0625
807, subpart E .....	Premarket notification .....	0910-0120
812 .....	Investigational device exemption .....	0910-0078
814, subparts A-E .....	Premarket approval applications .....	0910-0231
814, subpart H .....	Humanitarian use devices .....	0910-0332
820 .....	Current good manufacturing practice and the quality system regulation.	0910-0073
601 .....	Biologics license applications .....	0910-0338
“User Fees for 513(g) Requests for Information” and “FDA and Industry Procedures for Section 513(g) Requests for Information under the Federal Food, Drug, and Cosmetic Act”.	513(g) requests .....	0910-0705
“Requests for Feedback on Medical Device Submissions: The Pre-Submission Program and Meetings with Food and Drug Administration Staff”.	Q-submissions and presubmissions ...	0910-0756
“De Novo Classification Process (Evaluation of Automatic Class III Designation)”.	De Novo requests .....	0910-0844

Dated: April 23, 2018.  
**Leslie Kux,**  
*Associate Commissioner for Policy.*  
 [FR Doc. 2018-08858 Filed 4-26-18; 8:45 am]  
**BILLING CODE 4164-01-P**

**DEPARTMENT OF HEALTH AND HUMAN SERVICES**

**Food and Drug Administration**

[Docket No. FDA-2011-D-0586]

**Clinical Trial Imaging Endpoint Process Standards; Guidance for Industry; Availability**

**AGENCY:** Food and Drug Administration, HHS.

**ACTION:** Notice of availability.

**SUMMARY:** The Food and Drug Administration (FDA or Agency) is announcing the availability of a guidance for industry entitled “Clinical Trial Imaging Endpoint Process Standards.” This guidance assists sponsors in optimizing the quality of imaging data obtained in clinical trials intended to support approval of drugs and biological products. This guidance