

CBPL No.	ASTM method	Title
27-03 .....	D4006	Standard Test Method for Water in Crude Oil by Distillation.
27-04 .....	D95	Standard Test Method for Water in Petroleum Products and Bituminous Materials by Distillation.
27-06 .....	D473	Standard Test Method for Sediment in Crude Oils and Fuel Oils by the Extraction Method.
27-11 .....	D445	Standard Test Method for Kinematic Viscosity of Transparent and Opaque Liquids (and Calculation of Dynamic Viscosity).
27-13 .....	D4294	Standard Test Method for Sulfur in Petroleum and Petroleum Products by Energy-Dispersive X-ray Fluorescence Spectrometry.
27-14 .....	D2622	Standard Test Method for Sulfur in Petroleum Products by Wavelength Dispersive X-Ray Fluorescence Spectrometry.
27-46 .....	D5002	Standard Test Method for density and relative density of crude oils by digital densitometer.
27-48 .....	D4052	Standard Test Method for Density and Relative Density of Liquids by Digital Density Meter.
N/A .....	D4007	Standard Test Method for water and sediment in crude oils by the Centrifuge Method.

Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquiries regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to [cbp.labhq@dhs.gov](mailto:cbp.labhq@dhs.gov). Please reference the website listed below for a complete listing of CBP approved gaugers and accredited laboratories: <http://www.cbp.gov/about/labs-scientific/commercial-gaugers-and-laboratories>.

Dated: February 13, 2019.

**Patricia Hawes Coleman,**

*Acting Executive Director, Laboratories and Scientific Services Directorate.*

[FR Doc. 2019-03113 Filed 2-21-19; 8:45 am]

**BILLING CODE 9111-14-P**

**DEPARTMENT OF HOMELAND SECURITY**

**U.S. Customs and Border Protection**

**Accreditation and Approval of Camin Cargo Control, Inc. (Corpus Christi, TX), as a Commercial Gauger and Laboratory**

**AGENCY:** U.S. Customs and Border Protection, Department of Homeland Security.

**ACTION:** Notice of accreditation and approval of Camin Cargo Control, Inc., as a commercial gauger and laboratory.

**SUMMARY:** Notice is hereby given, pursuant to CBP regulations, that Camin Cargo Control, Inc. (Corpus Christi, TX), has been approved to gauge and accredited to test petroleum and certain petroleum products for customs purposes for the next three years as of August 8, 2018.

**DATES:** Effective—Camin Cargo Control, Inc., was accredited and approved as a commercial gauger and laboratory as of August 8, 2018. The next triennial inspection date will be scheduled for August 2021.

**FOR FURTHER INFORMATION CONTACT:** Mr. Stephen Cassata, Laboratories and Scientific Services Directorate, U.S. Customs and Border Protection, 1300

Pennsylvania Avenue NW, Suite 1500N, Washington, DC 20229, tel. 202-344-1060.

**SUPPLEMENTARY INFORMATION:** Notice is hereby given pursuant to 19 CFR 151.12 and 19 CFR 151.13, that Camin Cargo Control, Inc., 218 Centaurus St., Corpus Christi, TX 78405, has been approved to gauge and accredited to test petroleum and certain petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.12 and 19 CFR 151.13. Camin Cargo Control, Inc., is approved for the following gauging procedures for petroleum and certain petroleum products set forth by the American Petroleum Institute (API):

API chapters	Title
3 .....	Tank Gauging.
7 .....	Temperature Determination.
8 .....	Sampling.
12 .....	Calculations.
17 .....	Maritime Measurements.

Camin Cargo Control, Inc., is accredited for the following laboratory analysis procedures and methods for petroleum and certain petroleum products set forth by the U.S. Customs and Border Protection Laboratory Methods (CBPL) and American Society for Testing and Materials (ASTM):

CBPL No.	ASTM method	Title
27-01 .....	D287	Standard Test Method for API Gravity of Crude Petroleum and Petroleum Products (Hydrometer Method).
27-02 .....	D1298	Standard Test Method for Density, Relative Density (Specific Gravity), or API Gravity of Crude Petroleum and Liquid Petroleum Products by Hydrometer Method.
27-03 .....	D4006	Standard Test Method for Water in Crude Oil by Distillation.
27-04 .....	D95	Standard Test Method for Water in Petroleum Products and Bituminous Materials by Distillation.
27-06 .....	D473	Standard Test Method for Sediment in Crude Oils and Fuel Oils by the Extraction Method.
27-08 .....	D86	Standard Test Method for Distillation of Petroleum Products.
27-11 .....	D445	Standard Test Method for Kinematic Viscosity of Transparent and Opaque Liquids (and Calculation of Dynamic Viscosity).
27-13 .....	D4294	Standard Test Method for Sulfur in Petroleum and Petroleum Products by Energy-Dispersive X-ray Fluorescence Spectrometry.
27-14 .....	D2622	Standard Test Method for Sulfur in Petroleum Products by Wavelength Dispersive X-Ray Fluorescence Spectrometry.
27-48 .....	D4052	Standard Test Method for Density and Relative Density of Liquids by Digital Density Meter.
27-54 .....	D1796	Standard Test Method for Water and Sediment in Crude Oil by Centrifuge Method (Laboratory Procedure).

Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquiries regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to [cbp.labhq@dhs.gov](mailto:cbp.labhq@dhs.gov). Please reference the website listed below for the current CBP Approved Gaugers and Accredited Laboratories List: <http://www.cbp.gov/about/labs-scientific/commercial-gaugers-and-laboratories>.

Date: February 13, 2019.

**Patricia Hawes Coleman,**

*Acting Executive Director, Laboratories and Scientific Services Directorate.*

[FR Doc. 2019-03119 Filed 2-21-19; 8:45 am]

**BILLING CODE 9111-14-P**

**DEPARTMENT OF HOMELAND SECURITY**

**Federal Emergency Management Agency**

[Docket ID FEMA-2019-0002]

**Changes in Flood Hazard Determinations**

**AGENCY:** Federal Emergency Management Agency, DHS.

**ACTION:** Notice.

**SUMMARY:** New or modified Base (1-percent annual chance) Flood Elevations (BFEs), base flood depths, Special Flood Hazard Area (SFHA) boundaries or zone designations, and/or regulatory floodways (hereinafter referred to as flood hazard determinations) as shown on the indicated Letter of Map Revision

(LOMR) for each of the communities listed in the table below are finalized. Each LOMR revises the Flood Insurance Rate Maps (FIRMs), and in some cases the Flood Insurance Study (FIS) reports, currently in effect for the listed communities. The flood hazard determinations modified by each LOMR will be used to calculate flood insurance premium rates for new buildings and their contents.

**DATES:** Each LOMR was finalized as in the table below.

**ADDRESSES:** Each LOMR is available for inspection at both the respective Community Map Repository address listed in the table below and online through the FEMA Map Service Center at <https://msc.fema.gov>.

**FOR FURTHER INFORMATION CONTACT:** Rick Sacbibit, Chief, Engineering Services Branch, Federal Insurance and Mitigation Administration, FEMA, 400 C Street SW, Washington, DC 20472, (202) 646-7659, or (email) [patrick.sacbibit@fema.dhs.gov](mailto:patrick.sacbibit@fema.dhs.gov); or visit the FEMA Map Information eXchange (FMIX) online at [https://www.floodmaps.fema.gov/fhm/fmx\\_main.html](https://www.floodmaps.fema.gov/fhm/fmx_main.html).

**SUPPLEMENTARY INFORMATION:** The Federal Emergency Management Agency (FEMA) makes the final flood hazard determinations as shown in the LOMRs for each community listed in the table below. Notice of these modified flood hazard determinations has been published in newspapers of local circulation and 90 days have elapsed since that publication. The Deputy Associate Administrator for Insurance and Mitigation has resolved any appeals resulting from this notification.

The modified flood hazard determinations are made pursuant to section 206 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4105, and are in accordance with the National Flood Insurance Act of 1968, 42 U.S.C. 4001 *et seq.*, and with 44 CFR part 65.

For rating purposes, the currently effective community number is shown and must be used for all new policies and renewals.

The new or modified flood hazard information is the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to remain qualified for participation in the National Flood Insurance Program (NFIP).

This new or modified flood hazard information, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own or pursuant to policies established by other Federal, State, or regional entities.

This new or modified flood hazard determinations are used to meet the floodplain management requirements of the NFIP and are used to calculate the appropriate flood insurance premium rates for new buildings, and for the contents in those buildings. The changes in flood hazard determinations are in accordance with 44 CFR 65.4.

Interested lessees and owners of real property are encouraged to review the final flood hazard information available at the address cited below for each community or online through the FEMA Map Service Center at <https://msc.fema.gov>.

(Catalog of Federal Domestic Assistance No. 97.022, "Flood Insurance.")

**Michael M. Grimm,**

*Assistant Administrator for Risk Management, Department of Homeland Security, Federal Emergency Management Agency.*

State and county	Location and case No.	Chief executive officer of community	Community map repository	Date of modification	Community No.
<b>Alabama:</b>					
Madison (FEMA Docket No.: B-1848).	City of Madison (17-04-4981P).	The Honorable Paul Finley, Mayor, City of Madison, 100 Hughes Road, Madison, AL 35758.	Engineering Department, 100 Hughes Road, Madison, AL 35758.	Nov. 8, 2018 .....	010308
Morgan (FEMA Docket No.: B-1852).	City of Decatur (18-04-5607P).	The Honorable Tab Bowling, Mayor, City of Decatur, P.O. Box 488, Decatur, AL 35602.	Building Department, 402 Lee Street Northeast, 4th Floor, Decatur, AL 35601.	Dec. 7, 2018 .....	010176
Morgan (FEMA Docket No.: B-1852).	City of Decatur (18-04-5608P).	The Honorable Tab Bowling, Mayor, City of Decatur, P.O. Box 488, Decatur, AL 35602.	Building Department, 402 Lee Street Northeast, 4th Floor, Decatur, AL 35601.	Dec. 7, 2018 .....	010176
Morgan (FEMA Docket No.: B-1852).	Unincorporated areas of Morgan County (18-04-5608P).	The Honorable Ray Long, Chairman, Morgan County Commission, P.O. Box 668, Decatur, AL 35602.	Morgan County Engineering Department, 580 Shull Road Northeast, Hartselle, AL 35640.	Dec. 7, 2018 .....	010175
Shelby (FEMA Docket No.: B-1855).	City of Helena (18-04-3885P).	The Honorable Mark R. Hall, Mayor, City of Helena, 816 Highway 52 East, Helena, AL 35080.	City Hall, 816 Highway 52 East, Helena, AL 35080.	Dec. 10, 2018 .....	010294