is ''Within 30 months after May 16, 2016 (the effective date of AD 2016–07–22).''

(3) Where paragraph (3) of EASA AD 2019– 0014 specifies a date of "06 September 2016," for this AD, use "May 16, 2016 (the effective date of AD 2016–07–22)."

(4) For Group 1 and 3 airplanes: This paragraph provides credit for actions required by paragraph (1) of EASA AD 2019– 0014, if those actions were performed before the effective date of this AD using Airbus Service Bulletin A300–24–6103, Revision 03, dated July 3, 2015, provided that the additional work specified in paragraphs (6) and (7) of EASA AD 2019–0014 is accomplished.

(5) The "Remarks" section of EASA AD 2019–0014 does not apply to this AD.

(i) Other FAA AD Provisions

The following provisions also apply to this AD:

(1) Alternative Methods of Compliance (AMOCs): The Manager, International Section, Transport Standards Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or local Flight Standards District Office, as appropriate. If sending information directly to the International Section, send it to the attention of the person identified in paragraph (j)(2) of this AD. Information may be emailed to: 9-ANM-116-AMOC-REQUESTS@faa.gov. Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the local flight standards district office/certificate holding district office.

(2) Contacting the Manufacturer: For any requirement in this AD to obtain instructions from a manufacturer, the instructions must be accomplished using a method approved by the Manager, International Section, Transport Standards Branch, FAA; or EASA; or Airbus SAS's EASA Design Organization Approval (DOA). If approved by the DOA, the approval must include the DOAauthorized signature.

(3) Required for Compliance (RC): For any service information referenced in EASA AD 2019-0014 that contains RC procedures and tests: Except as required by paragraph (i)(2) of this AD, RC procedures and tests must be done to comply with this AD; any procedures or tests that are not identified as RC are recommended. Those procedures and tests that are not identified as RC may be deviated from using accepted methods in accordance with the operator's maintenance or inspection program without obtaining approval of an AMOC, provided the procedures and tests identified as RC can be done and the airplane can be put back in an airworthy condition. Any substitutions or changes to procedures or tests identified as RC require approval of an AMOC.

(j) Related Information

(1) For information about EASA AD 2019– 0014, contact EASA, Konrad-Adenauer-Ufer 3, 50668 Cologne, Germany; telephone +49 221 89990 6017; email *ADs@easa.europa.eu;* Internet *www.easa.europa.eu.* You may find this EASA AD on the EASA website at *https://ad.easa.europa.eu*. You may view this EASA AD at the FAA, Transport Standards Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206–231–3195. EASA AD 2019–0014 may be found in the AD docket on the internet at *http://www.regulations.gov* by searching for and locating Docket No. FAA–2019–0253.

(2) For more information about this AD, contact Dan Rodina, Aerospace Engineer, International Section, Transport Standards Branch, FAA, 2200 South 216th St., Des Moines, WA 98198; telephone and fax 206–231–3225.

Issued in Des Moines, Washington, on April 25, 2019.

Michael Kaszycki,

Acting Director, System Oversight Division, Aircraft Certification Service. [FR Doc. 2019–09266 Filed 5–6–19; 8:45 am] BILLING CODE 4910–13–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA-2019-0255; Product Identifier 2019-NM-018-AD]

RIN 2120-AA64

Airworthiness Directives; Airbus SAS Airplanes

AGENCY: Federal Aviation Administration (FAA), DOT. **ACTION:** Notice of proposed rulemaking (NPRM).

SUMMARY: We propose to adopt a new airworthiness directive (AD) for all Airbus SAS Model A330–200 Freighter series airplanes. This proposed AD was prompted by reports of cracked flexible hoses of the oxygen crew and courier distribution system (OCCDS) on A330 freighter airplanes. This proposed AD would require repetitive detailed inspections, including functional testing, of the OCCDS and replacement of affected part(s) if necessary, as specified in an European Aviation Safety Agency (EASA) AD, which will be incorporated by reference. We are proposing this AD to address the unsafe condition on these products.

DATES: We must receive comments on this proposed AD by June 21, 2019.

ADDRESSES: You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

 Federal eRulemaking Portal: Go to http://www.regulations.gov. Follow the instructions for submitting comments.
Fax: 202–493–2251. • *Mail*: U.S. Department of Transportation, Docket Operations, M– 30, West Building Ground Floor, Room W12–140, 1200 New Jersey Avenue SE, Washington, DC 20590.

• *Hand Delivery:* Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

For the incorporation by reference (IBR) material described in the ''Related IBR material under 1 CFR part 51' section in SUPPLEMENTARY INFORMATION, contact EASA, Konrad-Adenauer-Ufer 3, 50668 Cologne, Germany; telephone +49 221 89990 1000; email ADs@ easa.europa.eu; internet *www.easa.europa.eu*. You may find this IBR material on the EASA website at https://ad.easa.europa.eu. You may view this IBR material at the FAA, Transport Standards Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206–231–3195. It is also available in the AD docket on the internet at http:// www.regulations.gov.

Examining the AD Docket

You may examine the AD docket on the internet at *http:// www.regulations.gov* by searching for and locating Docket No. FAA–2019– 0255; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this NPRM, the regulatory evaluation, any comments received, and other information. The street address for Docket Operations (telephone 800–647–5527) is in the **ADDRESSES** section. Comments will be available in the AD docket shortly after receipt.

FOR FURTHER INFORMATION CONTACT:

Vladimir Ulyanov, Aerospace Engineer, International Section, Transport Standards Branch, FAA, 2200 South 216th St., Des Moines, WA 98198; telephone and fax 206–231–3229.

SUPPLEMENTARY INFORMATION:

Comments Invited

We invite you to send any written relevant data, views, or arguments about this proposal. Send your comments to an address listed under the **ADDRESSES** section. Include "Docket No. FAA– 2019–0255; Product Identifier 2019– NM–018–AD" at the beginning of your comments. We specifically invite comments on the overall regulatory, economic, environmental, and energy aspects of this NPRM. We will consider all comments received by the closing date and may amend this NPRM based on those comments. We will post all comments we receive, without change, to *http:// www.regulations.gov*, including any personal information you provide. We will also post a report summarizing each substantive verbal contact we receive about this NPRM.

Discussion

The EASA, which is the Technical Agent for the Member States of the European Union, has issued EASA AD 2019–0027, dated February 4, 2019 ("EASA AD 2019–0027") (also referred to as the Mandatory Continuing Airworthiness Information, or "the MCAI"), to correct an unsafe condition for all Airbus SAS Model A330–200 Freighter series airplanes. The MCAI states:

Several occurrences were reported of finding cracked flexible hoses [part number] P/N 32209-series of the OCCDS on A330 freighter aeroplanes. These flexible hoses are steel braided hoses with polyurethane (PUR) inner tubes and steel inner springs. On A330 freighter aeroplanes, these hoses are located in the courier area and are not pressurized during normal operation.

This condition, if not detected and corrected, could lead to oxygen leakage in the flexible hose of the OCCDS, which, in combination with in-flight depressurization, smoke in cockpit or smoke evacuation procedure, could possibly result in cockpit crew injury and reduced control of the aeroplane.

To address this potential unsafe condition, Airbus issued the SB [service bulletin] to provide inspection instructions. For the reasons described above, this [EASA] AD requires repetitive detailed inspections (DET), including functional testing, of the OCCDS and, depending on findings, replacement of affected part(s).

Related IBR Material Under 1 CFR Part 51

EASA AD 2019–0027 describes procedures for repetitive inspections and replacement of OCCDS flexible hoses. This material is reasonably available because the interested parties have access to it through their normal course of business or by the means identified in the **ADDRESSES** section, and it is publicly available through the EASA website.

FAA's Determination and Requirements of This Proposed AD

This product has been approved by the aviation authority of another country, and is approved for operation in the United States. Pursuant to our bilateral agreement with the State of Design Authority, we have been notified of the unsafe condition described in the MCAI referenced above. We are proposing this AD because we evaluated all pertinent information and determined an unsafe condition exists and is likely to exist or develop on other products of the same type design.

Proposed Requirements of This NPRM

This proposed AD would require accomplishing the actions specified in EASA AD 2019–0027 described

ESTIMATED COSTS FOR REQUIRED ACTIONS

previously, as incorporated by reference, except for any differences identified as exceptions in the regulatory text of this AD.

Explanation of Required Compliance Information

In the FAA's ongoing efforts to improve the efficiency of the AD process, the FAA worked with Airbus and EASA to develop a process to use certain EASA ADs as the primary source of information for compliance with requirements for corresponding FAA ADs. As a result, EASA AD 2019-0027 will be incorporated by reference in the FAA final rule. This proposed AD would, therefore, require compliance with the provisions specified in EASA AD 2019-0027, except for any differences identified as exceptions in the regulatory text of this proposed AD. Service information specified in EASA AD 2019-0027 that is required for compliance with EASA AD 2019-0027 will be available on the internet at http://www.regulations.gov by searching for and locating Docket No. FAA-2019-0255 after the FAA final rule is published.

Costs of Compliance

We estimate that this proposed AD affects 5 airplanes of U.S. registry. We estimate the following costs to comply with this proposed AD:

Labor cost	Parts cost	Cost per product	Cost on U.S. operators
14 work-hours × \$85 per hour = \$1,190	\$0	\$1,190	\$5,950

According to the manufacturer, some or all of the costs of this proposed AD may be covered under warranty, thereby reducing the cost impact on affected individuals. We do not control warranty coverage for affected individuals. As a result, we have included all known costs in our cost estimate.

Authority for This Rulemaking

Title 49 of the United States Code specifies the FAA's authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. Subtitle VII: Aviation Programs, describes in more detail the scope of the Agency's authority.

We are issuing this rulemaking under the authority described in Subtitle VII, Part A, Subpart III, Section 44701: "General requirements." Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

This proposed AD is issued in accordance with authority delegated by the Executive Director, Aircraft Certification Service, as authorized by FAA Order 8000.51C. In accordance with that order, issuance of ADs is normally a function of the Compliance and Airworthiness Division, but during this transition period, the Executive Director has delegated the authority to issue ADs applicable to transport category airplanes and associated appliances to the Director of the System Oversight Division.

Regulatory Findings

We determined that this proposed AD would not have federalism implications under Executive Order 13132. This proposed AD would not have a substantial direct effect on the States, on the relationship between the national Government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify this proposed regulation:

1. Is not a "significant regulatory action" under Executive Order 12866;

2. Is not a "significant rule" under the DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979); 3. Will not affect intrastate aviation in Alaska; and

4. Will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

The Proposed Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA proposes to amend 14 CFR part 39 as follows:

PART 39—AIRWORTHINESS DIRECTIVES

■ 1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§39.13 [Amended]

■ 2. The FAA amends § 39.13 by adding the following new airworthiness directive (AD):

Airbus SAS: Docket No. FAA–2019–0255; Product Identifier 2019–NM–018–AD.

(a) Comments Due Date

We must receive comments by June 21, 2019.

(b) Affected ADs

None.

(c) Applicability

This AD applies to all Airbus SAS Model A330–223F and -243F airplanes, certificated in any category.

(d) Subject

Air Transport Association (ATA) of America Code 35, Oxygen.

(e) Reason

This AD was prompted by reports of cracked flexible hoses of the oxygen crew and courier distribution system (OCCDS) on A330 freighter airplanes. We are issuing this AD to address cracked oxygen hoses. This condition, if not addressed, could lead to oxygen leakage in the flexible hose of the OCCDS, which, in combination with in-flight depressurization, smoke in the flight deck, or a smoke evacuation procedure, could result in crew injury and reduced control of the airplane.

(f) Compliance

Comply with this AD within the compliance times specified, unless already done.

(g) Requirements

Except as specified in paragraph (h) of this AD: Comply with all required actions and compliance times specified in, and in accordance with, European Aviation Safety Agency (EASA) AD 2019–0027, dated February 4, 2019 ("EASA AD 2019–0027").

(h) Exceptions to EASA AD 2019-0027

(1) For purposes of determining compliance with the requirements of this AD: Where EASA AD 2019–0027 refers to its effective date, this AD requires using the effective date of this AD.

(2) The "Remarks" section of EASA AD 2019–0027 does not apply to this AD.

(i) Other FAA AD Provisions

The following provisions also apply to this AD:

(1) Alternative Methods of Compliance (AMOCs): The Manager, International Section, Transport Standards Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or local Flight Standards District Office, as appropriate. If sending information directly to the International Section, send it to the attention of the person identified in paragraph (j)(2) of this AD. Information may be emailed to: 9-ANM-116-AMOC REQUESTS@faa.gov. Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the local flight standards district office/certificate holding district office.

(2) Contacting the Manufacturer: For any requirement in this AD to obtain instructions from a manufacturer, the instructions must be accomplished using a method approved by the Manager, International Section, Transport Standards Branch, FAA; or EASA; or Airbus SAS's EASA Design Organization Approval (DOA). If approved by the DOA, the approval must include the DOAauthorized signature.

(3) Required for Compliance (RC): For any service information referenced in EASA AD 2019-0027 that contains RC procedures and tests: Except as required by paragraph (i)(2) of this AD, RC procedures and tests must be done to comply with this AD; any procedures or tests that are not identified as RC are recommended. Those procedures and tests that are not identified as RC may be deviated from using accepted methods in accordance with the operator's maintenance or inspection program without obtaining approval of an AMOC, provided the procedures and tests identified as RC can be done and the airplane can be put back in an airworthy condition. Any substitutions or changes to procedures or tests identified as RC require approval of an AMOC.

(j) Related Information

(1) For information about EASA AD 2019– 0027, contact EASA, Konrad-Adenauer-Ufer 3, 50668 Cologne, Germany; telephone +49 221 89990 6017; email *ADs@easa.europa.eu*; Internet *www.easa.europa.eu*. You may find this EASA AD on the EASA website at *https://ad.easa.europa.eu*. You may view this EASA AD at the FAA, Transport Standards Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206–231–3195. EASA AD 2019–0027 may be found in the AD docket on the internet at *http://* *www.regulations.gov* by searching for and locating Docket No. FAA–2019–0255.

(2) For more information about this AD, contact Vladimir Ulyanov, Aerospace Engineer, International Section, Transport Standards Branch, FAA, 2200 South 216th St., Des Moines, WA 98198; telephone and fax 206–231–3229.

Issued in Des Moines, Washington, on April 25, 2019.

Michael Kaszycki,

Acting Director, System Oversight Division, Aircraft Certification Service.

[FR Doc. 2019–09257 Filed 5–6–19; 8:45 am]

BILLING CODE 4910-13-P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 52 and 81

[EPA-HQ-OAR-2018-0226; FRL-9993-32-Region 3]

National Ambient Air Quality Standards: Determinations of Attainment, Extensions of the Attainment Date, and Reclassification of Several Areas Classified as Moderate for the 2008 Ozone Standards; Supplemental Proposal; Baltimore, Maryland Area Exceptional Events

AGENCY: Environmental Protection Agency (EPA).

ACTION: Proposed rule; reopening of comment period; availability of supplemental information.

SUMMARY: On November 14, 2018, the Environmental Protection Agency (EPA) proposed several actions related to the attainment date for 11 areas classified as "Moderate" for the 2008 ozone National Ambient Air Quality Standards (NAAQS), including proposing to determine that the Baltimore, Maryland nonattainment area (Baltimore Area) attained the standard by the July 20, 2018 attainment date. Under the statute, EPA must determine whether ozone nonattainment areas attained the NAAOS by the attainment date, and, within six months of the attainment date, publish a document in the Federal Register identifying each area that is determined as having failed to attain and identifying the reclassification. EPA is re-opening the comment period for the proposed rule published on November 14, 2018, but only with respect to EPA's proposed determination for the Baltimore Area, because EPA erroneously omitted documents related to the State of Maryland's exceptional events (EE) demonstration related to the 2016 Canadian wildfires, and in the proposal