

testing ENDS devices and e-liquids (including pods or cartridges).

II. Description of ENDS Device and E-Liquid Manufacturer Site Tours Program

In the ENDS Device and E-Liquid Manufacturer Site Tours Program, CTP staff will observe the operations of ENDS device and e-liquid manufacturers, including the development, manufacturing, and testing of ENDS devices and e-liquids. The site tours in this program are not intended as regulatory inspections; rather, the program is meant to educate CTP staff and improve their understanding of ENDS devices and e-liquids. It is anticipated that the site tours will take place in 2020.

III. Site Selection

CTP hopes to be able to tour the facilities of different size manufacturers of ENDS devices, as well as facilities that develop or manufacture e-liquids (including pods and cartridges). This includes laboratories that test e-liquids or aerosols. Final site selections will be based on the availability of funds and resources for the relevant fiscal year as well as the desire to visit a wide variety of ENDS device and e-liquid manufacturers. FDA plans on visiting five or fewer ENDS device or e-liquid manufacturers. All travel expenses associated with the ENDS Device and E-Liquid Manufacturer site tours will be the responsibility of FDA.

IV. Requests for Participation

To aid in site selection, your request for participation should include the following information:

- A description of your company, including the size of the organization;
- A list of the ENDS devices and e-liquids your company develops or manufactures, including whether the company performs e-liquid and aerosol testing;
- The name and contact information (including address, phone number, and email) of your point of contact for the request;
- The physical address(es) of the site(s) for which you are submitting a request; and
- A proposed 1-day agenda that will aid with planning travel, indicating start and end times and provides addresses of all sites during the tour.

Identify requests for participation with the docket number found in brackets in the heading of this document. Received requests are available for public examination in the Dockets Management Staff (see

ADDRESSES) between 9 a.m. and 4 p.m., Monday through Friday.

Dated: May 20, 2019.

Lowell J. Schiller,

Principal Associate Commissioner for Policy.

[FR Doc. 2019-10898 Filed 5-23-19; 8:45 am]

BILLING CODE 4164-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket No. FDA-2017-E-5055]

Determination of Regulatory Review Period for Purposes of Patent Extension; EDWARDS INTUITY ELITE AORTIC VALVE

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice.

SUMMARY: The Food and Drug Administration (FDA or the Agency) has determined the regulatory review period for EDWARDS INTUITY ELITE AORTIC VALVE and is publishing this notice of that determination as required by law. FDA has made the determination because of the submission of an application to the Director of the U.S. Patent and Trademark Office (USPTO), Department of Commerce, for the extension of a patent which claims that medical device.

DATES: Anyone with knowledge that any of the dates as published (in the **SUPPLEMENTARY INFORMATION** section) are incorrect may submit either electronic or written comments and ask for a redetermination by July 23, 2019. Furthermore, any interested person may petition FDA for a determination regarding whether the applicant for extension acted with due diligence during the regulatory review period by November 20, 2019. See "Petitions" in the **SUPPLEMENTARY INFORMATION** section for more information.

ADDRESSES: You may submit comments as follows. Please note that late, untimely filed comments will not be considered. Electronic comments must be submitted on or before July 23, 2019. The <https://www.regulations.gov> electronic filing system will accept comments until 11:59 p.m. Eastern Time at the end of November 20, 2019. Comments received by mail/hand delivery/courier (for written/paper submissions) will be considered timely if they are postmarked or the delivery service acceptance receipt is on or before that date.

Electronic Submissions

Submit electronic comments in the following way:

- **Federal eRulemaking Portal:** <https://www.regulations.gov>. Follow the instructions for submitting comments. Comments submitted electronically, including attachments, to <https://www.regulations.gov> will be posted to the docket unchanged. Because your comment will be made public, you are solely responsible for ensuring that your comment does not include any confidential information that you or a third party may not wish to be posted, such as medical information, your or anyone else's Social Security number, or confidential business information, such as a manufacturing process. Please note that if you include your name, contact information, or other information that identifies you in the body of your comments, that information will be posted on <https://www.regulations.gov>.

- If you want to submit a comment with confidential information that you do not wish to be made available to the public, submit the comment as a written/paper submission and in the manner detailed (see "Written/Paper Submissions" and "Instructions").

Written/Paper Submissions

Submit written/paper submissions as follows:

- **Mail/Hand delivery/Courier (for written/paper submissions):** Dockets Management Staff (HFA-305), Food and Drug Administration, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.
- For written/paper comments submitted to the Dockets Management Staff, FDA will post your comment, as well as any attachments, except for information submitted, marked and identified, as confidential, if submitted as detailed in "Instructions."

Instructions: All submissions received must include the Docket No. FDA-2017-E-5055 for "Determination of Regulatory Review Period for Purposes of Patent Extension; EDWARDS INTUITY ELITE AORTIC VALVE." Received comments, those filed in a timely manner (see **ADDRESSES**), will be placed in the docket and, except for those submitted as "Confidential Submissions," publicly viewable at <https://www.regulations.gov> or at the Dockets Management Staff between 9 a.m. and 4 p.m., Monday through Friday.

- **Confidential Submissions—**To submit a comment with confidential information that you do not wish to be made publicly available, submit your comments only as a written/paper submission. You should submit two

copies total. One copy will include the information you claim to be confidential with a heading or cover note that states "THIS DOCUMENT CONTAINS CONFIDENTIAL INFORMATION." The Agency will review this copy, including the claimed confidential information, in its consideration of comments. The second copy, which will have the claimed confidential information redacted/blacked out, will be available for public viewing and posted on <https://www.regulations.gov>. Submit both copies to the Dockets Management Staff. If you do not wish your name and contact information to be made publicly available, you can provide this information on the cover sheet and not in the body of your comments and you must identify this information as "confidential." Any information marked as "confidential" will not be disclosed except in accordance with 21 CFR 10.20 and other applicable disclosure law. For more information about FDA's posting of comments to public dockets, see 80 FR 56469, September 18, 2015, or access the information at: <https://www.gpo.gov/fdsys/pkg/FR-2015-09-18/pdf/2015-23389.pdf>.

Docket: For access to the docket to read background documents or the electronic and written/paper comments received, go to <https://www.regulations.gov> and insert the docket number, found in brackets in the heading of this document, into the "Search" box and follow the prompts and/or go to the Dockets Management Staff, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.

FOR FURTHER INFORMATION CONTACT: Beverly Friedman, Office of Regulatory Policy, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 51, Rm. 6250, Silver Spring, MD 20993, 301-796-3600.

SUPPLEMENTARY INFORMATION:

I. Background

The Drug Price Competition and Patent Term Restoration Act of 1984 (Pub. L. 98-417) and the Generic Animal Drug and Patent Term Restoration Act (Pub. L. 100-670) generally provide that a patent may be extended for a period of up to 5 years so long as the patented item (human drug product, animal drug product, medical device, food additive, or color additive) was subject to regulatory review by FDA before the item was marketed. Under these acts, a product's regulatory review period forms the basis for determining the amount of extension an applicant may receive.

A regulatory review period consists of two periods of time: A testing phase and

an approval phase. For medical devices, the testing phase begins with a clinical investigation of the device and runs until the approval phase begins. The approval phase starts with the initial submission of an application to market the device and continues until permission to market the device is granted. Although only a portion of a regulatory review period may count toward the actual amount of extension that the Director of USPTO may award (half the testing phase must be subtracted as well as any time that may have occurred before the patent was issued), FDA's determination of the length of a regulatory review period for a medical device will include all of the testing phase and approval phase as specified in 35 U.S.C. 156(g)(3)(B).

FDA has approved for marketing the medical device EDWARDS INTUITY ELITE AORTIC VALVE. EDWARDS INTUITY ELITE AORTIC VALVE is indicated for the replacement of diseased, damaged, or malfunctioning native or prosthetic aortic valves. Subsequent to this approval, the USPTO received a patent term restoration application for EDWARDS INTUITY ELITE AORTIC VALVE (U.S. Patent No. 8,911,493) from Edwards Lifesciences Corp., and the USPTO requested FDA's assistance in determining this patent's eligibility for patent term restoration. In a letter dated February 6, 2018, FDA advised the USPTO that this medical device had undergone a regulatory review period and that the approval of EDWARDS INTUITY ELITE AORTIC VALVE represented the first permitted commercial marketing or use of the product. Thereafter, the USPTO requested that FDA determine the product's regulatory review period.

II. Determination of Regulatory Review Period

FDA has determined that the applicable regulatory review period for EDWARDS INTUITY ELITE AORTIC VALVE is 1,508 days. Of this time, 1,203 days occurred during the testing phase of the regulatory review period, while 305 days occurred during the approval phase. These periods of time were derived from the following dates:

1. *The date an exemption under section 520(g) of the Federal Food, Drug, and Cosmetic Act (FD&C Act) (21 U.S.C. 360j(g)) involving this device became effective:* June 28, 2012. FDA has verified the applicant's claim that the date the investigational device exemption (IDE) required under section 520(g) of the FD&C Act for human tests to begin became effective on June 28, 2012.

2. *The date an application was initially submitted with respect to the device under section 515 of the FD&C Act (21 U.S.C. 360e):* October 13, 2015. The applicant claims February 4, 2014, as the date the premarket approval application (PMA) EDWARDS INTUITY ELITE AORTIC VALVE (PMA P150036) was initially submitted. However, according to FDA records, the PMA submitted February 4, 2014, was incomplete, and PMA P150036 was not submitted as a complete PMA until October 13, 2015.

3. *The date the application was approved:* August 12, 2016. FDA has verified the applicant's claim that PMA P150036 was approved on August 12, 2016.

This determination of the regulatory review period establishes the maximum potential length of a patent extension. However, the USPTO applies several statutory limitations in its calculations of the actual period for patent extension. In its application for patent extension, this applicant seeks 605 days of patent term extension.

III. Petitions

Anyone with knowledge that any of the dates as published are incorrect may submit either electronic or written comments and, under 21 CFR 60.24, ask for a redetermination (see **DATES**). Furthermore, as specified in § 60.30 (21 CFR 60.30), any interested person may petition FDA for a determination regarding whether the applicant for extension acted with due diligence during the regulatory review period. To meet its burden, the petition must comply with all the requirements of § 60.30, including but not limited to: Must be timely (see **DATES**), must be filed in accordance with § 10.20, must contain sufficient facts to merit an FDA investigation, and must certify that a true and complete copy of the petition has been served upon the patent applicant. (See H. Rept. 857, part 1, 98th Cong., 2d sess., pp. 41-42, 1984.) Petitions should be in the format specified in 21 CFR 10.30.

Submit petitions electronically to <https://www.regulations.gov> at Docket No. FDA-2013-S-0610. Submit written petitions (two copies are required) to the Dockets Management Staff (HFA-305), Food and Drug Administration, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.

Dated: May 20, 2019.

Lowell J. Schiller,
Principal Associate Commissioner for Policy.
[FR Doc. 2019-10889 Filed 5-23-19; 8:45 am]

BILLING CODE 4164-01-P