

docket.oeca@epa.gov, or by mail to: EPA Docket Center, Environmental Protection Agency, Mail Code 28221T, 1200 Pennsylvania Ave. NW, Washington, DC 20460; and (2) OMB via email to oira_submission@omb.eop.gov. Address comments to OMB Desk Officer for EPA.

EPA's policy is that all comments received will be included in the public docket without change, including any personal information provided, unless the comment includes profanity, threats, information claimed to be Confidential Business Information (CBI), or other information whose disclosure is restricted by statute.

FOR FURTHER INFORMATION CONTACT:

Patrick Yellin, Monitoring, Assistance, and Media Programs Division, Office of Compliance, Mail Code 2227A, Environmental Protection Agency, 1200 Pennsylvania Ave. NW, Washington, DC 20460; telephone number: (202) 564-2970; fax number: (202) 564-0050; email address: yellin.patrick@epa.gov.

SUPPLEMENTARY INFORMATION:

Supporting documents, which explain in detail the information that the EPA will be collecting, are available in the public docket for this ICR. The docket can be viewed online at www.regulations.gov, or in person at the EPA Docket Center, WJC West, Room 3334, 1301 Constitution Ave. NW, Washington, DC. The telephone number for the Docket Center is 202-566-1744. For additional information about EPA's public docket, visit: <http://www.epa.gov/dockets>.

Abstract: The National Emission Standards for Hazardous Air Pollutants (NESHAP) for Off-Site Waste and Recovery Operations (OSWRO) apply to existing facilities and new facilities with organic hazardous air pollutant (HAP) emissions that are involved in waste management and recovery operations, and that are not subject to Federal air standards under other subparts in Part 63. In addition, Subpart DD cross-references control requirements to be applied to specific types of affected sources: Tanks level-1; containers; surface impoundments; individual drain systems; oil-water separators; organic water separators; and loading, transfer, and storage systems. New facilities include those that commenced either construction or reconstruction after the date of proposal.

This information is being collected to assure compliance with 40 CFR part 63, subpart DD. In general, all NESHAP standards require initial notification reports, performance tests, and periodic reports by the owners/operators of the affected facilities. They are also required

to maintain records of the occurrence and duration of any startup, shutdown, or malfunction in the operation of an affected facility, or any period during which the monitoring system is inoperative. These notifications, reports, and records are essential in determining compliance, and are required of all affected facilities subject to NESHAP.

Form Numbers: None.

Respondents/affected entities:

Facilities that are involved in waste management and recovery operations.

Respondent's obligation to respond:

Mandatory (40 CFR part 63).

Estimated number of respondents: 50 (total).

Frequency of response: Semiannually.

Total estimated burden: 47,800 hours (per year). Burden is defined at 5 CFR 1320.3(b).

Total estimated cost: \$6,420,000 (per year), which includes \$892,000 in annualized capital/startup and/or operation & maintenance costs.

Changes in the Estimates: There is an adjustment increase in the burden in this ICR compared to the previous ICR. The increase is based on an increase in the number of sources subject to the NESHAP. This also results in an increase in the operation and maintenance costs. This ICR also adjusts the capital and operation and maintenance costs for installing electronic indicators on PRDs on stationary sources per the rule amendments and final action on reconsideration (83 FR 3986, January 29, 2019).

Courtney Kerwin,

Director, Regulatory Support Division.

[FR Doc. 2019-25762 Filed 11-26-19; 8:45 am]

BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY

[EPA-HQ-OECA-2013-0341; FRL-10002-62-OMS]

Information Collection Request Submitted to OMB for Review and Approval; Comment Request; NESHAP for Plywood and Composite Products (Renewal)

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice.

SUMMARY: The Environmental Protection Agency (EPA) has submitted an information collection request (ICR), NESHAP for Plywood and Composite Products (EPA ICR Number 1984.08, OMB Control Number 2060-0552), to the Office of Management and Budget

(OMB) for review and approval in accordance with the Paperwork Reduction Act. This is a proposed extension of the ICR, which is currently approved through January 31, 2020. Public comments were previously requested, via the **Federal Register**, on May 6, 2019 during a 60-day comment period. This notice allows for an additional 30 days for public comments. A fuller description of the ICR is given below, including its estimated burden and cost to the public. An agency may neither conduct nor sponsor, and a person is not required to respond to a collection of information, unless it displays a currently valid OMB control number.

DATES: Additional comments may be submitted on or before December 27, 2019.

ADDRESSES: Submit your comments, referencing Docket ID Number EPA-HQ-OECA-2013-0341, to: (1) EPA online using www.regulations.gov (our preferred method), or by email to docket.oeca@epa.gov, or by mail to: EPA Docket Center, Environmental Protection Agency, Mail Code 28221T, 1200 Pennsylvania Ave. NW, Washington, DC 20460; and (2) OMB via email to oira_submission@omb.eop.gov. Address comments to OMB Desk Officer for EPA.

EPA's policy is that all comments received will be included in the public docket without change, including any personal information provided, unless the comment includes profanity, threats, information claimed to be Confidential Business Information (CBI), or other information whose disclosure is restricted by statute.

FOR FURTHER INFORMATION CONTACT:

Patrick Yellin, Monitoring, Assistance, and Media Programs Division, Office of Compliance, Mail Code 2227A, Environmental Protection Agency, 1200 Pennsylvania Ave. NW, Washington, DC 20460; telephone number: (202) 564-2970; fax number: (202) 564-0050; email address: yellin.patrick@epa.gov.

SUPPLEMENTARY INFORMATION:

Supporting documents, which explain in detail the information that the EPA will be collecting, are available in the public docket for this ICR. The docket can be viewed online at www.regulations.gov, or in person at the EPA Docket Center, WJC West, Room 3334, 1301 Constitution Ave. NW, Washington, DC. The telephone number for the Docket Center is 202-566-1744. For additional information about EPA's public docket, visit: <http://www.epa.gov/dockets>.

Abstract: The National Emission Standards for Hazardous Air Pollutants

(NESHAP) for Plywood and Composite Products (40 CFR part 63, subpart DDDD) apply to both new and existing plywood and composite wood products (PCWP) facilities that are a major source of hazardous air pollutants (HAP). A PCWP manufacturing facility is a major source of HAP emissions either in and of itself, or because it is located with other major sources of HAP. A PCWP manufacturing facility is a facility that manufactures plywood and/or composite wood products by bonding wood material (fibers, particles, strands, veneers, etc.) or agricultural fiber, generally with resin under heat and pressure, to form a structural panel or engineered wood product. Plywood and composite wood products manufacturing facilities also include facilities that manufacture dry veneer and lumber kilns located at any facility. Plywood and composite wood products include, but are not limited to, plywood, veneer, particleboard, oriented strandboard, hardboard, fiberboard, medium density fiberboard, laminated strand lumber, laminated veneer lumber, wood I-joists, kiln-dried lumber, and glue-laminated beams. New facilities include those that commenced construction, or reconstruction after January 9, 2003. This information is being collected to assure compliance with 40 CFR part 63, subpart DDDD.

In general, all NESHAP standards require initial notifications, performance tests, and periodic reports by the owners/operators of the affected facilities. They are also required to maintain records of the occurrence and duration of any startup, shutdown, or malfunction in the operation of an affected facility, or any period during which the monitoring system is inoperative. These notifications, reports, and records are essential in determining compliance, and are required of all affected facilities subject to NESHAP.

Form Numbers: None.

Respondents/affected entities:

Plywood and composite wood products (PCWP) facilities.

Respondent's obligation to respond: Mandatory (40 CFR part 63, subpart DDDD).

Estimated number of respondents: 244 (total).

Frequency of response: Initially, semiannually.

Total estimated burden: 29,900 hours (per year). Burden is defined at 5 CFR 1320.3(b).

Total estimated cost: \$3,550,000 (per year), which includes \$105,000 in annualized capital/startup and/or operation & maintenance costs.

Changes in the Estimates: There is an adjustment increase in the total

estimated burden as currently identified in the OMB Inventory of Approved Burdens. This increase is not due to any program changes. The adjustment increase in burden is due to several factors. The Agency developed a more accurate estimate of existing and anticipated new sources during the development of the proposed Risk and Technology Review for this subpart. The increase in the number of existing sources led to an increase in burden hours and costs for labor and operation and maintenance. The increase in the number of new sources led to an increase in burden hours and costs for labor, capital, performance testing, and operation and maintenance. New sources are required to purchase and install CMS, conduct performance testing, and send several notifications and reports to EPA. O&M costs for existing sources were updated to reflect more accurate costs for these O&M activities. Also, in the previous ICR, it was assumed that only 10% of sources kept daily records of continuous compliance and annual records of calibration of their CMS; we have corrected this assumption to reflect that 100% of PCWP facilities keep these records. The overall result is an increase in burden hours and costs.

Courtney Kerwin,

Director, Regulatory Support Division.

[FR Doc. 2019-25761 Filed 11-26-19; 8:45 am]

BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY

[EPA-OAR-2019-0631; FRL-10002-74-OAR]

Proposed Information Collection Request; Comment Request; Regional Haze Regulations (Renewal)

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice.

SUMMARY: The Environmental Protection Agency is planning to submit an information collection request (ICR), "Renewal of the ICR for the Regional Haze Regulations" (EPA ICR No. 2540.03, OMB Control No. 2060-0704) to the Office of Management and Budget (OMB) for review and approval in accordance with the Paperwork Reduction Act (PRA). Before doing so, the EPA is soliciting public comments on specific aspects of the proposed information collection as described below. This is a proposed extension of the ICR, which is currently approved through August 31, 2020. An Agency

may not conduct or sponsor and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number.

DATES: Comments must be submitted on or before January 27, 2020.

ADDRESSES: *Comments.* Submit your comments, identified by Docket ID No. EPA-HQ-OAR-2019-0631, at <http://www.regulations.gov>. Follow the online instructions for submitting comments. Once submitted, comments cannot be edited or removed from *Regulations.gov*. The EPA may publish any comment received to its public docket. Do not submit electronically any information you consider to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute. Multimedia submissions (audio, video, etc.) must be accompanied by a written comment. The written comment is considered the official comment and should include discussion of all points you wish to make. The EPA will generally not consider comments or comment contents located outside of the primary submission (e.g., on the Web, Cloud, or other file sharing system). For additional submission methods, the full EPA public comment policy, information about CBI or multimedia submissions, and general guidance on making effective comments, please visit <http://www2.epa.gov/dockets/commenting-epa-dockets>. Certain other material, such as copyrighted material, will not be placed on the internet but may be viewed, with prior arrangement, at the EPA Docket Center. Publicly available docket materials are available either electronically in <http://www.regulations.gov> or in hard copy at the Air and Radiation Docket and Information Center, EPA/DC, EPA William Jefferson Clinton West Building, Room 3334, 1301 Constitution Avenue NW, Washington, DC. The Public Reading Room is open from 8:30 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Public Reading Room is (202) 566-1744 and the telephone number for the Air and Radiation Docket and Information Center is (202) 566-1742. For additional information about the EPA's public docket, visit the EPA Docket Center homepage at: <http://www.epa.gov/epahome/dockets.htm>.

FOR FURTHER INFORMATION CONTACT:

Joseph Stein, Air Quality Policy Division, Office of Air Quality Planning and Standards, mail code C539-04, U.S. Environmental Protection Agency, Research Triangle Park, NC 27709;