

- Evaluate the accuracy of the agency's estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used.
- Enhance the quality, utility, and clarity of the information to be collected; and
- Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses.

*Agency:* DOL-ETA.

*Title of Collection:* Work Opportunity Tax Credit.

*OMB Control Number:* 1205-0371.

*Affected Public:* State, Local, and Tribal Governments, Private Sector, Individuals or Households.

*Total Estimated Number of Respondents:* 5,693,329.

*Total Estimated Number of Responses:* 13,527,028.

*Total Estimated Annual Time Burden:* 4,454,205 hours.

*Total Estimated Annual Other Costs Burden:* \$0.

*Authority:* 44 U.S.C. 3507(a)(1)(D).

Dated: January 23, 2020.

**Frederick Licari,**

*Departmental Clearance Officer.*

[FR Doc. 2020-01510 Filed 1-28-20; 8:45 am]

**BILLING CODE 4510-FN-P**

## DEPARTMENT OF LABOR

### Office of the Secretary

#### Agency Information Collection Activities; Submission for OMB Review; Comment Request; Special Dipping and Coating Operations

**ACTION:** Notice of availability; request for comments.

**SUMMARY:** The Department of Labor (DOL) is submitting the Occupational Safety and Health Administration (OSHA) sponsored information collection request (ICR) titled, "Special Dipping and Coating Operations," to the Office of Management and Budget (OMB) for review and approval for continued use, without change, in accordance with the Paperwork Reduction Act of 1995 (PRA). Public comments on the ICR are invited.

**DATES:** The OMB will consider all written comments that agency receives on or before February 28, 2020.

**ADDRESSES:** A copy of this ICR with applicable supporting documentation;

including a description of the likely respondents, proposed frequency of response, and estimated total burden may be obtained free of charge from the RegInfo.gov website at [http://www.reginfo.gov/public/do/PRAViewICR?ref\\_nbr=201912-1218-006](http://www.reginfo.gov/public/do/PRAViewICR?ref_nbr=201912-1218-006) (this link will only become active on the day following publication of this notice) or by contacting Frederick Licari by telephone at 202-693-8073, TTY 202-693-8064, (these are not toll-free numbers) or by email at [DOL\\_PRA\\_PUBLIC@dol.gov](mailto:DOL_PRA_PUBLIC@dol.gov).

Submit comments about this request by mail to the Office of Information and Regulatory Affairs, Attn: OMB Desk Officer for DOL-OSHA, Office of Management and Budget, Room 10235, 725 17th Street NW, Washington, DC 20503; by Fax: 202-395-5806 (this is not a toll-free number); or by email: [OIRA\\_submission@omb.eop.gov](mailto:OIRA_submission@omb.eop.gov). Commenters are encouraged, but not required, to send a courtesy copy of any comments by mail or courier to the U.S. Department of Labor-OASAM, Office of the Chief Information Officer, Attn: Departmental Information Compliance Management Program, Room N1301, 200 Constitution Avenue NW, Washington, DC 20210; or by email: [DOL\\_PRA\\_PUBLIC@dol.gov](mailto:DOL_PRA_PUBLIC@dol.gov).

**FOR FURTHER INFORMATION CONTACT:** Frederick Licari by telephone at 202-693-8073, TTY 202-693-8064, (these are not toll-free numbers) or by email at [DOL\\_PRA\\_PUBLIC@dol.gov](mailto:DOL_PRA_PUBLIC@dol.gov).

**SUPPLEMENTARY INFORMATION:** This ICR seeks to extend PRA authority for the Special Dipping and Coating Operations information collection. The Dipping and Coating Operations Standard (1910.126(g)(4)) requires employers to post a conspicuous sign near each piece of electrostatic detearing equipment that notifies employees of the minimum safe distance they must maintain between goods undergoing electrostatic detearing and the electrodes or conductors of the equipment used in the process. The Occupational Safety and Health Act sections 2(b)(9), 6, and 8(c) authorize this information collection. See 29 U.S.C. 651(b)(9), 655 and 657(c).

This information collection is subject to the PRA. A Federal agency generally cannot conduct or sponsor a collection of information, and the public is generally not required to respond to an information collection, unless the OMB under the PRA approves it and displays a currently valid OMB Control Number. In addition, notwithstanding any other provisions of law, no person shall generally be subject to penalty for failing to comply with a collection of information that does not display a

valid Control Number. See 5 CFR 1320.5(a) and 1320.6. The DOL obtains OMB approval for this information collection under Control Number 1218-0237.

OMB authorization for an ICR cannot be for more than three (3) years without renewal, and the current approval for this collection is scheduled to expire on January 31, 2020. The DOL seeks to extend PRA authorization for this information collection for three (3) more years, without any change to existing requirements. The DOL notes that existing information collection requirements submitted to the OMB receive a month-to-month extension while they undergo review. For additional substantive information about this ICR, see the related notice published in the **Federal Register** on November 8, 2019 (84 FR 60454).

Interested parties are encouraged to send comments to the OMB, Office of Information and Regulatory Affairs at the address shown in the **ADDRESSES** section within thirty-(30) days of publication of this notice in the **Federal Register**. In order to help ensure appropriate consideration, comments should mention OMB Control Number 1218-0237. The OMB is particularly interested in comments that:

- Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;

- Evaluate the accuracy of the agency's estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used.

- Enhance the quality, utility, and clarity of the information to be collected; and

- Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses.

*Agency:* DOL-OSHA.

*Title of Collection:* Special Dipping and Coating Operations.

*OMB Control Number:* 1218-0237.

*Affected Public:* Private Sector—businesses or other for-profits.

*Total Estimated Number of Respondents:* 10.

*Total Estimated Number of Responses:* 10.

*Total Estimated Annual Time Burden:* 1 hours.

*Total Estimated Annual Other Costs Burden:* \$0.

**Authority:** 44 U.S.C. 3507(a)(1)(D).

Dated: January 23, 2020.

**Frederick Licari,**

*Departmental Clearance Officer.*

[FR Doc. 2020-01511 Filed 1-28-20; 8:45 am]

**BILLING CODE 4510-26-P**

## NEIGHBORHOOD REINVESTMENT CORPORATION

### Sunshine Act Meetings; Audit Committee Meeting

**TIME AND DATE:** 3:00 p.m., Thursday, February 6, 2020.

**PLACE:** NeighborWorks America—Gramlich Boardroom, 999 North Capitol Street NE, Washington, DC 20002.

**STATUS:** Open (with the exception of Executive Session).

**MATTERS TO BE CONSIDERED:** The General Counsel of the Corporation has certified that in his opinion, one or more of the exemptions set forth in 5 U.S.C. 552(b)(2) and (4) permit closure of the following portion(s) of this meeting:

- Internal Audit Report

#### AGENDA:

- I. CALL TO ORDER
- II. FY 2019 External Audit Presentation
- III. Executive Session—CliftonLarsonAllen
- IV. Resolution to Approve the FY2019 External Audit
- V. FY2020 Risk Assessment & Internal Audit Plan
- VI. Internal Audit Reports with Management's Response
- VII. Internal Audit Status Reports
- VIII. Adjournment

**CONTACT PERSON FOR MORE INFORMATION:** Rutledge Simmons, EVP & General Counsel/Secretary, (202) 760-4105; [Rsimmons@nw.org](mailto:Rsimmons@nw.org).

**Rutledge Simmons,**

*EVP & General Counsel/Corporate Secretary.*

[FR Doc. 2020-01629 Filed 1-27-20; 11:15 am]

**BILLING CODE 7570-02-P**

## NUCLEAR REGULATORY COMMISSION

[Docket No. 50-333; NRC-2020-0028]

### Exelon Generation Company, LLC; James A. FitzPatrick Nuclear Power Plant; Adoption of TSTF-568

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** License amendment application; opportunity to comment, request a

hearing, and petition for leave to intervene.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) is considering issuance of an amendment to Renewed Facility Operating License No. DPR-59, issued to Exelon Generation Company, LLC, for operation of the James A. FitzPatrick Nuclear Power Plant (FitzPatrick). The amendment would adopt Technical Specifications Task Force (TSTF) Traveler TSTF-568, "Revise Applicability of BWR [Boiling Water Reactor]/4 TS [Technical Specification] 3.6.2.5 and TS 3.6.3.2." **DATES:** Submit comments by February 28, 2020. Requests for a hearing or petitions for leave to intervene must be filed by March 30, 2020.

**ADDRESSES:** You may submit comments by any of the following methods:

- *Federal Rulemaking Website:* Go to <https://www.regulations.gov> and search for Docket ID NRC-2020-0028. Address questions about NRC docket IDs in *Regulations.gov* to Jennifer Borges; telephone: 301-287-9127; email: [Jennifer.Borges@nrc.gov](mailto:Jennifer.Borges@nrc.gov). For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *Mail comments to:* Office of Administration, Mail Stop: TWFN-7-A60M, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, ATTN: Program Management, Announcements and Editing Staff.

For additional direction on obtaining information and submitting comments, see "Obtaining Information and Submitting Comments" in the **SUPPLEMENTARY INFORMATION** section of this document.

**FOR FURTHER INFORMATION CONTACT:** Samson Lee, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-415-3168; email: [Samson.Lee@nrc.gov](mailto:Samson.Lee@nrc.gov).

#### SUPPLEMENTARY INFORMATION:

### I. Obtaining Information and Submitting Comments

#### A. Obtaining Information

Please refer to Docket ID NRC-2020-0028 when contacting the NRC about the availability of information for this action. You may obtain publicly-available information related to this action by any of the following methods:

- *Federal Rulemaking Website:* Go to <https://www.regulations.gov> and search for Docket ID NRC-2020-0028.
- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly-available documents online in the

ADAMS Public Documents collection at <https://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). The license amendment request dated January 23, 2020, is available in ADAMS under Accession No. ML20023A362.

- *NRC's PDR:* You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

#### B. Submitting Comments

Please include Docket ID NRC-2020-0028 in your comment submission.

The NRC cautions you not to include identifying or contact information that you do not want to be publicly disclosed in your comment submission. The NRC will post all comment submissions at <https://www.regulations.gov> as well as enter the comment submissions into ADAMS. The NRC does not routinely edit comment submissions to remove identifying or contact information.

If you are requesting or aggregating comments from other persons for submission to the NRC, then you should inform those persons not to include identifying or contact information that they do not want to be publicly disclosed in their comment submission. Your request should state that the NRC does not routinely edit comment submissions to remove such information before making the comment submissions available to the public or entering the comment into ADAMS.

## II. Introduction

The NRC is considering the issuance of an amendment to Renewed Facility Operating License No. DPR-59, issued to Exelon Generation Company, LLC (the licensee), for operation of FitzPatrick, located in Oswego County, New York.

The proposed amendment would adopt TSTF-568, "Revise Applicability of BWR/4 TS 3.6.2.5 and TS 3.6.3.2" (ADAMS Package Accession No. ML19325C444). TSTF-568 revises the applicability and actions of TS 3.6.2.5, "Drywell-to-Suppression Chamber Differential Pressure," and TS 3.6.3.2, "Primary Containment Oxygen Concentration," and presents the requirements in a manner more consistent with the Standard Technical Specifications (STS) format and content. TSTF-568 extends the allowable time to 72 hours if a differential pressure is not