

in a timely manner; (3) the accuracy of the agency's estimates of the burden and cost of the collection of information, including the validity of the methodology and assumptions used; (4) ways to enhance the quality, utility and clarity of the information collection; and (5) ways to minimize the burden of the collection of information on those who are to respond, including the use of automated collection techniques or other forms of information technology.

FOR FURTHER INFORMATION CONTACT:

Crystal Rennie by telephone at 202-693-0456, or by email at DOL_PRA_PUBLIC@dol.gov.

SUPPLEMENTARY INFORMATION: Regulation 29 CFR 1910.217(h) regulates the use of Presence Sensing Devices (PSDs) in mechanical power-press safety systems. A PSD (*e.g.*, a photoelectric field or curtain) automatically stops the stroke of a mechanical power press when the device detects an operator entering a danger zone near the press. The PSD initiation standard contains a number of information collection requirements, including: Certifying brake monitor adjustments, alternatives to photoelectric PSDs, safety system design and installation, and worker training; annual recertification of safety systems; establishing and maintaining the original certification and validation records, as well as the most recent recertification and revalidation records; affixing labels to test rods and to certified and recertified presses; and notifying an OSHA-recognized third-party validation organization when a safety system component fails, the employer modifies the safety system, or a point-of-operation injury occurs. For additional substantive information about this ICR, see the related notice published in the **Federal Register** on April 9, 2020 (85 FR 19961).

This information collection is subject to the PRA. A Federal agency generally cannot conduct or sponsor a collection of information, and the public is generally not required to respond to an information collection, unless the OMB approves it and displays a currently valid OMB Control Number. In addition, notwithstanding any other provisions of law, no person shall generally be subject to penalty for failing to comply with a collection of information that does not display a valid OMB Control Number. See 5 CFR 1320.5(a) and 1320.6.

DOL seeks PRA authorization for this information collection for three (3) years. OMB authorization for an ICR cannot be for more than three (3) years without renewal. The DOL notes that information collection requirements submitted to the OMB for existing ICRs

receive a month-to-month extension while they undergo review.

Agency: DOL-OSHA.

Title of Collection: Presence Sensing Device Initiation (PSDI) Standard.

OMB Control Number: 1218-0143.

Affected Public: Private Sector—Business or other for-profit.

Total Estimated Number of Respondents: 10.

Total Estimated Number of Responses: 10.

Total Estimated Annual Time Burden: 1 hour.

Total Estimated Annual Other Costs Burden: \$0.

Authority: 44 U.S.C. 3507(a)(1)(D).

Crystal Rennie,

Acting Departmental Clearance Officer.

[FR Doc. 2020-13173 Filed 6-17-20; 8:45 am]

BILLING CODE 4510-26-P

DEPARTMENT OF LABOR

Occupational Safety and Health Administration

[Docket No. OSHA-2010-0048]

Standard on Powered Platforms for Building Maintenance; Extension of the Office of Management and Budget's (OMB) Approval of Information Collection (Paperwork) Requirements

AGENCY: Occupational Safety and Health Administration (OSHA), Labor.

ACTION: Request for public comments.

SUMMARY: OSHA solicits public comments concerning the proposal to extend OMB approval of the information collection requirements specified in the Standard on Powered Platforms for Building Maintenance.

DATES: Comments must be submitted (postmarked, sent, or received) by August 17, 2020.

ADDRESSES:

Electronically: You may submit comments and attachments electronically at <http://www.regulations.gov>, which is the Federal eRulemaking Portal. Follow the instructions online for submitting comments.

Facsimile: If your comments, including attachments, are not longer than 10 pages, you may fax them to the OSHA Docket Office at (202) 693-1648.

Mail, hand delivery, express mail, messenger, or courier service: When using this method, you must submit a copy of your comments and attachments to the OSHA Docket Office, OSHA Docket No. OSHA-2010-0048, U.S. Department of Labor, Occupational

Safety and Health Administration, Room N-3653, 200 Constitution Avenue NW, Washington, DC 20210. Deliveries (hand, express mail, messenger, and courier service) are accepted during the Docket Office's normal business hours, 10:00 a.m. to 3:00 p.m., ET.

Instructions: All submissions must include the agency name and OSHA docket number for the Information Collection Request (ICR) (OSHA-2010-0048). All comments, including any personal information you provide, such as social security numbers and dates of birth, are placed in the public docket without change, and may be made available online at <http://www.regulations.gov>. For further information on submitting comments see the "Public Participation" heading in the section of this notice titled

SUPPLEMENTARY INFORMATION.

Docket: To read or download comments or other material in the docket, go to <http://www.regulations.gov> or the OSHA Docket Office at the above address. All documents in the docket (including this **Federal Register** notice) are listed in the <http://www.regulations.gov> index; however, some information (*e.g.*, copyrighted material) is not publicly available to read or download through the website. All submissions, including copyrighted material, are available for inspection and copying at the OSHA Docket Office. You may also contact Theda Kenney at the below phone number to obtain a copy of the ICR.

FOR FURTHER INFORMATION CONTACT: Theda Kenney or Seleda Perryman, Directorate of Standards and Guidance, OSHA, U.S. Department of Labor; telephone (202) 693-2222.

SUPPLEMENTARY INFORMATION:

I. Background

The Department of Labor, as part of the continuing effort to reduce paperwork and respondent (*i.e.*, employer) burden, conducts a preclearance consultation program to provide the public with an opportunity to comment on proposed and continuing information collection requirements in accordance with the Paperwork Reduction Act of 1995 (44 U.S.C. 3506(c)(2)(A)). This program ensures that information is in the desired format, reporting burden (time and costs) is minimal, collection instruments are clearly understood, and OSHA's estimate of the information collection burden is accurate. The Occupational Safety and Health Act of 1970 (the OSH Act) (29 U.S.C. 651 *et seq.*) authorizes information collection by employers as necessary or

appropriate for enforcement of the OSH Act or for developing information regarding the causes and prevention of occupational injuries, illnesses, and accidents (29 U.S.C. 657). The OSH Act also requires that OSHA obtain such information with minimum burden upon employers, especially those operating small businesses, and to reduce to the maximum extent feasible unnecessary duplication of efforts in obtaining information (29 U.S.C. 657).

Paragraph (e)(9) of the Standard requires that employers develop and implement a written emergency action plan for each type of powered platform operation. The plan must explain the emergency procedures that workers are to follow if they encounter a disruption of the power supply, equipment failure, or other emergency. Prior to operating a powered platform, employers must notify workers how they can inform themselves about alarm systems and emergency escape routes, and emergency procedures that pertain to the building on which they will be working. Employers are to review with each worker those parts of the emergency action plan that the worker must know to ensure their protection during an emergency; these reviews must occur when the worker receives an initial assignment involving a powered platform operation and after the employer revises the emergency action plan.

According to paragraph (f)(5)(i)(C), employers must affix a load rating plate to a conspicuous location on each suspended unit that states the unit's weight and the rated load capacity. Paragraph (f)(5)(ii)(N) requires employers to mount each emergency electric operating device in a secured compartment and label the device with instructions for its use. After installing a suspension wire rope, paragraphs (f)(7)(vi) and (f)(7)(vii) mandate that employers attach a corrosion-resistant tag with specified information to one of the wire rope fastenings if the rope is to remain at one location. In addition, paragraph (f)(7)(viii) requires employers who resocket a wire rope to either stamp specified information on the original tag or put that information on a supplemental tag and attach it to the fastening.

Paragraphs (g)(2)(i) and (g)(2)(ii) require that building owners, at least annually, have a competent person: inspect the supporting structures of their buildings; inspect and, if necessary, test the components of the powered platforms, including control systems; inspect/test components subject to wear (e.g., wire ropes, bearings, gears, and governors); and

certify these inspections and tests. Under paragraph (g)(2)(iii), building owners must maintain and, on request, disclose to OSHA a written certification record of these inspections/tests; this record must include the date of the inspection/test, the signature of the competent person who performed it, and the number/identifier of the building support structure and equipment inspected/tested.

Paragraph (g)(3)(i) mandates that building owners use a competent person to inspect and, if necessary, test each powered platform facility according to the manufacturer's recommendations every 30 days, or prior to use if the work cycle is less than 30 days. Under paragraph (g)(3)(ii), building owners must maintain and, on request, disclose to the agency a written certification record of these inspections/tests; this record is to include the date of the inspection/test, the signature of the competent person who performed it, and the number/identifier of the powered platform facility inspected/tested.

According to paragraph (g)(5)(iii), building owners must use a competent person to thoroughly inspect suspension wire ropes for a number of specified conditions once a month, or before placing the wire ropes into service if the ropes are inactive for 30 days or longer. Paragraph (g)(5)(v) requires building owners to maintain and, on request, disclose to OSHA a written certification record of these monthly inspections; this record must consist of the date of the inspection, the signature of the competent person who performed it, and the number/identifier of the wire rope inspected.

Upon completion of this training, paragraph (i)(1)(v) specifies that employers must prepare a written certification that includes the identity of the worker trained, the signature of the employer or the trainer, and the date the worker completed the training. In addition, the employer must maintain a worker's training certificate for the duration of their employment and, on request, make it available to OSHA.

Emergency action plans allow employers and workers to anticipate, and effectively respond to, emergencies that may arise during powered platform operations. Affixing load rating plates to suspended units, instructions to emergency electric operating devices, and tags to wire rope fasteners prevent workplace accidents by providing information to employers and workers regarding the conditions under which they can safely operate these system components. Requiring building owners to establish and maintain written

certification of inspections and testing conducted on the supporting structures of buildings, powered platform systems, and suspension wire ropes provides employers and workers with assurance that they can operate safely from the buildings using equipment that is in safe operating condition.

The training requirements increase worker safety by allowing them to develop the skills and knowledge necessary to effectively operate, use, and inspect powered platforms, recognize and prevent safety hazards associated with platform operation, respond appropriately under emergency conditions, and maintain and use their fall protection arrest system. In addition, the paperwork requirements specified by the Standard provide the most efficient means for an OSHA compliance officer to determine whether or not employers and building owners are providing the required notification and certification.

II. Special Issues for Comment

OSHA has a particular interest in comments on the following issues:

- Whether the proposed information collection requirements are necessary for the proper performance of the agency's functions, including whether the information is useful;
- The accuracy of OSHA's estimate of the burden (time and costs) of the information collection requirements, including the validity of the methodology and assumptions used;
- The quality, utility, and clarity of the information collected; and
- Ways to minimize the burden on employers who must comply; for example, by using automated or other technological information collection and transmission techniques.

III. Proposed Actions

OSHA is requesting that OMB extend the approval of the information collection requirements contained in the Standard on Powered Platforms for Building Maintenance (29 CFR 1910.66). The agency is requesting an increase in the current burden hours from 130,763 hours to 130,776 hours, a difference of 13 hours. The slight adjustment increase is primarily due to the method of calculating the burden. The agency believes that using fractions instead of decimals to represent time would make it easier for the public to follow the burden calculations. The agency will summarize the comments submitted in response to this notice and will include this summary in the request to OMB.

Type of Review: Extension of a currently approved collection.

Title: Standard on Powered Platforms for Building Maintenance (29 CFR 1910.66).

OMB Number: 1218–0121.

Affected Public: Business or other for-profits.

Number of Respondents: 900.

Frequency: On occasion; Initially, Monthly, Annually.

Average Time per Response: Varies from 3 minutes (3/60 hour) to generate and maintain the written training certification records to 4 hours to inspect/test both a powered platform facility and the suspension wire ropes, and to prepare the certification record.

Total Burden Hours Requested: 130,776.

Estimated Cost (Operation and Maintenance): \$0.

IV. Public Participation—Submission of Comments on This Notice and Internet Access to Comments and Submissions

You may submit comments in response to this document as follows:

(1) Electronically at <http://www.regulations.gov>, which is the Federal eRulemaking Portal; (2) by facsimile (FAX); or (3) by hard copy. All comments, attachments, and other material must identify the agency name and the OSHA docket number for the ICR (Docket No. OSHA–2010–0048). You may supplement electronic submissions by uploading document files electronically. If you wish to mail additional materials in reference to an electronic or facsimile submission, you must submit them to the OSHA Docket Office (see the section of this notice titled **ADDRESSES**). The additional materials must clearly identify your electronic comments by your name, date, and the docket number so the agency can attach them to your comments.

Because of security procedures, the use of regular mail may cause a significant delay in the receipt of comments. For information about security procedures concerning the delivery of materials by hand, express delivery, messenger, or courier service, please contact the OSHA Docket Office at (202) 693–2350, (TTY) (877) 889–5627).

Comments and submissions are posted without change at <http://www.regulations.gov>. Therefore, OSHA cautions commenters about submitting personal information such as social security numbers and date of birth. Although all submissions are listed in the <http://www.regulations.gov> index, some information (e.g., copyrighted material) is not publicly available to read or download through this website. All submissions, including copyrighted

material, are available for inspection and copying at the OSHA Docket Office. Information on using the <http://www.regulations.gov> website to submit comments and access the docket is available at the website’s “User Tips” link. Contact the OSHA Docket Office for information about materials not available through the website, and for assistance in using the internet to locate docket submissions.

V. Authority and Signature

Loren Sweatt, Principal Deputy Assistant Secretary of Labor for Occupational Safety and Health, directed the preparation of this notice. The authority for this notice is the Paperwork Reduction Act of 1995 (44 U.S.C. 3506 *et seq.*) and Secretary of Labor’s Order No. 1–2012 (77 FR 3912).

Signed at Washington, DC, on June 15, 2020.

Loren Sweatt,

Principal Deputy Assistant Secretary of Labor for Occupational Safety and Health.

[FR Doc. 2020–13176 Filed 6–17–20; 8:45 am]

BILLING CODE 4510–26–P

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

[Notice: (20–056)]

National Space-Based Positioning, Navigation, and Timing Advisory Board; Meeting

AGENCY: National Aeronautics and Space Administration.

ACTION: Notice of meeting.

SUMMARY: In accordance with the Federal Advisory Committee Act, as amended, and the President’s 2004 U.S. Space-Based Positioning, Navigation, and Timing (PNT) Policy, the National Aeronautics and Space Administration (NASA) announces a meeting of the National Space-Based Positioning, Navigation, and Timing (PNT) Advisory Board. Since this will be a more concise virtual meeting rather than the traditional extended face-to-face meeting, it will be formally noted as the “24th Interim Meeting,” in preparation for the 25th Meeting in the fall, 2020.

DATES: Wednesday, July 1, 2020, 11:00 a.m. to 3:00 p.m., Eastern Time.

ADDRESSES: Virtual meeting via dial-in teleconference and WebEx only.

FOR FURTHER INFORMATION CONTACT: Mr. James J. Miller, Designated Federal Officer, Human Exploration and Operations Mission Directorate, NASA Headquarters, Washington, DC 20546, (202) 358–4417, fax (202) 358–4297, or jj.miller@nasa.gov.

SUPPLEMENTARY INFORMATION: As noted above, this meeting will be available telephonically and by WebEx only. You must use a touch-tone phone to participate in this meeting. Any interested person may dial the USA toll-free conference call number 1–844–467–4685 or toll number 1–720–259–7012, passcode 106724, to participate in this meeting by telephone. The WebEx link is <https://nasaenterprise.webex.com/>; the meeting number is 198 621 2282, and password is GCsKMAAd?334.

The agenda for the meeting includes the following topics:

- Updates on emerging U.S. Positioning, Navigation and Timing (PNT) policies
- Status of Global Positioning System (GPS) constellation services and modernization
- Examine techniques to Protect, Toughen, and Augment (PTA) access to GPS/Global Navigation Satellite Systems (GNSS) services for multiple user sectors
- Assess alternative or complimentary PNT signals sources to GPS/GNSS signals in a stressed spectrum environment
- Explore opportunities for enhancing the interoperability of GPS with other emerging international GNSS constellations
- Identify emerging trends and requirements for new PNT services in U.S. and international fora

In accordance with 41 CFR parts 101–6 and 102–3, Federal Advisory Committee Management; Final Rule, Section 102–3.150(b), this meeting is being held with less than 15 calendar days’ notice to accommodate the scheduling priorities of the key participants.

Patricia Rausch,

Advisory Committee Management Officer, National Aeronautics and Space Administration.

[FR Doc. 2020–13174 Filed 6–17–20; 8:45 am]

BILLING CODE 7510–13–P

NATIONAL SCIENCE FOUNDATION

Agency Information Collection Activities: Comment Request; Evaluation of the Sustainability and Diffusion of the NSF ADVANCE Program

AGENCY: National Science Foundation.

ACTION: Submission for OMB review; comment request.

SUMMARY: The National Science Foundation (NSF) has submitted the following information collection